

Status of listed harmful organisms in Slovenia, March 2005

Harmful organism under the official control	Host plants: if specified, an organism is quarantine only on listed plant or plant product	Group	Status in Slovenia
<i>Acleris</i> spp. (non-European)		Insecta	Absent: no pest records (Upon 2001 listed as <i>A. variana</i> , <i>A. gloverana</i>)
<i>Aculops fuchsiae</i> Keifer	<i>Fuchsia</i> L.	Acarina	Absent: no pest records
<i>Aleurocanthus</i> spp.	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta	Absent: no pest records
<i>Alternaria alternata</i> (Fr.) Keissler (non-European pathogenic isolates)	<i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Pyrus</i> L.	Fungi	Absent: no pest records
<i>Amauromyza maculosa</i> (Malloch)		Insecta	Absent: no pest records
<i>Anastrepha fraterculus</i> (Wiedemann)		Insecta	Absent: no pest records (Upon 2001 listed as <i>Anastrepha</i> spp.)
<i>Anastrepha ludens</i> (Loew)		Insecta	Absent: no pest records (Upon 2001 listed as <i>Anastrepha</i> spp.)
<i>Anastrepha obliqua</i> Macquart		Insecta	Absent: no pest records (Upon 2001 listed as <i>Anastrepha</i> spp.)
<i>Anastrepha suspensa</i> (Loew)		Insecta	Absent: no pest records (Upon 2001 listed as <i>Anastrepha</i> spp.)
<i>Anomala orientalis</i> Waterhouse		Insecta	Absent: no pest records (Upon 2001 listed as <i>Blitopertha orientalis</i>)
<i>Anoplophora chinensis</i> (Thomson)		Insecta	Absent: no pest records
<i>Anoplophora malasiaca</i> (Forster)		Insecta	Absent: no pest records
<i>Anthonomus bisignifer</i> (Schenkling)	<i>Fragaria</i> L.	Insecta	Absent: no pest records
<i>Anthonomus grandis</i> (Boh.)	<i>Gossypium</i> L.	Insecta	Absent: no pest records
<i>Anthonomus signatus</i> (Say)	<i>Fragaria</i> L.	Insecta	Absent: intercepted only
<i>Aonidiella citrina</i> Coquillet	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta	Absent: no pest records
<i>Aphelenchoides besseyi</i> Christie	<i>Oryza</i> spp.	Nematoda	Absent: no pest records
<i>Aphelenchoides besseyi</i> Christie	<i>Fragaria</i> L.	Nematoda	Absent: no pest records
<i>Apiosporina morbosus</i> (Schwein.) v. Arx	<i>Prunus</i> L.	Fungi	Absent: no pest records
Apple proliferation mycoplasma		Phytoplasma	Present: at low prevalence, survey 2002-2004
Apricot chlorotic leafroll mycoplasma (European stonefruit yellows phytoplasma)		Phytoplasma	Absent: no pest records Absent: pest record unreliable (suspicion in 1999, confirmation not final) Present: at low prevalence, survey 2002-2004, under the official control
Arabis mosaic (nepo) virus	<i>Fragaria</i> L. in <i>Rubus</i> L.,	Virus	Present: only in some areas
<i>Arceuthobium</i> spp. (non-European)		Plant	Absent: no pest records
Arracacha virus B, oca strain		Virus	Absent: no pest records
<i>Arrhenodes minutus</i> Drury		Insecta	Absent: no pest records
<i>Aschistonyx eppoi</i> Inouye	<i>Juniperus</i> L.	Insecta	Absent: no pest records
<i>Atropellis</i> spp.	Plants of <i>Pinus</i> L., other than fruit and seeds, isolated bark and wood of <i>Pinus</i> L.	Fungi	Absent: no pest records (Upon 2001 listed as <i>A. piricola</i> and <i>A. piniphila</i>)
Bean golden mosaic (bigemini) virus		Virus	Absent: no pest records

Status of listed harmful organisms in Slovenia, March 2005

Beet curly top (hybrigemini) virus (non-European isolates)	<i>Beta vulgaris</i> L	Virus	Absent: no pest records
Beet leaf curl (rhabdo) virus	<i>Beta vulgaris</i> L	Virus	Absent: no pest records
Beet necrotic yellow vein (furo) virus		Virus	Present: only in some areas
<i>Bemisia tabaci</i> (I-g) Genn. (non-European populations)		Insecta	Absent: intercepted only Absent: pest record invalid (european populations were intercepted)
<i>Bemisia tabaci</i> Genn. (European populations)		Insecta	Absent: intercepted only Present: only in protected cultivation
Black raspberry latent (ilar) virus	<i>Rubus</i> L.	Virus	Absent: no pest records
Blight and Blight-like	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf..	Virus	Absent: no pest records
Blueberry leaf mottle virus		Virus	Absent: no pest records
<i>Bursaphelenchus xylophilus</i> (Steiner et Bühner) Nickle <i>et al.</i>	<i>Abies</i> Mill., <i>Cedrus</i> Trew., <i>Larix</i> Nickle Mill., <i>Picea</i> l. Dietr., <i>Pinus</i> L., <i>Pseudotsuga</i> Carr., <i>Tsuga</i> Carr.,	Nematoda	Absent: no pest records Absent: confirmed by survey from 2003 on
Cadang-Cadang viroid	Palmae	Viroid	Absent: no pest records
<i>Carneocephala fulgida</i> Nottingham		Insecta	Absent: no pest records
<i>Carposina niponensis</i> Walsingham	<i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L.	Insecta	Absent: no pest records
<i>Cephalcia lariciphila</i> (Klug)	<i>Larix</i> Mill.	Insecta	Absent: no pest records
<i>Ceratocystis coerulescens</i> (Münch) Bakshi	<i>Acer saccharum</i> Marsh.	Fungi	Absent: no pest records
<i>Ceratocystis fagacearum</i> (Bretz) Hunt		Fungi	Absent: no pest records
<i>Ceratocystis fimbriata</i> f. sp. <i>platani</i> Walter	<i>Platanus</i> L.	Fungi	Absent: no pest records (CRP Junc 2001)
<i>Cercoseptoria pini-densiflorae</i> (Hori et Nambu) Deighton	Plants of <i>Pinus</i> L., other than fruit and seeds, and wood of <i>Pinus</i> L.	Fungi	Absent: no pest records (Upon 2001 listed as <i>Mycosphaerella pini</i>)
<i>Cercospora angolensis</i> Carv. et Mendes	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Fungi	Absent: no pest records
Cherry leaf roll (nepo) virus	<i>Rubus</i> L.	Virus	Absent: no pest records
Cherry rasp leaf (nepo) virus (American)		Virus	Absent: no pest records
<i>Choristoneura</i> spp. (non-European)		Insecta	Absent: no pest records
Chrysanthemum stunt viroid	<i>Dendranthema</i> (DC.) Des Moul.	Viroid	Absent: no pest records
<i>Chrysomyxa arctostaphyli</i> Dietel		Fungi	Absent: no pest records
<i>Ciborinia cemelliae</i> Kohn	<i>Camellia</i> L.	Fungi	Absent: no pest records
<i>Circulifer haematoceps</i>	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta	Absent: no pest records
<i>Circulifer tenellus</i>	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta	Absent: no pest records
Citrus greening bacterium	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Bacteria	Absent: no pest records
Citrus mosaic (badna) Virus	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Virus	Absent: no pest records
Citrus tristeza Virus (non- European isolates)	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Virus	Absent: no pest records
Citrus tristeza Virus (European isolates)	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Virus	Absent: no pest records
Citrus tristeza Virus (European isolates)	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Virus	Absent: no pest records
Citrus variegated chlorosis	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Bacteria	Absent: no pest records
Citrus vein enation woody gall	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Virus	Absent: no pest records

Status of listed harmful organisms in Slovenia, March 2005

<i>Clavibacter michiganensis</i> (Smith) Davis <i>et al.</i> ssp. <i>sepedonicus</i> (Spieckermann et Kotthoff) Davis <i>et al.</i>		Bacteria	Absent: confirmed by survey
<i>Clavibacter michiganensis</i> ssp. <i>insidiosus</i> (McCulloch) Davis <i>et al.</i>	<i>Medicago sativa</i> L.	Bacteria	Absent: no pest records
<i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> (Smith) Davis <i>et al.</i>	<i>Lycopersicon lycopersicum</i> (L.) Karsten ex Farw	Bacteria	Present: at low prevalence
<i>Colletotrichum acutatum</i> Simmonds	<i>Fragaria</i> L.	Fungi	Present: only in some areas
<i>Conotrachelus nenuphar</i> (Herbst)		Insecta	Absent: no pest records
Cowpea mild mottle (carla) virus		Virus	Absent: no pest records
<i>Cronartium</i> spp. (non-European)		Fungi	Absent: no pest records
<i>Cryphonectria parasitica</i> (Murrill) Barr	<i>Castanea</i> Mill., <i>Quercus</i> L.	Fungi	Present: in all parts of the RS
<i>Curtobacterium flaccumfaciens</i> pv. <i>flaccumfaciens</i> (Hedges) Collins et Jones	Seeds of <i>Phaseolus vulgaris</i> L. and <i>Dolichos</i> Jacq.	Bacteria	Absent: no pest records
<i>Dacus ciliatus</i> Loew		Insecta	Absent: no pest records
<i>Dacus cucurbitae</i> Coquillett		Insecta	Absent: no pest records (Upon 2001 listed as <i>Bactrospera</i> spp.)
<i>Dacus dorsalis</i> Hendel		Insecta	Absent: no pest records (Upon 2001 listed as <i>Bactrospera</i> spp.)
<i>Dacus tryoni</i> (Froggatt)		Insecta	Absent: no pest records (Upon 2001 listed as <i>Bactrospera</i> spp.)
<i>Dacus tsuneonis</i> Miyake		Insecta	Absent: no pest records (Upon 2001 listed as <i>Bactrospera</i> spp.)
<i>Dacus zonatus</i> Saund.		Insecta	Absent: no pest records (Upon 2001 listed as <i>Bactrospera</i> spp.)
<i>Daktulosphaira vitifoliae</i> (Fitch)	Plants of <i>Vitis</i> L., other than fruit and seeds	Insecta	Present: only in some areas (Upon 2001 listed as <i>Viteus vitifoliae</i>)
<i>Dendroctonus micans</i> Kugelan	<i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> l. Dietr., <i>Pinus</i> L., <i>Pseudotsuga</i> Carr.,	Insecta	Absent: no pest records
<i>Diabrotica barberi</i> Smith & Lawrence		Insecta	Absent: no pest records
<i>Diabrotica undecimpunctata howardi</i> Barber		Insecta	Absent: no pest records
<i>Diabrotica undecimpunctata undecimpunctata</i> Mannerheim		Insecta	Absent: no pest records
<i>Diabrotica virgifera virgifera</i> Le Conte		Insecta	Absent: confirmed by survey
<i>Diaphorina citri</i> Kuway.	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta	Absent: no pest records
<i>Diaporthe vaccinii</i> Shear	<i>Vaccinium</i> spp.	Fungi	Absent: no pest records
<i>Didymella ligulicola</i> (Baker, Dimock et Davis) v. Arx	<i>Dendranthema</i> (DC.) Des Moul	Fungi	Absent: no pest records
<i>Ditylenchus destructor</i> Thorne	<i>Crocus</i> L., <i>Gladiolus</i> L., <i>Hyacinthus</i> L., <i>Iris</i> L., <i>Tigridia</i> Juss., <i>Tulipa</i> L. <i>Solanum tuberosum</i> L.	Nematoda	Absent: no pest records
<i>Ditylenchus dipsaci</i> (Kühn) Filipjev	Bulbs and corms of <i>Allium</i> L., <i>Camassia</i> Lindl., <i>Chionodoxa</i> Boiss., <i>Crocus flavus</i> , <i>Galanthus</i> L., <i>Galtonia candicans</i> (Baker) Decne, <i>Hyacinthus</i> L., <i>Ismene</i> Herbert, <i>Muscari</i> Miller, <i>Narcissus</i> L., <i>Ornithogalum</i> L., <i>Puschkinia</i>	Nematoda	Present: only in some areas

Status of listed harmful organisms in Slovenia, March 2005

	Adams, <i>Scilla</i> L., <i>Tulipa</i> L., and seeds of <i>Medicago sativa</i> L.		
<i>Draeculacephala minerva</i> Ball		Insecta	Absent: no pest records
Elm phloem necrosis mycoplasma		Phytoplasma	Absent: no pest records
<i>Elsinoe</i> spp. (Bitanc. et Jenk.) Mendes	Fortunella Swingle, Poncirus Raf. Citrus L.	Fungi	Absent: no pest records
<i>Enarmonia packardi</i> (Zeller)	<i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L.	Insecta	Absent: no pest records (Upon 2001 listed as <i>Cydia packardi</i> (Zeller))
<i>Enarmonia prunivora</i> Walsh	<i>Crataegus</i> L., <i>Malus</i> Mill., <i>Photinia</i> Ldl., <i>Prunus</i> L. and <i>Rosa</i> L.	Insecta	Absent: no pest records (Upon 2001 listed as <i>Cydia prunivora</i> (Walsh))
<i>Endocronartium</i> spp. (non-European)		Fungi	Absent: no pest records
<i>Eotetranychus lewisi</i> McGregor	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf	Acarina	Absent: no pest records
<i>Epochra canadensis</i> (Loew)		Insecta	Absent: no pest records
<i>Erwinia amylovora</i> (Burr.) Winsl. et al.	<i>Chaenomeles</i> Lindl., <i>Cotoneaster</i> Ehrh., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Eriobotrya</i> Lindl., <i>Malus</i> Mill., <i>Mespilus</i> L. <i>Pyracantha</i> Roem., <i>Pyrus</i> L., <i>Sorbus</i> L	Bacteria	Absent: confirmed by survey 1st finding in 2001; pest eradicated Present in Gorenjska region & Maribor; other areas free from, confirmed by survey
<i>Erwinia amylovora</i> (Burr.) Winsl. et al.	<i>Chaenomeles</i> Lindl., <i>Cotoneaster</i> Ehrh., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Eriobotrya</i> Lindl., <i>Malus</i> Mill., <i>Mespilus</i> L. <i>Pyracantha</i> Roem., <i>Pyrus</i> L., <i>Sorbus</i> L	Bacteria	Absent: confirmed by survey 1st finding in 2001; pest eradicated
<i>Erwinia chrysanthemi</i> pv. <i>dianthicola</i> (Hellmers) Dickey	<i>Dianthus</i> L.	Bacteria	Absent: no pest records (Upon 2001 listed as <i>Erwinia chrysanthemi</i>)
<i>Erwinia stewartii</i> (Smith) Dye	<i>Zea mays</i> L. seeds	Bacteria	Absent: no pest records
Euphorbia mosaic (bigemini) virus		Virus	Absent: no pest records
<i>Eutetranychus orientalis</i> Klein	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Acarina	Absent: no pest records
Florida tomato virus		Virus	Absent: no pest records
<i>Fusarium oxysporum</i> f. sp. <i>albedinis</i> (Kilian et Maire) Gordon	<i>Phoenix</i> spp.	Fungi	Absent: no pest records
<i>Gilpinia hercyniae</i> (Hartig)	<i>Picea</i> l. Dietr.	Insecta	Absent: no pest records
<i>Globodera pallida</i> (Stone) Behrens		Nematoda	Absent: confirmed by survey
<i>Globodera pallida</i> (Stone) Behrens		Nematoda	Absent: confirmed by survey
<i>Globodera rostochiensis</i> (Wollenweber) Behrens		Nematoda	Absent: confirmed by survey 1st finding in 2000; pest eradicated Present in Trenta; at some locations (Gorenjska, Koroška) under the quarantine measures, other part free from, confirmed by survey 2001-2004
<i>Glomerella gossypii</i> Edgerton	<i>Gossypium</i> L.	Fungi	Absent: no pest records
<i>Gonipterus scutellatus</i> Gyll.	<i>Eucalyptus</i>	Insecta	Absent: no pest records
Grapevine Flavescence dorée MLO	<i>Vitis</i> L.	Phytoplasma	Present: subject to official control Absent: pest record uncertain (only Bois noir is confirmed; survey in 2002)

Status of listed harmful organisms in Slovenia, March 2005

			Absent: confirmed by survey 2002-2004
<i>Graphocephala atropunctata</i> (Signoret)		Insecta	Absent: no pest records
<i>Grapholita inopinata</i> Heinrich	<i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L. and <i>Pyrus</i> L.	Insecta	Absent: no pest records (Upon 2001 listed as <i>Cydia inopinata</i> (Heinrich))
<i>Gremmeniella abietina</i> (Lag.) Morelet	<i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> I. Dietr., <i>Pinus</i> L., <i>Pseudotsuga</i> Carr.,	Fungi	Present: at low prevalence
<i>Guignardia citricarpa</i> Kiely (all strains pathogenic to citrus)	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Fungi	Absent: no pest records
<i>Guignardia loricata</i> (Saw.) Yamamoto et Ito		Fungi	Absent: no pest records (Upon 2001 listed as <i>Botryosphaeria</i>)
<i>Guignardia piricola</i> (Nosa) Yamamoto	<i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> YamamotoL.	Fungi	Absent: no pest records
<i>Gymnosporangium</i> spp. (non-European)		Fungi	Absent: no pest records
<i>Heliothis armigera</i> (Hübner)		Insecta	Present: sporadically in all parts of the area (Upon 2001 listed as <i>Helicoverpa armigera</i>)
<i>Heliothis zea</i> (Boddie)		Insecta	Absent: no pest records
<i>Hirschmanniella</i> spp. other than <i>Hirschmanniella gracilis</i> (de Man) Luc & Goodey		Insecta	Absent: no pest records
<i>Hishomonus phycitidis</i>	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta	Absent: no pest records
<i>Hypoxyton mammatum</i> (Wahl.) J. Miller	<i>Populus</i> L	Fungi	Present: at low prevalence
<i>Inonotus weirii</i> (Murrill) Kottaba et Pouzar		Fungi	Absent: no pest records
<i>Ips amitinus</i> Eichhof	<i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> I. Dietr. , <i>Pinus</i> L	Insecta	Present: only in some areas
<i>Ips cembrae</i> Heer	<i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> I. Dietr. <i>Pinus</i> L., <i>Pseudotsuga</i> Carr.	Insecta	Present: in all parts of the area
<i>Ips duplicatus</i> Sahlberg	<i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> I. Dietr. , <i>Pinus</i> L	Insecta	Present: only in some areas
<i>Ips sexdentatus</i> Boerner	<i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> I. Dietr. , <i>Pinus</i> L	Insecta	Present: only in some areas
<i>Ips typographus</i> Heer	<i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> I. Dietr. <i>Pinus</i> L., <i>Pseudotsuga</i> Carr.	Insecta	Present: in all parts of the area
Leprosis	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Virus	Absent: no pest records
<i>Leptinotarsa decemlineata</i> Say		Insecta	Present: in all parts of the area
Lettuce infectious yellows (clostero) virus		Virus	Absent: no pest records
<i>Leucaspis japonica</i> Ckll.	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta	Absent: no pest records
<i>Liriomyza bryoniae</i> (Kaltenbach)		Insecta	Present: in all parts of the RS
<i>Liriomyza huidobrensis</i> (Blanchard)		Insecta	Present: only in protected cultivation; subject to official control
<i>Liriomyza sativae</i> Blanchard		Insecta	Absent: no pest records Intercepted only
<i>Liriomyza trifolii</i> (Burgess)		Insecta	Absent: pest records invalid; (ongoing monitoring & determination)

Status of listed harmful organisms in Slovenia, March 2005

			Intercepted only
<i>Listronotus bonariensis</i> (Kuschel)	Cruciferae, Gramineae, <i>Trifolium</i> spp.	Insecta	Absent: no pest records
Little cherry pathogen (non-European isolates)	<i>Prunus</i> spp	Virus	Absent: no pest records
<i>Longidorus diadecturus</i> Eveleigh et Allen		Nematoda	Absent: no pest records
<i>Margarodes prieskaensis</i> Jakubski	<i>Vitis</i> L.	Insecta	Absent: no pest records
<i>Margarodes vitis</i> (Phillipi)	<i>Vitis</i> L.	Insecta	Absent: no pest records
<i>Margarodes vredendalensis</i> de Klerk	<i>Vitis</i> L.	Insecta	Absent: no pest records
<i>Matsucoccus feytaudi</i> Duc.	(Coniferales)	Insecta	Absent: no pest records
<i>Melampsora farlowii</i> (Arthur) Davis		Fungi	Absent: no pest records
<i>Melampsora medusae</i> Thümen		Fungi	Absent: no pest records
<i>Meloidogyne chitwoodi</i> Golden et al.		Nematoda	Absent: no pest records.
<i>Meloidogyne fallax</i> Karssen		Nematoda	Absent: no pest records.
<i>Monilinia fructicola</i> (Winter) Honey		Fungi	Absent: no pest record Absent: confirmed by survey 2003-2004
<i>Monochamus</i> spp. (non-European)		Insecta	Absent: no pest records (present European pop.)
<i>Mycosphaerella laricis-leptolepis</i> Ito et al.		Fungi	Absent: no pest records
<i>Mycosphaerella populorum</i> G.E. Thompson		Fungi	Absent: no pest records
<i>Myndus crudus</i> Van Duzee		Insecta	Absent: no pest records
<i>Nacobbus aberrans</i> (Thorne) Thorne et Allen		Nematoda	Absent: no pest records
Naturally spreading psorosis	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Virus	Absent: no pest records
Non-European viruses and virus-like organisms	<i>Cydonia</i> Mill., <i>Fragaria</i> L., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L., <i>Ribes</i> L., <i>Rubus</i> L. and <i>Vitis</i> L.	Virus	Absent: no pest records
<i>Numonia pyrivorella</i> (Matsumura)	<i>Pyrus</i> L.	Insecta	Absent: no pest records (Upon 2001 listed as <i>Acrobasis p.</i>)
<i>Oligonychus perditus</i> Pritchard et Baker	<i>Juniperus</i> L.,	Acarina	Absent: no pest records
<i>Opogona sacchari</i> (Bojer)		Insecta	Absent: no pest records
Palm lethal yellowing mycoplasma	Palmae	Phytoplasma	Absent: no pest records
<i>Pardalaspis cyanescens</i> Bezzi		Insecta	Absent: no pest records
<i>Pardalaspis quinaria</i> Bezzi		Insecta	Absent: no pest records
Peach mosaic American (clostero) Virus		Virus	Absent: no pest records
Peach phony rickettsia		Vr	Absent: no pest records
Peach rosette mosaic (nepo) virus		Virus	Absent: no pest records
Peach rosette mycoplasma		Phytoplasma	Absent: no pest records
Peach x-disease mycoplasma		Phytoplasma	Absent: no pest records
Peach yellows mycoplasma		Phytoplasma	Absent: no pest records
Pear decline mycoplasma		Phytoplasma	Present: only in some areas where host crop(s) are grown
Pepper mild tigre virus		Virus	Absent: no pest records
<i>Phialophora cinerescens</i> (Wollenweber) van Beyma	<i>Dianthus</i> L.	Fungi	Absent: no pest records
<i>Phoma andina</i> Turkensteen		Fungi	Absent: no pest records
<i>Phoma tracheiphila</i> (Petri) Kanchaveli et Gikashvili	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Fungi	Absent: no pest records
<i>Phyllosticta solitaria</i> Ell. et Ev.		Fungi	Absent: no pest records
<i>Phytophthora fragariae</i> Hickman var. <i>fragariae</i>	<i>Fragaria</i> L.	Fungi	Present: at low prevalence
<i>Pissodes</i> spp. (European)	<i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> L. Dietr., <i>Pinus</i> L., (Coniferales)	Insecta	Present: in all parts of the area
<i>Pissodes</i> spp. (non-European)	Coniferales	Insecta	Absent: no pest records (present European pop.)

Status of listed harmful organisms in Slovenia, March 2005

<i>Plasmopara halstedii</i> (Farlow) Berl. et de Toni	Seeds <i>Helianthus annuus</i> L. Berl. et de Toni	Fungi	Present: at low prevalence
Plum line American pattern (ilar) Virus		Virus	Absent: no pest records
Plum pox (poty) virus	Prunus L	Virus	Present: subject to official control Survey 1999-2004
<i>Popillia Japonica</i> Newman		Insecta	Absent: no pest records
Potato (tricho) virus T		Virus	Absent: no pest records
Potato Andean latent virus		Virus	Absent: no pest records
Potato Andean mottle (como) virus		Virus	Absent: no pest records
Potato black ring spot (nepo) virus		Virus	Absent: no pest records
Potato leaf roll virus (Non European isolates)		Virus	Absent: no pest records
Potato spindle tuber viroid		Viroid	Absent: no pest records
Potato stolbur mycoplasma	Solanaceae	Phytoplasma	Absent: no pest records
Potato Viruses A (Non European isolates)		Virus	Absent: no pest records
Potato Viruses M (Non European isolates)		Virus	Absent: no pest records
Potato Viruses S (Non European isolates)		Virus	Absent: no pest records
Potato Viruses V (Non European isolates)		Virus	Absent: no pest records
Potato Viruses X (Non European isolates)		Virus	Absent: no pest records
Potato Viruses Y (including Yo, Yn and Yc - Non European isolates)		Virus	Absent: no pest records
<i>Premnotrypes</i> spp. (non-European)		Insecta	Absent: no pest records (Upon 2001 listed as: <i>Premnotrypes</i> spp. Andean)
Prunus necrotic ringspot Virus	<i>Rubus</i> L.	Virus	Absent: no pest records
<i>Pseudomonas /Ralstonia/ solanacearum</i> (Smith) Smith		Bacteria	Absent: confirmed by survey 1st finding in 2000; Eradicated
<i>Pseudomonas caryophylli</i> (Burkholder) Starr et Burkholder	<i>Dianthus</i> L.	Bacteria	Absent: no pest records
<i>Pseudomonas syringae</i> pv. <i>persicae</i> (Prunier et al.) Young et al.	<i>Prunus persica</i> , <i>Prunus persica</i> var. <i>nectarina</i>	Bacteria	Absent: no pest records
<i>Pseudopityophthorus minutissimus</i> (Zimmermann)		Insecta	Absent: no pest records
<i>Pseudopityophthorus pruinosis</i> (Eichhoff)		Insecta	Absent: no pest records
<i>Pterandrus rosa</i> (Karsch)		Insecta	Absent: no pest records (Upon 2001 listed as <i>Ceratitis rosa</i>)
<i>Puccinia horiana</i> Hennings	<i>Dendranthema</i> (DC.) Des Moul.	Fungi	Present: only in some areas
<i>Puccinia pittieriana</i> Hennings	Solanaceae	Fungi	Absent: no pest records
<i>Radopholus citrophilus</i> Huettel Dickson et Kaplan	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., Araceae, Marantaceae, Musaceae, <i>Persea</i> spp., Strelitziaceae	Nematoda	Absent: no pest records
<i>Radopholus similis</i> (Cobb) Thorne	Araceae, Marantaceae, Muscaceae, <i>Persea</i> Mill., Strelitziaceae	Nematoda	Absent: confirmed by survey; pest records invalid
Raspberry leaf curl (luteo) virus (American)		Virus	Absent: no pest records
Raspberry ringspot virus	<i>Fragaria</i> L., <i>Rubus</i> L.,	Virus	Present: only in some areas
<i>Rhacochlaena japonica</i> Ito		Insecta	Absent: no pest records (Upon 2001 listed as <i>Euphranta japonica</i>)
<i>Rhagoletis cingulata</i> (Loew)		Insecta	Absent: no pest records (Upon 2001 listed as <i>Rhagoletis</i> spp.-noneuropean)
<i>Rhagoletis completa</i> Cresson		Insecta	Present: only in some areas
<i>Rhagoletis fausta</i> (Östen-Sacken)		Insecta	Absent: no pest records (Upon 2001 listed as

Status of listed harmful organisms in Slovenia, March 2005

			<i>Rhagoletis</i> spp. -noneuropean)
<i>Rhagoletis indifferens</i> Curran		Insecta	Absent: no pest records (Upon 2001 listed as <i>Rhagoletis</i> spp. -noneuropean)
<i>Rhagoletis mendax</i> Curran		Insecta	Absent: no pest records (Upon 2001 listed as <i>Rhagoletis</i> spp. -noneuropean)
<i>Rhagoletis pomonella</i> Walsh		Insecta	Absent: no pest records (Upon 2001 listed as <i>Rhagoletis</i> spp. -noneuropean)
<i>Rhagoletis ribicola</i> Doane		Insecta	Absent: no pest records (Upon 2001 listed as <i>Rhagoletis</i> spp. -noneuropean)
<i>Rhagoletis suavis</i> (Loew)		Insecta	Absent: no pest records (Upon 2001 listed as <i>Rhagoletis</i> spp. -noneuropean)
<i>Rhizoecus hibisci</i> Kawai & Takagi		Insecta	Absent: no pest records
<i>Saissetia nigra</i> (Nietm.)	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta	Absent: no pest records (Upon 2001 listed as <i>Parasaissetia nigra</i>)
Satsuma dwarf (nepo) virus	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Virus	Absent: no pest records
<i>Scaphoideus luteolus</i> (Van Duzee)		Insecta	Absent: no pest records
<i>Scirrhia acicola</i> (Dearn.) Siggers	<i>Pinus</i> L.	Fungi	Absent: no pest records (Upon 2001 listed as <i>Mycosphaerella dearnessi</i>)
<i>Scirrhia pini</i> Funk et Parker	<i>Pinus</i> L.	Fungi	Present on <i>P. nigra</i> (Upon 2001 listed as <i>Mycosphaerella pini</i>)
<i>Scirtothrips aurantii</i> Faure	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta	Absent: no pest records
<i>Scirtothrips citri</i> (Moultx)	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta	Absent: no pest records
<i>Scirtothrips dorsalis</i> Hood	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta	Absent: no pest records
<i>Scolytidae</i> spp. (non-European)	Coniferales	Insecta	Absent: no pest records (present European pop.)
<i>Septoria lycopersici</i> Speg. var. <i>malagutti</i> Ciccarone et Boerema		Fungi	Absent: no pest records
<i>Spiroplasma citri</i> Saglio et al.	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Phytoplasma	Absent: no pest records
<i>Spodoptera eridania</i> (Cramer)		Insecta	Absent: no pest records
<i>Spodoptera frugiperda</i> (Smith)		Insecta	Absent: no pest records
<i>Spodoptera littoralis</i> (Boisduval)		Insecta	Absent: no pest records
<i>Spodoptera litura</i> (Fabricius)		Insecta	Absent: no pest records
Squash leaf curl (bigemini) virus		Virus	Absent: no pest records
<i>Sternochetus mangiferae</i> Fabricius	<i>Mangifera</i> spp.	Insecta	Absent: no pest records
Strawberry crinkle (rhabdo) virus	<i>Fragaria</i> L.	Virus	Absent: no pest records
Strawberry latent "C" virus		Virus	Absent: no pest records
Strawberry latent ringspot virus	<i>Fragaria</i> L., <i>Rubus</i> L.	Virus	Absent: no pest records
Strawberry mild yellow edge (luteo) virus	<i>Fragaria</i> L.	Virus	Absent: no pest records
Strawberry vein banding (caulimo) virus		Virus	Absent: no pest records
Strawberry witches' broom mycoplasma		Phytoplasma	Absent: no pest records
<i>Synchytrium endobioticum</i> (Schilbersky) Percival		Fungi	Present: at low prevalence in restricted area
<i>Tachypterellus quadrigibbus</i> Say	<i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L. and <i>Pyrus</i> L.	Insecta	Absent: no pest records (Upon 2001 listed as <i>Anthonomus quadrigibbus</i>)

Status of listed harmful organisms in Slovenia, March 2005

			(Say))
Tatter leaf virus	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Virus	Absent: no pest records
<i>Thaumatopoea pityocampa</i> (Den. et Schiff.)	<i>Pinus</i> L.,	Insecta	Present: only in some areas
<i>Thecaphora solani</i> Barrus		Fungi	Absent: no pest records
<i>Thrips palmi</i> Karny		Insecta	Absent: intercepted only
<i>Tilletia indica</i> Mitra		Fungi	Absent: no pest records
Tobacco ringspot (nepo) virus		Virus	Absent: no pest records
Tomato black ring (nepo) virus	<i>Fragaria</i> L. in <i>Rubus</i> L.,	Virus	Absent: intercepted only
Tomato ringspot (nepo) virus		Virus	Present: at low prevalence Absent: pest records invalid (Uncertained record in YU) Absent: confirmed by survey 2003-2004
Tomato spotted wilt (tospo) virus		Virus	Present: only in some areas where host crop is grown, first finding in 2000, subject to official control
Tomato spotted wilt (tospo) virus	<i>Apium graveolens</i> L., <i>Capsicum annuum</i> L., <i>Cucumis melo</i> L., <i>Dendranthema</i> (DC.) Des Moul., <i>Impatiens</i> L., <i>Lactuca sativa</i> L., <i>Lycopersicon lycopersicum</i> (L.) Karsten ex Farw., Nic	Virus	Present: only in some areas where host crop is grown, subject to official control (greenhouses) 1st finding in 2000
Tomato yellow leaf curl (bigemini) virus	<i>Lycopersicon lycopersicum</i> (L.)	Virus	Absent: no pest records
<i>Toxoptera citricida</i> Kirk.	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta	Absent: no pest records
<i>Trechispora brinkmannii</i> (Bresad.) Rogers		Fungi	Absent: no pest records (Upon 2001 listed as <i>Phymatotrichopsis omnivora</i>)
<i>Trioza erythrae</i> Del Guercio	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta	Absent: no pest records
<i>Unaspis citri</i> Comstock	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Insecta	Absent: no pest records
<i>Venturia nashicola</i> Tanaka et Yamamoto	<i>Pyrus</i> L.	Fungi	Absent: no pest records
<i>Verticillium albo-atrum</i> Reinke et Berthold	<i>Humulus lupulus</i> L	Fungi	Present: only in some areas where host crop is grown, subject to official control (progressive hop wilt)
<i>Verticillium dahliae</i> Klebahn	<i>Humulus lupulus</i> L	Fungi	Present: only in some areas where host crop is grown, subject to official control
Witches' broom (MLO)	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Phytoplasma	Absent: no pest records
<i>Xanthomonas campestris</i> (all strains pathogenic to Citrus)	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Bacteria	Absent: no pest records
<i>Xanthomonas campestris</i> pv. <i>oryzae</i> (Ishiyama) Dye and pv. <i>oryzicola</i> (Fang et al.) Dye	<i>Oryza</i> spp.	Bacteria	Absent: no pest records
<i>Xanthomonas campestris</i> pv. <i>phaseoli</i> (Smith) Dye	Seeds of <i>Phaseolus</i> L.	Bacteria	Present: only in some areas
<i>Xanthomonas campestris</i> pv. <i>pruni</i> (Smith) Dye	<i>Prunus</i> L.	Bacteria	Present: only in some areas, 1st finding in 1996, outbreak 2001, subject to official control
<i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> (Doidge) Dye	<i>Lycopersicon lycopersicum</i> (L.) Karsten ex Farw., and <i>Capsicum</i> spp.,	Bacteria	Present: only in some areas 1st finding on <i>Capsicum</i> in 2000, subject to official control

Status of listed harmful organisms in Slovenia, March 2005

<i>Xanthomonas fragariae</i> Kennedy et King	<i>Fragaria</i> L	Bacteria	Absent: no pest records 1 st finding in 2000 -Present: only in some areas
<i>Xiphinema americanum</i> Cobb <i>sensu lato</i> (non-European populations)		Nematoda	Absent: no pest records (1st finding of european pop. in 2002, not confirmed yet: <i>X. bricolensis</i> or <i>X. rivesi</i>)
<i>Xiphinema californicum</i> Lamberti et Blevé-Zacheo		Nematoda	Absent: no pest records
<i>Xylella fastidiosa</i> (Wells et Raju)		Bacteria	Absent: no pest records
<i>Xylophilus ampelinus</i> (Panagopoulos) Willems <i>et al.</i>	<i>Vitis</i> L.	Bacteria	Absent: no pest records Present in limited area of Primorska, under the official control