



**VALSTYBINĖ AUGALININKYSTĖS TARNYBA  
PRIE ŽEMĖS ŪKIO MINISTERIJOS**

**THE STATE PLANT SERVICE  
UNDER THE MINISTRY OF AGRICULTURE  
OF THE REPUBLIC OF LITHUANIA**

Budgetary agency, Ozo str. 4A, 08200 Vilnius, Tel. +370 5 237 5631, Fax. +370 5 273 0233  
E-mail [info@vatzum.lt](mailto:info@vatzum.lt), <http://www.vatzum.lt>  
Data have been accumulated and stored in the Register of Legal Entities Code 302526112

*03-04-2018, No 1S-561*

To: International Plant Protection  
Convention Secretariat,  
Food and Agriculture Organization  
of the United Nations,  
AGDI, Viale delle Terme di Caracalla,  
00153 Rome, Italy  
Email: [ippc@fao.org](mailto:ippc@fao.org)

CC: Martin Ward  
Director General  
OEPP/EPPO  
21 boulevard Richard Lenoir  
75011 Paris  
FRANCE  
E-mail: [hq@eppo.int](mailto:hq@eppo.int)

**INFORMATION ON PEST STATUS IN THE REPUBLIC OF LITHUANIA IN 2017**

Dear Colleagues,

Please find enclosed information on pest status in the Republic of Lithuania in 2017.

**Enclosed:** Information on pest status in the Republic of Lithuania in 2017 (5 pages).

Director

Sergejus Fedotovas

L. Rezgytė, phone +370 5 273 4411, [loreta.rezgyte@vatzum.lt](mailto:loreta.rezgyte@vatzum.lt)

Original will not be send



Lithuania Celebrates 100

**Information on pest status in the Republic of Lithuania in 2017**

No.	Identity of pest	EPO code	Title	Pest status	Summary
1.	<i>Agrilus anxius</i> (Gory)	AGRLAX	Bronze birch borer	Absent: confirmed by official survey	-
2.	<i>Agrilus planipennis</i> (Fairmaire)	AGRLPL	Emerald ash borer	Absent: confirmed by official survey	-
3.	<i>Agrilus auroguttatus</i> (Schäffer)	AGRLGT	Goldspotted oak borer	Absent: confirmed by official survey	-
4.	<i>Dendrolimus sibiricus</i> (Chetverikov)	DENDSI	Siberian silk moth	Absent: confirmed by official survey	-
5.	<i>Monochamus spp.</i> (non-European)	MONCSP	Sawyer	Absent: confirmed by official survey	-
6.	<i>Rhagoletis fausta</i> (Osten-Sacken)	RHAGFA	Black cherry fruit fly	Absent: confirmed by official survey	-
7.	<i>Rhagoletis pomonella</i> (Walsh)	RHAGPO	Apple maggot	Absent: confirmed by official survey	-
8.	<i>Popillia japonica</i> (Newman)	POPIJA	Japanese beetle	Absent: confirmed by official survey	-
9.	<i>Eotetranychus lewisi</i> (McGregor)	EOTELE	Lewis spider mite	Absent: confirmed by official survey	-
10.	<i>Aromia bungii</i> (Faldermann)	AROMBU	Redneck longhorned beetle	Absent: confirmed by official survey	-
11.	<i>Xylosandrus crassiusculus</i> (Mochul'skii)	XYLBCR	Asian ambrosia beetle	Absent: confirmed by official survey	-

12.	<i>Clavibacter michiganensis</i> (Smith) Davis et al. spp. <i>sepedonicus</i> (Spieckermann & Kotthoff) Davis et al.	CORBSE	Ring rot of potato	Present: only in some areas were host crop(s) are grown	All outbreaks were detected in small scale farmlands (up to 6 ha) for internal uses. The traceability tests were conducted, but it was not confirmed that the source of infection was the certified seed potatoes. All contaminated potatoes were destroyed. Phytosanitary measures will be applied during the quarantine period for the next 4 years after year of detection in the contaminated farms.
13.	<i>Clavibacter michiganensis</i> spp. <i>michiganensis</i> (Smith) Davis et al.	CORBMI	Bacterial canker of tomato	Absent: eradicated	-
14.	<i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al.	RALSSO	Bacterial wilt/ potato brown rot	Absent: confirmed by official survey	-
15.	<i>Globodera rostochiensis</i> (Wollenweber) Behrens	HETDRO	Potato nematode cyst	Present: only in some areas were host crop(s) are grown	Potato cyst nematodes were identified in the soil samples of the fields in the place of production of ware potato farms. The majority of outbreaks were found in small potato producers farms. Official phytosanitary measures were applied according to directive 2007/33/EC. The cultivation of potatoes and other host plants is banned in contaminated fields for at least 6 years after year of detection.
16.	<i>Globodera pallida</i> (Stone) Behrens	HETDPA	White potato cyst nematode	Absent: confirmed by official survey	-
17.	<i>Ditylenchus destructor</i> Thorne	DITYDE	Potato rot nematode	Absent: eradicated	-
18.	<i>Synchytrium endobioticum</i> (Schilbersky) Percival.	SYNCEN	Wart disease of potato	Absent: pest no longer present	-

19.	<i>Epirix Foudras</i> spp.	1EPIXG	Epirix Foudras	Absent: confirmed by official survey	-
20.	<i>Pomacea</i> (Perry) spp.	1POMAG	Pomacea snails	Absent: confirmed by official survey	-
21.	<i>Xanthomonas arboricola</i> pv. <i>pruni</i> (Smith) Vauterin Hoste & Kersters Swings	XANTPR	Bacterial canker of stone fruits	Absent: confirmed by official survey	-
22.	<i>Erwinia amylovora</i> (Burr.) Winsl. et al.	ERWIAM	Fireblight	Present: eradication under	<i>Erwinia amylovora</i> during surveillance in 2017 in Lithuania were identified in two places. Eradication measures were implemented – all infected trees and 10 or 20 meters around them possibly infected host plants were uprooted and burned. The phytosanitary measures will be applied in the demarcated territory (outbreak, safety zone and buffer zone) during the quarantine period.
23.	Plum pox virus “Sharka”	PPV000	Plum pox virus or Sharka	Present: eradication under	During surveillance in 2017 for Plum pox virus new outbreak was not detected in Lithuania. The last outbreak of Plum pox virus was detected in 2016 in Kaunas region. The contaminated plum trees were destroyed by incineration. During the quarantine period next 3 years after year of detection, the phytosanitary measures are applied.
24.	<i>Bemisia tabaci</i> Gennadius	BEMITA	Tobacco whitefly	Absent: confirmed by official survey	-
25.	<i>Liriomyza</i> spp.	1LRIG	<i>Liriomyza</i>	Absent: confirmed by official survey	-
26.	<i>Bursaphelenchus xylophilus</i> (Steiner & Buhner) Nickle et al.	BURSXY	Pine wilt disease	Absent: confirmed by official survey	-
27.	<i>Phytophthora ramorum</i> Werres,	PHYTRA	<i>Phytophthora ramorum</i>	Absent: confirmed by official survey	-

	De Cock & Man in't Veld sp. Nov.					
28.	<i>Puccinia horiana</i> Hennings	PUCCHN	White rust of chrysanthemum	Absent: confirmed by official survey	-	
29.	<i>Gibberella circinata</i> Nirenberg & O'Donnell	GIBBCI	Pitch canker of pine	Absent: confirmed by official survey	-	
30.	<i>Anoplophora chinensis</i> (Forster)	ANOLCN	Citrus longhorn	Absent: confirmed by official survey	-	
31.	<i>Anoplophora glabripennis</i> (Motschulsky)	ANOLGL	Asian long-horned beetle	Absent: confirmed by official survey	-	
32.	<i>Diaporthe vaccinii</i> Shear (anamorfa <i>Phomopsis vaccinii</i> Shear)	DIAPVA	Blight of blueberry	Absent: eradicated	-	
33.	<i>Ceratocystis fagacearum</i> (Bretz) Hunt	CERAFa	Oak wilt	Absent: confirmed by official survey	-	
34.	<i>Mycosphaerella pini</i> Rostrup	SCIRPI	Brown needle blight of pine	Absent: eradicated	pest	
35.	<i>Mycosphaerella dearnessii</i> M.E. Barr	SCIRAC	Brown spot needle blight	Present: at low prevalence	at low prevalence	In 2017, the official surveillance for <i>Mycosphaerella</i> spp. was carried out in Lithuania. <i>Mycosphaerella dearnessii</i> were identified in <i>Pinus</i> spp. trees. The eradication by burning all infected plants in an infected area was applied. Phytosanitary measures were taken to prevent the distribution of infection. The phytosanitary measures will be applied during the quarantine period for the 2018 year.
36.	Potato spindle tuber viroid (PSTVd)	PSTVD0	Bunchy top of tomato	Absent: confirmed by official survey	-	

37.	<i>Xylella fastidiosa</i> Wells et al.	XYLEFA	Pierce's disease of grapevine	Absent: confirmed by official survey	-
38.	<i>Thrips palmi</i> Karny	THRIPL	Palm thrips	Absent: confirmed by official survey	-
39.	<i>Candidatus</i> Phytoplasma mali	PHYPPMA	Apple proliferation mycoplasma	Absent: confirmed by official survey	-
40.	<i>Candidatus</i> Phytoplasma pyri	PHYPPPY	Pear decline mycoplasma	Absent: confirmed by official survey	-

---