

Data Surveillance for Red Palm Weevil (RPW) in Malaysia

Observation on RPW by DOA Malaysia through utilization of Pheromone Trappings for Palms, 2016

No.	States	Observation		Total according to states
		<i>R. ferrugineus</i>	<i>R. vulneratus</i>	
1	JOHOR	31	145	176
2	KELANTAN	1,330	11	1,341
3	MELAKA	0	34	34
4	KEDAH	671	106	777
5	PAHANG	3	114	117
6	N.SEMBILAN	0	18	18
7	PERAK	0	885	885
8	SELANGOR	0	167	167
9	PERLIS	812	9	821
10	P.PINANG	72	15	87
11	TERENGGANU	12,101	234	12,335
	Total	15,020	1,738	16,758

Observation on RPW by DOA Malaysia through utilization of Pheromone Trappings for Palms, 2017

No.	States	Observation		Total according to states
		<i>R. ferrugineus</i>	<i>R. vulneratus</i>	
1	JOHOR	103	253	356
2	KELANTAN	2,786	33	2,819
3	MELAKA	0	301	301
4	KEDAH	1,314	10	1,324
5	PAHANG	25	215	240
6	N.SEMBILAN	0	510	510
7	PERAK	287	1,986	2,273
8	SELANGOR	0	272	272
9	PERLIS	1,569	4	1,573
10	P.PINANG	83	21	104
11	TERENGGANU	20,690	101	20,791
	Total	26,857	3,706	30,563

Observation on RPW by DOA Malaysia through utilization of Pheromone Trappings for Palms, 2018

No.	States	Observation		Total according to states
		<i>R. ferrugineus</i>	<i>R. vulneratus</i>	
1	JOHOR	2	428	430
2	KELANTAN	4,764	17	4,781
3	MELAKA	0	176	176
4	KEDAH	1,940	7	1,947
5	PAHANG	53	244	297
6	N.SEMBILAN	0	399	399
7	PERAK	514	1,578	2,092
8	SELANGOR	0	215	215
9	PERLIS	3,915	39	3,954
10	P.PINANG	211	2	213
11	TERENGGANU	10,581	163	10,744
	Total	21,980	3,268	25,248

Observation on RPW by DOA Malaysia through utilization of Pheromone Trappings for Palms, as of July 2019

No.	States	Observation		Total according to states
		<i>R. ferrugineus</i>	<i>R. vulneratus</i>	
1	JOHOR	17	313	330
2	KELANTAN	2,681	3	2,684
3	MELAKA	0	61	61
4	KEDAH	1,372	20	1,392
5	PAHANG	53	209	262
6	N.SEMBILAN	0	175	175
7	PERAK	353	794	1,147
8	SELANGOR	10	121	131
9	PERLIS	2,973	45	3,018
10	P.PINANG	650	3	653
11	TERENGGANU	13,828	106	13,934
	Total	21,937	1,850	23,787