



ISPM 28 ANNEX 2

ENG

PT 2: Irradiation treatment for *Anastrepha obliqua*

Produced by the Secretariat of the International Plant Protection Convention (IPPC)

This page is intentionally left blank

The annex is a prescriptive part of ISPM 28.

ISPM 28 Phytosanitary treatments for regulated pests

PT 2: Irradiation treatment for Anastrepha obliqua

Adopted 2009; published 2021

Scope of the treatment

This treatment applies to the irradiation of fruits and vegetables at 70 Gy minimum absorbed dose to prevent the emergence of adults of *Anastrepha obliqua* at the stated efficacy. This treatment should be applied in accordance with the requirements outlined in ISPM 18¹ (*Guidelines for the use of irradiation as a phytosanitary measure*).

Treatment description

Name of treatment: Irradiation treatment for *Anastrepha obliqua*

Active ingredient: N/A

Treatment type: Irradiation

Target pest:Anastrepha obliqua (Macquart) (Diptera: Tephritidae)Target regulated articles:All fruits and vegetables, including nuts that are hosts of

Anastrepha obliqua.

Treatment schedule

Minimum absorbed dose of 70 Gy to prevent the emergence of adults of Anastrepha obliqua.

There is 95% confidence that the treatment according to this schedule prevents emergence of not less than 99.9968% of adults of *Anastrepha obliqua*.

Treatment should be applied in accordance with the requirements of ISPM 18.

Other relevant information

Since irradiation may not result in outright mortality, inspectors may encounter live, but non-viable *Anastrepha obliqua* (larvae and/or pupae) during the inspection process. This does not imply a failure of the treatment.

The Technical Panel on Phytosanitary Treatments based its evaluation of this treatment on the research work undertaken by Bustos *et al.* (2004), Hallman & Martinez (2001) and Hallman & Worley (1999) that determined the efficacy of irradiation as a treatment for this pest in *Citrus paradisi* and *Mangifera indica*.

Extrapolation of treatment efficacy to all fruits and vegetables was based on knowledge and experience that radiation dosimetry systems measure the actual radiation dose absorbed by the target pest independent of host commodity, and evidence from research studies on a variety of pests and commodities. These include studies on the following pests and hosts: *Anastrepha ludens*

¹ The scope of phytosanitary treatments does not include issues related to pesticide registration or other domestic requirements for approval of treatments. Treatments also do not provide information on specific effects on human health or food safety, which should be addressed using domestic procedures prior to approval of a treatment. In addition, potential effects of treatments on product quality are considered for some host commodities before their international adoption. However, evaluation of any effects of a treatment on the quality of commodities may require additional consideration. There is no obligation for a contracting party to approve, register or adopt the treatments for use in its territory.

(Citrus paradisi and Mangifera indica), Anastrepha suspensa (Averrhoa carambola, Citrus paradisi and Mangifera indica), Bactrocera tryoni (Citrus sinensis, Lycopersicon lycopersicum, Malus pumila, Mangifera indica, Persea americana and Prunus avium), Cydia pomonella (Malus pumila and artificial diet) and Grapholita molesta (Malus pumila and artificial diet) (Bustos et al., 2004; Gould & von Windeguth, 1991; Hallman, 2004, Hallman & Martinez, 2001; Jessup et al., 1992; Mansour, 2003; von Windeguth, 1986; von Windeguth & Ismail, 1987). It is recognized, however, that treatment efficacy has not been tested for all potential fruit and vegetable hosts of the target pest. If evidence becomes available to show that the extrapolation of the treatment to cover all hosts of this pest is incorrect, then the treatment will be reviewed.

References

The present standard refers to International Standards for Phytosanitary Measures (ISPMs). ISPMs are available on the International Phytosanitary Portal (IPP) at https://www.ippc.int/core-activities/standards-setting/ispms.

- **Bustos, M.E., Enkerlin, W., Reyes, J. & Toledo, J.** 2004. Irradiation of mangoes as a postharvest quarantine treatment for fruit flies (Diptera: Tephritidae). *Journal of Economic Entomology*, 97: 286–292.
- **Gould, W.P. & von Windeguth, D.L.** 1991. Gamma irradiation as a quarantine treatment for carambolas infested with Caribbean fruit flies. *Florida Entomologist*, 74: 297–300.
- **Hallman, G.J.** 2004. Ionizing irradiation quarantine treatment against Oriental fruit moth (Lepidoptera: Tortricidae) in ambient and hypoxic atmospheres. *Journal of Economic Entomology*, 97: 824–827.
- **Hallman, G.J. & Martinez, L.R.** 2001. Ionizing irradiation quarantine treatments against Mexican fruit fly (Diptera: Tephritidae) in citrus fruits. *Postharvest Biology and Technology*, 23: 71–77.
- **Hallman, G.J. & Worley, J.W.** 1999. Gamma radiation doses to prevent adult emergence from immatures of Mexican and West Indian fruit flies (Diptera: Tephritidae). *Journal of Economic Entomology*, 92: 967–973.
- **Jessup, A.J., Rigney, C.J., Millar, A., Sloggett, R.F. & Quinn, N.M.** 1992. Gamma irradiation as a commodity treatment against the Queensland fruit fly in fresh fruit. *Proceedings of the Research Coordination Meeting on Use of Irradiation as a Quarantine Treatment of Food and Agricultural Commodities*, 1990: 13–42.
- **Mansour, M.** 2003. Gamma irradiation as a quarantine treatment for apples infested by codling moth (Lepidoptera: Tortricidae). *Journal of Applied Entomology*, 127: 137–141.
- **von Windeguth, D.L.** 1986. Gamma irradiation as a quarantine treatment for Caribbean fruit fly infested mangoes. *Proceedings of the Florida State Horticultural Society*, 99: 131–134.
- **von Windeguth, D.L. & Ismail, M.A.** 1987. Gamma irradiation as a quarantine treatment for Florida grapefruit infested with Caribbean fruit fly, *Anastrepha suspensa* (Loew). *Proceedings of the Florida State Horticultural Society*, 100: 5–7.

Publication history

This is not an official part of the standard.

2006-04 CPM-1 added topic *Irradiation treatment for* Anastrepha obliqua (2006-115)

2006-12 TPPT developed draft text

2007-05 SC approved draft text for MC

2007-10 Sent for MC under fast-track process

2008-07 TPPT revised draft text

2008-12 SC revised draft for adoption via e-decision

2009-03 CPM-4 adopted Annex 2 to ISPM 28

ISPM 28. Annex 2 Irradiation treatment for Anastrepha obliqua (2009). Rome, IPPC, FAO. 2015-07 IPPC Secretariat incorporated editorial amendments and reformatted standards following revoking of standards procedure from CPM-10 (2015).

2016-04 CPM-11 noted ink amendments in relation to "effective dose".

2016-04 IPPC Secretariat incorporated ink amendments from CPM-11 (2016).

2021-04 IPPC Secretariat applied ink amendments as noted by CPM-15 (2021).

Publication history last updated: 2021-04

This page is intentionally left blank

IPPC

The International Plant Protection Convention (IPPC) is an international plant health agreement that aims to protect global plant resources and facilitate safe trade.

The IPPC vision is that all countries have the capacity to implement harmonized measures to prevent pest introductions and spread, and minimize the impacts of pests on food security, trade, economic growth, and the environment.

Organization

- There are over 180 IPPC contracting parties.
- Each contracting party has a national plant protection organization (NPPO) and an Official IPPC contact point.
- 10 regional plant protection organizations (RPPOs) have been established to coordinate NPPOs in various regions of the world.
- The IPPC Secretariat liaises with relevant international organizations to help build regional and national capacities.
- The Secretariat is provided by the Food and Agriculture Organization of the United Nations (FAO).

 $\label{thm:convention} \textbf{International Plant Protection Convention Secretariat} \\ ippc@fao.org \mid www.ippc.int$

Food and Agriculture Organization of the United Nations Rome, Italy