

Getting In Touch About Strengthening Pest Outbreak and Response Systems (POARS)

4.5 Prepared for the IPPC Regional Workshops 2025







Overview

- Background
- POARS Steering Group Main Tasks
- Process Identifying Emerging Pests
- Call for nominations of potential emerging pests
- Tools developed in case of emerging pest
 - Prevention, preparedness and response
 - Communications
 - Alert
- Points for further discussion at the POARS SG





Strengthening Pest Outbreak Alert and Response Systems (POARS)

- 1 of the 8 development agenda items (DAIs) of the IPPC Strategic Framework 2020–2030
- Work initiated in 2020 with the Commission on Phytosanitary Measures (CPM)
 establishing a CPM Focus Group on POARS (FG POARS) which produced
 recommendations
- CPM-16 (2022) established the POARS Steering Group with a two-year mandate
- The POARS SG started the work in March 2024, consisting of 11 experts from around the world







POARS Steering Group

Tasks have been split into four areas:

1. Technical capability

- **POARS** procedure
- Emerging pest criteria
- Prevention, preparedness and response components

4. Financial capability

- Assess staffing and financial needs for the POARS
- Estimate necessary resource and financial

allocation

2. Governance

- To compare functions and activities with the IC, APP and other IPPC bodies
- To analyse the pros and cons of setting up a subsidiary body and other governance structures

3. Collaboration and resource mobilisation strategies

- Develop strategies for resource mobilisation and building a collaborative network
- Develop operational plans for setting up incident working groups







Identifying emerging pests





IPPC	International Plant Protection Convention				2025 IPPC REGIONAL WORKSHOP
	Condition	to pass	Fmer	aina pest	criteria

Criterion	Description	Condition to pass			
Step 1: Initiation					
Recent geographical spread	Recent pest outbreaks ⁹ are reported in more than one area, showing a <i>significant</i> expansion of the pest's range.	A pest must meet both criteria to be eligible to proceed to Step 2.			
Current distribution	The pest has a limited distribution in its endangered area.10				
Step 2: Current imp	act				
Economic impact	The pest is causing substantial economic impact according to what is described in ISPM 11 (<i>Pest risk analysis for quarantine pests</i>) and supplement 2 ¹¹ of ISPM 5 (<i>Glossary of phytosanitary terms</i>).	A pest must meet at least one criterion to be eligible to proceed to Step 3.			
Environmental impact	The pest is causing substantial environmental impact according to what is described in ISPM 11 and supplement 2 of ISPM 5.				
Step 3: Risk eviden	ce				
Likelihood of introduction into new areas	The pest has a high likelihood of introduction in new areas based on assessment in line with ISPM 11.	A pest should meet all conditions and be classified as an emerging pest of			
Scale of impacts in new areas	The pest is likely to cause substantial impacts based on assessment in line with ISPM 11.	IPPC concern.			
Risk management	The pest risk is likely to be difficult to manage effectively in new areas.				

Based on the assessment, pests are categorized as follows:


- **Emerging pest:** A pest that meets the relevant criteria of all three steps.
- Non-emerging pest for the watch **list:** Pests that meet the criteria of the first step but do not meet all the criteria at the current impact and risk evidence steps. These pests require ongoing observation with reassessment if new data becomes available.
- Non-emerging pest with no follow-up actions: A pest that does not meet any of the criteria in Step 1 for distribution and spread.





2025 IPPC REGIONAL WORKSHOP

Process for identifying emerging pests









Qualified as an emerging pest of global concern?

Then tools will be developed for:

- Prevention: guidance on phytosanitary measures
- Preparedness: strengthening the overall capacity and capability e.g. provision of contingency plans, diagnostic protocols, training activities and simulations
- Response: establishment of networks and pest-specific expert groups to provide advice




Figure. Phases and Actions in Plant Health Emergency Management adapted from the Animal Health Good emergency management practice: the essentials (GEMP) manual.





Pilot phase of POARS

- Application of the criteria
 Resulted in further refinement and the creation of a guidance document
- IPPC call for nomination of potential emerging pests
 31st January 2025 to 3rd March 2025
- Evaluation of the potential emerging pests
- Implementation of the response system for the emerging pests of a global concern





2025 IPPC REGIONAL WORKSHOP

Call for nominations of potential emerging pests

Jan 31st – Mar 3rd

#	Submitter	Pest
1.	COSAVE	Pepper chat fruit viroid
2.	COSAVE	Rhizonia theobromae
3.	COSAVE	Bactrocera dorsalis
4.	COSAVE	Orobanche cumana
5.	COSAVE	Rhynchophorus ferrugineus
6.	COSAVE	'Candidatus Liberibacter solanacearum'
7.	IPPC Secretariat	Xylella fastidiosa
8.	IPPC Secretariat	Cryphonectria parasitica
9.	IPPC Secretariat	Thaumetopoea processionea
10.	IPPC Secretariat	Sri Lanka cassava mosaic virus
11.	IPPC Secretariat	Clavibacter nebraskensis
12.	Netherlands	Synchytrium endobioticum (new pathotypes)
13.	Netherlands	Bactericera cockerelli

#	Submitter	Pest
14.	Nigeria	Cassava brown streak viruses
15.	Nigeria	Anomis leona
16.	South Africa	Citrus greening disease
17.	South Africa	Xylella fastidiosa
18.	South Africa	Fusarium oxysporum f. sp. cubense TR4
19.	South Africa	Zeugodacus cucurbitae
20.	South Africa	Drosophila suzukii
21.	South Africa	Halyomorpha halys
22.	South Africa	Euwallacea fornicatus
23.	South Africa	Banana bunchy top virus
24.	South Africa	Lycorma delicatula
25.	South Africa	Maize lethal necrosis
26.	South Africa	Eriococcus ironsidei







First alert was sent on March 3rd 2025

IPPC Pest Alerts - International Plant Protection Convention

First confirmed report of Clavibacter nebraskensis outside North America

Date of house IDVID/2025

Trigger alert event:

NRO: Pest report: Clavibacter nebraskensis (Goss's wilt of maize) has been detected in four provinces in South Africa

Distribution*:

Africa: South Africa.

North America: Canada, Mexico, United States of America (EPPO Global Database).

Major economic host:

Maize (Eichenlaub, R., & Gartemann, 2011; Lang et al., 2017).

Current impact:

Severe infections have been documented to cause yield losses of up to 50% in susceptible maize varieties, especially under favorable environmental conditions such as high humidity and warm temperatures (Jackson-Ziems et al., 2014). Between 2012 and 2015, estimated total yield losses due to Goss's Wilt in the U.S. and Canada exceeded 1.27 million tonnes, making it one of the most destructive maize diseases in the northern U.S. and Ontario (Wise et al., 2019).

Environmental conditions favoring spread:

The pathogen thrives in warm temperatures and high humidity, which are common in maize-growing regions (Wise et al., 2019).

Possible pathways of spread for Clavibacter nebraskensis:

The pathogen spreads through both natural and human-mediated pathways. Naturally, the pathogen can spread via wind-driven rain,

contaminated soil, and infected crop residues, which serve as reservoirs for future infections. Human activities, such as the movement of contaminated agricultural equipment and the trade of infected plant material, facilitate long-distance spread. Seeds spreading is possible. However, the spreading rates of seeds are considered low (Flores-Lopez et al., 2024). The risk of these pathways needs to be carefully determined.

6 Gedight, E., Robertson, A.E., Jackson-Zierre, T.A., Abecht, H.; Li, X., & Henvestin, H.M., 2022. Licensed under CC-Clevibacier nebreaterrate causing Gowin will of matrix, 2024.

*Disclaimer:

IPPC Pest Alerts are news items obtained from public sources. They do not serve as official communication from the IPPC or FAO. The "IPPC Pest Alerts" is an early warning tool for potential emerging plant pests. In some cases, information within alerts is not confirmed with the corresponding National Plant Protection Organization. They are provided solely as an early warning to IPPC Contracting Parties and should be used with this disclaimer in mind.

If you have any questions or comments for us about this alert, please e-mail us at IPPC@fao.org







Communications Welcome to POARS

About POARS

IPPC Pest Alerts

Emerging Pests

The Pest Outbreak Alert and Response Systems (POARS) aim to enhance global phytosanitary capacity by improving early detection, strengthening response strategies, and fostering international collaboration to minimize the impact of emerging pests on agriculture, trade, and ecosystems.

The POARS initiative is entering a critical phase in 2025, as this year marks the pilot implementation of the system. This pilot phase will test the alert system, emerging pest identification framework, and targeted activities.



@FAO/KEPHIS

Pest Outbreak Alert and Response System (POARS) - International Plant Protection Convention







After the pilot phase of POARS

- provide a global alert system to the IPPC community based on the agreed criteria
- focus on new emerging pests that pose a global thread
- establish global experts' networks for emerging pest responses
- a global emergency response mechanism
- quickly mobilizing tools and support to aid a countries or region's response to emerging pests







Thank you

IPPC Secretariat

Food and Agriculture Organization of the United Nations (FAO)

ippc@fao.org | www.ippc.int

