



**IPPC Webinar Series** 

# Climate Change and Phytosanitary Issues

1-2 October 2025 | 14:00-16:00 CEST



# From Frameworks to Action: Strengthening Phytosanitary Preparedness and Response under Climate Change

Camilo Beltran Montoya, Agricultural Officer FAO/IPPC Secretariat



### Setting the Stage: Climate Change & Plant Health

- Climate shifting conditions affect pest distribution & phenology.
- Climatic shifts alter when & where pests appear, complicating ISPM 6 surveillance.
- PRA remains the cornerstone but must now integrate climate parameters.
- Pests once considered "unsuitable" may soon establish, calling for enhanced preparedness.

#### Sources:

• FAO/IPPC (2021) "Scientific review on the impact of climate change on plant pests"; ISPM 6; FG-CCPI technical resource.

• FAO/IPPC (2023) Climate-change impacts on plant pests: a technical resource to support national and regional plant protection organizations Photo: Debbie Miller, USDA Forest Service, Bugwood.org

5449380



### Impacts on societies and economies

Fall Armyworm (Spodoptera frugiperda) in Africa

Impact: Fall armyworm (FAW) has caused substantial maize yield losses across sub-Saharan Africa. In Kenya and Ethiopia, average annual maize yield losses due to FAW are estimated at 33% and 36%, respectively. Across the region, total economic damages are projected at up to US\$13 billion annually (Sisay et al., 2023; Overton et al., 2021).

Fusarium oxysporum f. sp. cubense Tropical Race 4 Threat to Bananas Impact: Tropical Race 4 (TR4) is one of the most destructive threats to global banana production. Its continued spread could severely impact the livelihoods and food security of around 400 million people who depend on bananas and plantains as staples (FAO, 2024).



### Why prevention and preparedness are critical

Climate change magnifies existing vulnerabilities in national plant health systems:

- Limited labs & diagnostics slow outbreak confirmation.
- Legal gaps & overlaps delay coordinated action.
- Few costed emergency plans → improvised responses.
- Expanding pest alerts and climate events exceed staff & resources.

IPPC frameworks and tools help countries to develop resilient phytosanitary capacity.



# International Plant Protection Convention's community

Recognized as a standard-setting organization for plant health by the WTO SPS Agreement, along with *Codex Alimentarius* and WOAH ("SPS sisters").

- 185 NPPOs (countries)
- 10 RPPOs (regions)
- Global partners





# International Plant Protection Convention's ecosystem

46 international standards – foundation for safe trade

Capacity Development: PCE, Plant Health Campus, ePhyto, Guides and training Guides and training materials

- PCE identifies gaps & strategies
- Campus builds skills & shares knowledge

Action (POARS, Climate Change and Phytosanitary Issues, and other DAIs)

POARS: Horizon scanning, pest alerts, expert groups, rapid response



### IPPC Development Agenda Items (2020–2030)

- Harmonization of electronic data exchange (ePhyto)
- Commodity- and pathway-specific ISPMs
- Management of e-commerce and courier pathways
- Guidance on use of third-party entities

**Food and Agriculture** 

Organization of the

**United Nations** 

- Strengthening pest outbreak alert and response systems (POARS)
- Climate change impacts on plant health
- Global phytosanitary research coordination
- Diagnostic laboratory networking


### Spotlight

Climate Change DAI → raising awareness, integrating climate models into PRA & surveillance, mainstreaming phytosanitary issues in global climate debate.

POARS DAI → developing global alert and response systems for emerging pests.



















Phytosanitary Capacity Evaluation (PCE)

Structured, country-led tool used by NPPOs and governments.

Identifies institutional, technical, and legal gaps in national phytosanitary systems.

Supports the development of national strategies, ultimately strengthening prevention, preparedness, response, and economic growth

PCE links directly to POARS: by showing where systems are weak, it helps countries develop resilience *before* emergencies happen.



SPOTLIGHT: Building a resilient plant health system in Senegal





South-South Cooperation: End of project heralds positive changes for plant health in Cambodia and Sri Lanka





### **POARS: Framework into Practice**

From NPPO reports (NROs) and early-warning "horizon scanning" of global data, potential threats are systematically reviewed to identify emerging pests.

Pest Alerts raise awareness and enable countries to prepare before new pests spread

Tools boxes for emerging pests (diagnostics, surveillance, treatments, others)

Pest-specific Expert Working Groups will guide harmonized prevention, preparedness, and response measures.

oout POARS IPPC Pest Alerts Emerging Pests

First confirmed report of Clavibacter nebraskensis outside North America (03/03/2025)

#### First confirmed report of Clavibacter nebraskensis outside North America

Date of Issue: 03/03/2025

#### rigger alert event:

NRO; Pest report; Clavibacter nebraskensis (Goss's wilt of maize) has been detected in four provinces in South Africa

#### Distribution

Africa: South Africa.

North America: Canada, Mexico, United States of America (EPPO Global Database).

#### Major economic host:

Maize (Eichenlaub, R., & Gartemann, 2011; Lang et al., 2017).

#### Current impac


Severe infections have been documented to cause yield losses of up to 50% in susceptible maize varieties, especially under favorable environmental conditions such as high humidity and warm temperatures (Jackson-Ziems et al., 2014). Between 2012 and 2015, estimated total yield losses due to Goss's Wilt in the U.S. and Canada exceeded 1.27 million tonnes, making it one of the most destructive maize diseases in the northern U.S. and Ontario (Wise et al., 2019).

#### Environmental conditions favoring spread:

The pathogen thrives in warm temperatures and high humidity, which are common in maize-growing regions (Wise et al., 2019).

#### Possible pathways of spread for Clavibacter nebraskensis:

The pathogen spreads through both natural and human-mediated



Clavibacter nebraskensis causing Goss's wilt of maize, 2024







#### **IPPC PLANT HEALTH CAMPUS**

Growing the skills of the global plant health community

# IPPC Plant Health Campus – a key milestone in plant health capacity development

- Convenient one-stop portal to all IPPC e-learning courses, IPPC guides, and other training materials
- Free, certified e-learning courses
- Developed with technical support from global plant health experts
- Downloadable materials, available anytime, anywhere!
- Better knowledge = better compliance and stronger biosecurity

































IPPC Plant Health Campus: A growing library of learning: a rich selection of elearning courses



### FG-CCPI: Advancing Climate Change Preparedness in Plant Health

Focus Group (FG-CCPI) established (2021) with all 7 FAO regions represented

Technical Resource on Climate Change & Plant Pests (2024) – guiding NPPOs and RPPOs worldwide

Webinar series in 2024 and 2025 – showcasing tools, case studies, and innovations for preparedness

The journey from frameworks to action is underway – and the FG-CCPI has been instrumental in putting climate change at the center of IPPC's preparedness agenda.





This technical resource can help RPPOs and NPPOs address climate change impacts

# IPPC Webinar Series Climate Change and Phytosanitary Issues



### FG-CCPI: Advancing Climate Change Preparedness in Plant Health

Webpage on the IPP: <u>Impacts of climate change on plant health</u>

Technical inputs to the <u>resource mobilization flyer</u> supporting the IPPC's work on climate change and phytosanitary issues

Participation at national, regional and international meetings







### Assessing and managing climate-change impacts on plant health

Climate change is having an increasing impact on the health of planes and agricultural crops. With every degree that the earth summs, up to a hypertent of global yield from capte crops, and acting where was and makes is fast.

This impacts millions a brookle who depend on these copy for food, scirition and livelihoods.

Witing temperatures to se enobled plant pents to establish up greaturely winds bitable serves, its one arous of orbidistrinent, the pents can be dain aging to copy, beents and other cotive plants, impacting the climinity of plant belost he area.



#### About the International Plant Protection Convention (SPPC)

The PPC, is a read uplear proby in EU Position product the benefit plants, agricultural products and factors incommon forms and position and in progression. PPC, is will fail to 25 consention.

The PPS becade at and over marin, an following on it pro development against a lower (DAN):

to at time the operand into \$90 blooming framework 2001-2003

Two spects terre, in an automatical important time are:

Taxanimates steed on our ownership

I commodity and pat heary specific reconstrole state and of the specific recovery of the con-

I management clie commerce and costs and country to their part.

A dimensioning guide fear on the world first party.
 A Million

Lists right ring Post Continues Avenued Response Systems (POKR)

Elements and havegorement of climate change impacts on participants

It group payous stary make transmission, and

Enlighed Introduce servicing





- IPPC provides a coherent system: ISPMs + PCE + POARS + Plant Health Campus
- Practical tools in use today: pest alerts, expert groups, guides, and training
- Global collaboration: 185 NPPOs + 10 RPPOs + partners = no country faces outbreaks alone
- FG-CCPI milestones: set climate change as an IPPC priority, delivered the Technical Resources and launched this webinar series to move the agenda forward

Climate change makes pest outbreaks inevitable, but their impacts are not.







**IPPC Webinar Series** 

## Climate Change and Phytosanitary Issues

1-2 October 2025 | 14:00-16:00 CEST



# Thank you