

## List of the Plants Subject to Growing Site Inspection in Exporting Countries

The Annexed Table 1-2 of the amended Enforcement Ordinance of the Plant Protection Law  
(Addition is presented in underlined font and deletion in strikethrough font)

| Areas  | Plants   | Quarantine Pests  |
|--|--|---|
| 1.<br><b>[Middle East]</b> Turkey<br><b>[Europe]</b> Belgium, <del>Germany</del> ,<br>Netherlands, Portugal<br><b>[Africa]</b> Republic of South Africa<br><b>[North America]</b> United States of<br>America (excluding Hawaiian<br>Islands, hereinafter referred to as<br>"United States of America")<br><b>[Latin America]</b> Argentina  | Underground portions of the live<br>plant being capable of planting for<br>cultivation of following plants:<br>black salsify, carrot, potato and sugar<br>beet | <i>Meloidogyne chitwoodi</i><br>(Columbia root-knot nematode) |
| 2.<br><b>[Asia]</b> Korea, Pakistan<br><b>[Middle East]</b> Iran, Iraq, Israel,<br>Jordan, Turkey<br><b>[Europe]</b> Albania, Armenia,<br>Austria, Azerbaijan, Belarus,<br>Belgium, Bosnia and Herzegovina,<br>Bulgaria, Czech Republic, Croatia,<br>Denmark, Estonia, Finland, Former<br>Yugoslav Republic of Macedonia,<br>France, Georgia, Germany, Greece,<br>Hungary, Italy, Ireland, Kazakhstan,<br>Kosovo, Kyrgyz, Latvia, Lithuania,<br>Moldova, Netherlands, Montenegro,<br>Poland, Romania, Russia, Serbia,<br>Slovak, Slovenia, Spain, Sweden,<br>Switzerland, Tajikistan,<br>Turkmenistan, Ukraine, United<br>Kingdom (Great Britain and<br>Northern Ireland, hereinafter<br>referred to as "United Kingdom"),<br>Uzbekistan<br><b>[Africa]</b> Canary Islands, Cape<br>Verde, Gambia, Republic of South | Underground portions of the live<br>plant being capable of planting for<br>cultivation of following plants:<br>garden rhubarb, <i>Beta</i> and <i>Brassica</i> | <i>Heterodera schachtii</i><br>(Sugar beet nematode)          |

|  |   |  |
|--|---|--|
| <p>Africa, Senegal</p> <p><b>[North America]</b> Canada, United States of America</p> <p><b>[Latin America]</b> Chile, Mexico, Peru</p> <p><b>[Oceania]</b> Australia, New Zealand</p>   |   |  |
| <p>3.</p> <p><b>[Europe]</b> Belgium, France, Netherlands, <u>Switzerland</u></p> <p><b>[Oceania]</b> Australia, New Zealand</p>   | <p>Underground portions of the live plant being capable of planting for cultivation of following plants: asparagus, black salsify, potato, strawberry and tomato</p>  | <p><i>Meloidogyne fallax</i><br/>(False Columbia root-knot nematode)</p> |
| <p>4.</p> <p><b>[Asia]</b> India</p> <p><b>[Europe]</b> Armenia, Azerbaijan, Belarus, Estonia, Finland, Georgia, Kazakhstan, Kyrgyz, Latvia, Lithuania, Moldova, Netherlands, Russia, Tajikistan, Turkmenistan, Ukraine, United Kingdom, Uzbekistan</p> <p><b>[North America]</b> United States of America</p> <p><b>[Latin America]</b> Argentina, Bolivia, Chile, Ecuador, Mexico, Peru</p>  | <p>Underground portions of the live plant being capable of planting for cultivation of following plants: <i>Mammillaria vivipara</i>, <i>Opuntia tortispina</i>, <i>Opuntia fragilis</i>, potato, tomato and <i>Beta</i></p>  | <p><i>Nacobbus aberrans</i><br/>(False root-knot nematode)</p>           |
| <p>5.</p> <p><b>[Asia]</b> India, Indonesia, Malaysia, Pakistan, Philippines, Singapore, Sri Lanka, Thailand</p> <p><b>[Middle East]</b> Oman</p> <p><b>[Europe]</b> Belgium, Denmark, France, Germany, Netherlands, Poland, United Kingdom</p> <p><b>[Africa]</b> Cameroon, the Democratic Republic of the Congo, Egypt, Ethiopia, Ghana, Gabon, Guinea, Kenya, Madagascar, Malawi, Mozambique, Nigeria, Republic of Cote d'Ivoire, Republic of South Africa, Reunion, Senegal, Somalia, <b>South Sudan</b>, Sudan, Tanzania,</p> | <p>Underground portions of the live plant being capable of planting for cultivation of following plants: avocado, betel palm, <i>Canna edulis</i>, <del><i>Celosia nitida</i></del>, <del>cockscomb</del>, coconut, <i>Colocasia esculenta</i>, corn, ginger, greater yam, okra, peanut (excluding seeds without pod), potato, sugarcane, tea, turmeric, <i>Anthurium</i>, <i>Beta</i>, <i>Calathea</i>, <i>Coffea</i>, <i>Maranta</i>, <i>Musa</i>, <i>Philodendron</i> and <i>Piper</i></p> | <p><i>Radopholus similis</i><br/>(Banana burrowing nematode)</p>         |

|   |  |  |
|---|--|--|
| <p>Uganda, Zambia, Zimbabwe</p> <p><b>[North America]</b> Canada, United States of America</p> <p><b>[Latin America]</b> Belize, Brazil, Colombia, Costa Rica, Cuba, Dominica, Dominican Republic, Ecuador, El Salvador, Guatemala, Guadeloupe, Grenada, Jamaica, Martinique Island, Mexico, Nicaragua, Panama, Peru, Puerto Rico, Saint Lucia, Saint Vincent, Suriname, Trinidad and Tobago, Venezuela</p> <p><b>[Oceania]</b> Australia, Fiji, Hawaiian Islands, <u>New Caledonia</u>, Papua New Guinea, Samoa, Tonga</p>   |  |  |
| <p>6.</p> <p><b>[Asia]</b> China (excluding Hong Kong, hereinafter referred to as "China"), India, Taiwan</p> <p><b>[Europe]</b> Armenia, Azerbaijan, Belarus, Belgium, Czech Republic, Denmark, Estonia, France, Georgia, Germany, Hungary, Italy, Kazakhstan, Kyrgyz, Latvia, Lithuania,, Moldova, Netherlands, Poland, Romania, Russia, Slovak, Tajikistan, Turkmenistan, Ukraine, United Kingdom, Uzbekistan</p> <p><b>[Africa]</b> Morocco</p> <p><b>[North America]</b> Canada, United States of America</p> <p><b>[Latin America]</b> Argentina, Brazil</p> <p><b>[Oceania]</b> Australia, Hawaiian Islands, New Zealand</p> | <p>Pea seeds for planting.</p>   | <p><i>Fusarium oxysporum</i> f. sp. <i>pisi</i><br/>(Near-wilt of pea)</p> |
| <p>7.</p> <p><b>[Europe]</b> <u>Ireland</u>, United Kingdom</p> <p><b>[Oceania]</b> New Zealand</p>   | <p>Live plants and plant parts for planting (excluding seed and fruit) of the following plants:</p> <p><u><i>Aesculus hippocastanum</i>, <i>Annona cherimola</i>, <i>Castanea sativa</i>, <i>Hedera helix</i> (ivy), <i>Ilex aquifolium</i>,</u></p> | <p><i>Phytophthora kernoviae</i></p>                                       |

|   |   |   |
|---|---|---|
|   | <p><u><i>Leucothoe fontanesiana</i></u>, <u><i>Lomatia myricoides</i></u>, <u><i>Podocarpus salignus</i></u>, <i>Prunus laurocerasus</i> (cherry laurel), <u><i>Sequoiadendron giganteum</i></u>, <u><i>Vaccinium myrtillus</i></u>, <i>Drimys</i>, <i>Fagus</i>, <i>Gevuina</i>, <i>Liriodendron</i>, <i>Magnolia</i>, <i>Michelia</i>, <i>Pieris</i>, <i>Quercus</i> and <i>Rhododendron</i></p>  |   |
| <p>8.<br/>[Europe] Belgium, Channel Islands, Denmark, <u>Finland</u>, France, Germany, <u>Greece</u>, Ireland, Italy, <u>Lithuania</u>, Netherlands, Norway, Poland, <u>Servia</u>, Slovenia, Spain, Sweden, Switzerland, United Kingdom<br/>[North America] Canada, United States of America</p> | <p>Live plants and plant parts for planting (excluding seed and fruit) of the following plants:<br/><del><i>Cercis chinensis</i> (Chinese redbud)</del>, <del><i>Choisya ternata</i> (Mexican orange)</del>, <i>Corylopsis spicata</i> (Spike witch hazel), <del><i>Daphniphyllum glaucescens</i></del> (<del><i>D. teijsmannii</i></del>), <del><i>Garrya elliptica</i> (Silk tassel Bush)</del>, <u><i>Hydrangea seemannii</i></u>, <u><i>Mahonia aquifolium</i></u> (<del><i>Berberis diversifolia</i></del>, <del>oregon grape</del>), <del><i>Physocarpus opulifolius</i> (Ninebark)</del>, <i>Abies</i>, <i>Acer</i>, <i>Adiantum</i>, <i>Aesculus</i>, <i>Alnus</i>, <i>Andromeda</i>, <i>Annona</i>, <i>Arbutus</i>, <i>Arctostaphylos</i>, <i>Ardisia</i>, <u><i>Berberis</i></u>, <i>Betula</i>, <i>Calluna</i>, <i>Calycanthus</i>, <i>Camellia</i>, <i>Carpinus</i>, <i>Castanea</i>, <i>Castanopsis</i>, <i>Ceanothus</i>, <i>Ceratonia</i>, <u><i>Cercis</i></u>, <i>Chamaecyparis</i>, <i>Chimaphila</i>, <u><i>Choisya</i></u>, <i>Cinnamomum</i>, <i>Cistus</i>, <i>Clematis</i>, <i>Clintonia</i>, <i>Cornus</i>, <i>Corylus</i>, <u><i>Cotoneaster</i></u>, <u><i>Daphniphyllum</i></u>, <i>Distylium</i>, <i>Drimys</i>, <i>Dryopteris</i>, <i>Empetrum</i>, <i>Erica</i>, <i>Eucalyptus</i>, <i>Euonymus</i>, <i>Fagus</i>, <i>Frangula</i> (<i>Rhamnus</i>), <i>Fraxinus</i>, <i>Fuchsia</i>, <u><i>Garrya</i></u>, <i>Gaultheria</i>, <i>Gevuina</i>, <i>Griselinia</i>, <i>Hamamelis</i>, <i>Hedera</i>, <i>Heteromeles</i>, <i>Ilex</i>, <i>Kalmia</i>, <u><i>Larix</i></u>, <i>Laurus</i>, <i>Leucothoe</i>, <i>Linnaea</i>, <i>Liriodendron</i>, <i>Lithocarpus</i>, <i>Lonicera</i>, <i>Loropetalum</i>, <i>Magnolia</i>, <u><i>Mahonia</i></u>, <i>Maianthemum</i>, <i>Malus</i>, <i>Manglietia</i>,</p> | <p><i>Phytophthora ramorum</i><br/>(Sudden oak death)</p> |

|  |  |   |
|--|--|---|
|  | <p><i>Michelia, Nerium, Nothofagus, Olea, Osmanthus, Osmorhiza, Parakmeria, Parrotia, <u>Physocarpus</u>, Photinia, Picea, Pieris, Pinus, Pistacia, Pittosporum, Populus, Prunus, Pseudotsuga, Pyracantha, Quercus (Cyclobalanopsis), Rhododendron, Ribes, Rosa, Rubus, Salix, Sambucus, Schima, Sequoia, Smilax, Symphoricarpus, Syringa, Taxus, Tilia, Torreya, Toxicodendron (Rhus), <u>Trachelospermum</u>, Trientalis, Tsuga, Ulmus, Umbellularia, Vaccinium, Vancouveria, Viburnum and Zenobia</i></p> |   |
| <p>9.</p> <p><b>[Middle East]</b> Turkey</p> <p><b>[Europe]</b> Armenia, Azerbaijan, Belarus, Belgium, Bosnia and Herzegovina, Bulgaria, Croatia, Estonia, Former Yugoslav Republic of Macedonia, Georgia, Greece, Hungary, Kazakhstan, Kosovo, Kyrgyz, Latvia, Lithuania, Moldova, Montenegro, Romania, Russia, Serbia, Slovenia, Spain, Tajikistan, Turkmenistan, Ukraine, Uzbekistan</p> <p><b>[Africa]</b> Mauritius, Tunisia</p> <p><b>[North America]</b> Canada, United States of America</p> <p><b>[Latin America]</b> Brazil, Colombia, Mexico, Venezuela</p> <p><b>[Oceania]</b> Australia</p> | <p>Kidney bean seeds for planting.</p>   | <p><i>Curtobacterium flaccumfaciens</i> pv. <i>flaccumfaciens</i><br/>(Bacterial wilt of beans)</p> |
| <p>10.</p> <p><b>[Asia]</b> China, <u>India</u>, Taiwan, Thailand</p> <p><b>[Middle East]</b> Israel</p> <p><b>[Europe]</b> Greece, Hungary, <u>Italy</u>, Turkey</p> <p><b>[Africa]</b> <u>Nigeria</u>, Republic of South Africa</p>  | <p>Seeds for planting of the following plants:<br/>melon, watermelon and wax gourd</p>   | <p><i>Acidovorax avenae</i> subsp. <i>citrulli</i><br/>(Bacterial fruit blotch)</p>                 |

|  |  |  |
|--|--|--|
| <p><b>[North America]</b> United States of America<br/> <b>[Latin America]</b> Brazil, Costa Rica<br/> <b>[Oceania]</b> Australia, Guam, Northern Mariana Islands</p>  |  |  |
| <p>11.<br/> <b>[Asia]</b> China, Malaysia, Thailand, Viet Nam<br/> <b>[Europe]</b> Italy, Poland, Romania<br/> <b>[North America]</b> Canada, United States of America<br/> <b>[Latin America]</b> <u>Bolivia</u>, Costa Rica, Guyana, Mexico, Peru, Puerto Rico</p>   | <p>Teosinte and Corn seeds for planting.</p>   | <p><i>Pantoea stewartii</i><br/> (Stewart's bacterial wilt)</p>  |
| <p>12.<br/> <b>[North America]</b> United States of America</p>  | <p>Corn seeds for planting.</p>  | <p><i>Clavibacter michiganensis</i> subsp. <i>nebraskensis</i><br/> (Goss's bacterial wilt and blight)</p> |
| <p>13.<br/> <b>[Asia]</b> China<br/> <b>[Middle East]</b> Iran, Jordan, Lebanon, Syria, Turkey<br/> <b>[Europe]</b> Austria, Germany, Hungary, Italy, Poland, Slovakia, United Kingdom<br/> <b>[Africa]</b> Egypt, Ethiopia, Libyan Arab Jamahiriya, Morocco, <u>South Sudan</u>, Sudan, Tunisia<br/> <b>[Oceania]</b> Australia</p> | <p>Broad bean and lentil seeds for planting.</p>   | <p><i>Broad bean stain virus</i></p>   |
| <p>14.<br/> <b>[Asia]</b> China<br/> <b>[Middle East]</b> Lebanon, Syria<br/> <b>[Europe]</b> Austria, Germany, Hungary, Italy, Poland, United Kingdom<br/> <b>[Africa]</b> Egypt, Ethiopia, Morocco, <u>South Sudan</u>, Sudan, Tunisia<br/> <b>[Oceania]</b> Australia</p>   | <p>Broad bean seeds for planting.</p>  | <p><i>Broad bean true mosaic virus</i></p>   |
| <p>15.<br/> <b>[Asia]</b> China, India, Pakistan<br/> <b>[Middle East]</b> Iran, Jordan, Syria, Turkey</p>   | <p>Live plants and plant parts being capable of planting for cultivation (excluding seed and fruit) of the</p> | <p><i>Plum pox virus</i></p>   |

|   |   |   |
|---|---|---|
| <p>[<b>Europe</b>] Albania, Austria, <b>Belarus</b>, Belgium, Bosnia and Herzegovina, Bulgaria, Croatia, Cyprus, Czech Republic, <b>Denmark</b>, France, Germany, Greece, Hungary, Italy, Kazakhstan, Lithuania, Luxembourg, Moldova, Montenegro, <b>Latvia</b>, Netherlands, Norway, Poland, Portugal, Romania, Russia, Serbia, Slovakia, Slovenia, Spain, Switzerland, Ukraine, United Kingdom</p> <p>[<b>Africa</b>] Egypt, <b>Tunisia</b></p> <p>[<b>North America</b>] Canada, United States of America</p> <p>[<b>Latin America</b>] Argentina, Chile</p> | <p>following plants:<br/><i>Euonymus europaeus</i>, <i>Ligustrum vulgare</i>, <i>Lycium barbarum</i> and <i>Prunus</i></p>  |   |
| <p>16.</p> <p>[<b>Asia</b>] China, India</p> <p>[<b>Middle East</b>] Afghanistan, Israel, Turkey</p> <p>[<b>Europe</b>] <b>Austria</b>, Belarus, Belgium, <b>Czech Republic</b>, France, Germany, <b>Greece</b>, Italy, Netherlands, Poland, Russia, <b>Slovenia</b>, Ukraine, United Kingdom</p> <p>[<b>Africa</b>] Egypt, Nigeria</p> <p>[<b>North America</b>] United States of America</p> <p>[<b>Latin America</b>] Chile, Costa Rica, Peru, Venezuela</p> <p>[<b>Oceania</b>] New Zealand</p>   | <p>Seeds for planting of the following plants:<br/>Potato and tomato</p> <p>Live plants and plant parts being capable of planting for cultivation (excluding seed and fruit) of the following plants:<br/>potato and tomato</p> | <p><i>Potato spindle tuber viroid</i></p> |