

PANAMA

MINISTRY OF AGRICULTURAL DEVELOPMENT] NATIONAL DIRECTION OF PLANT HEALTH SPECIFIC LIST OF REGULATED PEST

List 1. Specific list of Quarantine Pests A1. PANAMA

PREFERRED NAME	COMMON GROUP	REGULATED ARTICLES
<i>Agraulis vanillae</i> (Linnaeus)	Insect	Fresh Banana Passionfruit (<i>Passiflora mollissima</i>) and/or Granadilla (<i>Passiflora edulis</i>) for consumption.
<i>Aleurotuberculatus aucubae</i> (Kuwana)	Insect	Fresh Tangerine (<i>Citrus reticulata</i>) for consumption
<i>Alphitobius laevigatus</i> (Fabricius)	Insect	Fruit or nuts, fresh or dried, even without shell, for consumption
<i>Anastrepha bistrigata</i> (Bezzi)	Insect	Fresh Mango (<i>Mangifera indica</i>) for consumption
<i>Anastrepha distincta</i> (Greene)	Insect	Fresh Mango (<i>Mangifera indica</i>) for consumption
<i>Anastrepha pseudoforllela</i> (Loew)	Insect	Fresh Mango (<i>Mangifera indica</i>) for consumption
<i>Anastrepha sororcula</i> (Zucchi)	Insect	Fresh Mango (<i>Mangifera indica</i>) for consumption

<i>Anastrepha suspensa</i> (Loew)	Insect	A variety of fresh fruits like: Guava (<i>Psidium guajava</i> , L.) for consumption.
<i>Aeneolamia contigua</i> Walker	Insect	Rice (<i>Oryza sativa</i> L.) for consumption
<i>Anasa tristis</i> (De Geer)	Insect	Cucurbits and <i>Zea mays</i> L.
<i>Anomala cupripes</i> (Hope)	Insect	Black Eye Beans (<i>Vigna unguiculata</i>) in dry grains, for consumption
<i>Anomala pallida</i> (Fabricius)	Insect	Black Eye Beans (<i>Vigna unguiculata</i>) in dry grains, for consumption
<i>Anoplophora glabripennis</i> (Motschulsky)	Insect	Wood
<i>Anthonomus signatus</i> (Say)	Insect	<i>Fragaria x ananassa</i> ; fresh raspberries (<i>Rubus idaeus</i> L.), for consumption and for planting
<i>Apate monachus</i> (Fabricius)	Insect	Fruit and Forest. Dry cocoa (<i>Theobroma cacao</i>), for consumption.
<i>Aphis fabae</i> (Scopoli)	Insect	Fresh melon (<i>Cucumis melo</i>), for consumption
<i>Aonidiella citrina</i> (Craw)	Insect	Propagation material: <i>Citrus spp.</i> Like fresh oranges (<i>Citrus sinensis</i>), for consumption

<i>Aonidomytilus albus</i> (Cockerell)	Insect	Manioc Roots and yucca (<i>Manihot esculenta</i>), for consumption.
<i>Aspidiotus nerii</i> (Bouché)	Insect	Grapes (<i>Vitis vinifera</i> L.), for consumption
<i>Bactrocera carambolae</i> (Drew & Hancock)	Insect	Fresh Mangos (<i>Mangifera indica</i>), for consumption
<i>Bactrocera correcta</i> (Bezzi)	Insect	Longan (<i>Dimocarpus longan</i> = <i>Euphoria longan</i>), for consumption.
<i>Bactrocera dorsalis</i> (Hendel)	Insect	A variety of fresh fruits: <i>Anacardium occidentale</i> , <i>Carica papaya</i> , <i>Citrus reticulata</i> , <i>cucumis melo</i> , <i>cucumis sativus</i> , <i>manguifera indica</i> <i>musa</i> , <i>Persea americana</i> ; for consumption
<i>Bruchus pisorum</i> (Linnaeus)	Insect	Green and yellow peas (<i>Pisum sativum</i>) in dry grains, for consumption
<i>Bryobia rubrioculus</i> (Scheuten)	Insect	Cherries (<i>Prunus avium</i>), for consumption
<i>Cadra cautella</i> (Walker)	Insect	Fresh or dry nuts, with or without shell, for consumption.
<i>Calliteara horsfieldii</i> (Saunders)	Insect	Dry cashew fruits (<i>Anacardium occidentale</i> L.), for consumption

<i>Callosobruchus analis</i> (Fabricius)	Insect	<i>Phaseolus sp.</i> ; <i>Vigna sp.</i> for consumption
<i>Callosobruchus chinensis</i> (Linnaeus)	Insect	Dry guandú grains (<i>Cajanus cajan</i>), for consumption
<i>Callosobruchus maculatus</i> (Fabricius)	Insect	Dry grains of Black eye beans (<i>Vigna unguiculata</i>), for consumption.
<i>Ceroplastes rubens</i> (Maskell,)	Insect	Kiwi propagation material and of various species, cuttings, plants and other
<i>Ceroplastes rusci</i> (Linnaeus)	Insect	Propagation material of <i>Actinia chinense</i> , <i>Citrus</i> , <i>Anonas</i> A variety of fresh fruits for consumption
<i>Ceroplastes sinensis</i> (Del Guercio)	Insect	polyphagous
<i>Chaetanaphothrips orchidii</i> (Moulton)	Insect	Orchid seedlings for planting
<i>Chaetocnema confinis</i> (Crotch)	Insect	Fresh or refrigerated batatas and sweet potatoes (<i>Ipomoea batatas</i>), for consumption.
<i>Chaetosiphon fragaefolii</i> (Cockerell)	Insect	Fresh strawberries (<i>Fragaria ananassa</i>), for consumption.

<i>Choristoneura fumiferana</i> (Clemens)	Insect	Fresh ornamental Christmas Trees foliage (<i>Abies spp</i>)
<i>Chrysodeixis includens</i> (Walker)	Insect	Coles, including: Cabbages, cauliflower, kale. Rutabaga and similar edible products of the Brassica genre. fresh for consumption
<i>Conogethes punctiferalis</i> (Guenée)	Insect	Dry Turmeric (<i>Curcuma longa</i> L.), neither crushed nor ground, for consumption
<i>Conotrachelus aguacatae</i> (Barber)	Insect	Fresh avocados (<i>Persea americana</i>), for consumption.
<i>Contarinia maculipennis</i> (Felt)	Insect	Hibiscus, Orchid, Jasmine and <i>Lycopersicon esculentum</i> Propagation material. Flowers and fresh foliage for garnish.
<i>Corcyra cephalonica</i> (Stainton)	Insect	Rice (<i>Oryza sativa</i> L.) in dry grains, for consumption.
<i>Cryptolestes ferrugineus</i> (Stephens)	Insect	Dry spices, neither crushed nor ground, for consumption.
<i>Cydia latiferreana</i> (Walsingham)	Insect	Fresh or dried, shelled and unshelled nuts for consumption
<i>Cydia pomonella</i> (Linnaeus)	Insect	Fresh Pear (<i>Pyrus communis</i> L.), for consumption

<i>Delia antiqua</i> (Meigen)	Insect	Fresh or refrigerated onions (<i>Allium cepa</i>), for consumption
<i>Delia florilega</i> (Zetterstedt)	Insect	<i>Allium cepa</i> L. , <i>Lycopersicon esculentum</i> , <i>Solanum tuberosum</i> L. , <i>Zea mays</i> L. for consumption
<i>Delia platura</i> (Meigen)	Insect	Beans, like <i>Phaseolus sp. o Vigna angularis</i> of dried pods, for consumption.
<i>Delia radicum</i> (Linnaeus)	Insect	Fresh broccoli, and <i>Brassica oleracea var. botrytis subvar. cymosa</i> for consumption
<i>Dendroctonus frontalis</i> (Zimmermann)	Insect	Wood
<i>Dendroctonus pseudotsugae</i> (Hopkins)	Insect	Wood
<i>Diaphania indica</i> (Saunders)	Insect	Fresh or refrigerated Pumpkins and gourds,(Zuchini (<i>Cucurbita pepo</i>), for consumption
<i>Diaspidiotus ostreaeformis</i> (Curtis, Borchsenius)	Insect	Propagation material: various species, cuttings, and other plants.Fresh Cherries (<i>Prunus avium</i>), for consumption
<i>Diaspidiotus perniciosus</i> (Comstock Cockerell, Danzig)	Insect	Fresh flowers and foliage (for garnish) Fresh Cherries (<i>Prunus avium</i>), for consumption.
<i>Dinoderus minutus</i> (Fabricius)	Insect	Wood and bamboo braids (<i>Bambusa vulgaris</i>) Fresh or refrigerated Bamboo shoots (<i>Bambusa vulgaris</i>), for consumption

<i>Drosophila simulans</i> (Sturtevant)	Insect	Fresh Lemons (<i>Citrus limon</i>), for consumption
<i>Dyscinetus morator</i> (Fabricius)	Insect	Fresh or refrigerated carrots (<i>Daucus carota</i> L.), for consumption
<i>Ecdytolopha aurantianum</i> (Lima)	Insect	Fresh Lemons (<i>Citrus limon</i>), for consumption
<i>Epitrix tuberis</i> (Gentner)	Insect	Fresh or refrigerated Potato (<i>Solanum tuberosum</i> L.), for consumption
<i>Ephestia elutella</i> (Hübner)	Insect	Plants and parts of plants (except seeds and fruits) dried, whether cut, broken or ground, for medicinal use.
<i>Eriosoma lanigerum</i> (Hausmann)	Insect	Fresh apple (<i>Malus domestica</i>); Pear (<i>Pyrus communis</i>) y Nashi pear (<i>Pyrus pyrifolia</i>), for consumption
<i>Erosomyia manginiferae</i> Felt		Fresh Mango (<i>Mangifera indica</i>), for consumption
<i>Eriosoma lanigerum</i> (Hausmann)	Insect	Fresh apple (<i>Malus domestica</i>); Pear (<i>Pyrus communis</i>) y Nashi pear (<i>Pyrus pyrifolia</i>), for consumption
<i>Frankliniella fusca</i> (Hinds)	Insect	polyphagous

<i>Frankliniella occidentalis</i> (Pergande)	Insect	Fresh flowers and foliage of Euphorbias, Gerberas, Orchids for garnish
<i>Frankliniella schultzei</i> (Trybom)	Insect	Fresh flowers and foliage. , Orchids for garnish
<i>Grapholita molesta</i> (Busck)	Insect	Fresh Cherry fruits (<i>Prunus avium</i>), for consumption.
<i>Hellula phidilealis</i> (Walker)	Insect	Coles, including: Cabbages, cauliflower, kale. Rutabaga and similar edible products of the Brassica genre. fresh for consumption
<i>Hemiberlesia rapax</i> (Comstock)	Insect	Fresh Kiwis (<i>Actinidia chinensis</i>), for consumption.
<i>Hercinothrips femoralis</i> (Reuter)	Insect	Propagation material: various species, cuttings, and other plants Flowers and fresh foliage for garnish
<i>Horiola picta</i> (Fabricius)	Insect	Fresh Mangos (<i>Mangifera indica</i>), for consumption.
<i>Hylotrupes bajulus</i> (Linnaeus)	Insect	<i>Pinus sylvestris</i> wood
<i>Hypera postica</i> (Gyllenhal)	Insect	Big and small beans, (<i>Vicia faba</i> var. <i>minor</i> ; <i>Vicia faba</i> var. <i>major</i> <i>Vicia faba</i> var. <i>equina</i>) in dry grains, for consumption.

<i>Hyperomyzus lactucae</i> (Linnaeus)	Insect	Fresh or refrigerated Lettuce (<i>Lactuca sativa</i>) for consumption
<i>Icerya aegyptiaca</i> (Douglas)	Insect	Fresh apples (<i>Malus domestica</i>), for consumption.
<i>Junonia coenia</i> (Hübner)	Insect	Fresh or refrigerated batatas and sweet potatoes (<i>Ipomoea batatas</i>), for consumption.
<i>Lampides boeticus</i> (Linnaeus)	Insect	Guandú (<i>Cajanus cajan</i>) in dry grains, for consumption.
<i>Lecanoideus floccissimus</i> (Martin, Hernandez-Suarez & Carnero)	Insect	Fresh Mangos (<i>Mangifera indica</i>), for consumption.
<i>Lepidosaphes gloverii</i> (Packard)	Insect	Fresh citrus for consumption Fresh foliage Crotón (<i>Codiaeum variegatum</i>)
<i>Lepidosaphes ulmi</i> (Linnaeus)	Insect	Propagation material of <i>Ficus carica</i> L. ; Fruits of <i>Vaccinium myrtillus</i> ; <i>Malus domestica</i> , fresh for consumption
<i>Leptinotarsa decemlineata</i> (Say)	Insect	Fresh or refrigerated Potato tubers (<i>Solanum tuberosum</i> L.), for consumption.
<i>Lissorhoptrus oryzophilus</i> (Kuschel)	Insect	<i>Oryza sativa</i> L.; Poaceae.

<i>Listroderes costirostris</i> (Schönherr)	Insect	Fresh Coriander/cilantro vegetables (<i>Coriandrum sativum</i>), parsley (<i>Petroselinum crispum</i>) for consumption
<i>Listronotus bonariensis</i> (Kuschel)	Insect	Poaceae.
<i>Liriomyza brassicae</i> (Riley)	Insect	Fresh and refrigerated Coles, Brussels sprouts (<i>Brassica oleracea</i> var. <i>Gemmifera</i>) and Coles Lombardas (<i>Brassica</i> spp.), for consumption
<i>Locusta migratoria</i> (Linnaeus)	Insect	Beans (<i>Phaseolus</i> sp. o <i>Vigna angularis</i>), shelled and unshelled for consumption.
<i>Lygus lineolaris</i> (Palisot de Beauvois)	Insect	Flowers and fresh foliage for garnish Fresh asparagus (<i>Asforgus officinalis</i> L.), for consumption
<i>Lymantria dispar</i> (Linnaeus)	Insect	Fresh foliage of (Christmas trees) <i>Abies</i> spp. for garnish
<i>Maconellicoccus hirsutus</i> (Green)	Insect	Propagation material: various species, cuttings, and other plants. Fresh fruits,vegetables; <i>Passiflora mollissima</i> and/or Granadillas (<i>Passiflora edulis</i>), for consumption Flowers and fresh foliage for garnish
<i>Macrosiphum rosae</i> (Linnaeus)	Insect	Flowers and fresh foliage for garnish

<i>Medythia suturalis</i> (Motschulsky)	Insect	Beans (<i>Vigna mungo</i>) in dry grains, for consumption.
<i>Melittia cucurbitae</i> (Harris)	Insect	Fresh Grapes (<i>Vitis vinifera</i> L.), for consumption.
<i>Metcalfa pruinosa</i> (Say)	Insect	Fresh apples (<i>Malus domestica</i>), for consumption
<i>Microcephalothrips abdominalis</i> (D.L. Crawford)	Insect	Fresh or refrigerated Cucumber (<i>Cucumis sativus</i> L.), for consumption.
<i>Microtalis malleifera</i> (Fowler)	Insect	Fresh or refrigerated Tomatoes (<i>Lycopersicon esculentum</i>), for consumption.
<i>Mimegralla coeruleifrons</i> (Macquart)	Insect	Turmeric (<i>Curcuma longa</i>) for consumption.
<i>Monochamus carolinensis</i> (Olivier)	Insect	<i>Pinus taeda</i> Wood.
<i>Monochamus scutellatus</i> (Say)	Insect	<i>Tabebuia spp</i> wood, <i>Swietenia sp</i> ,
<i>Mylabris phalerata</i> (Pallas)	Insect	Guandu in dry grains (<i>Cajanus cajan</i>), for consumption

<i>Naupactus xanthographus</i> (Germar)	Insect	Fresh Avocados (<i>Persea americana</i>), for consumption.
<i>Nemorimyza maculosa</i> (Malloch)	Insect	Aster flowers and fresh foliage for garnish
<i>Nesidiocoris tenuis</i> (Reuter)	Insect	Fresh or refrigerated Tomatoes (<i>Lycopersicon esculentum</i>), for consumption.
<i>Omoplatia marginata</i> (L.)	Insect	Guandu in dry grains (<i>Cajanus cajan</i>), for consumption.
<i>Opogona sacchari</i> (Bojer)	Insect	Flowers and fresh foliage for garnish
<i>Orgyia postica</i> (Walker)	Insect	Propagation material: Orchids: Orchidaceae and fresh Durio (<i>Durio zibethinus</i>), for consumption.
<i>Ostrinia nubilalis</i> (Hübner)	Insect	Beans (<i>Phaseolus sp. o Vigna angulares</i>), of dry grains and unshelled, for consumption.
<i>Pantomorus cervinus</i> (Boheman)	Insect	Fresh Grapefruit (<i>Citrus x fordisi</i>), for consumption
<i>Papilio polyxenes</i> (Fabricius)	Insect	Wild Carrots (<i>Daucus carota</i>), <i>Foeniculum vulgare</i> , <i>Pimpinella anisum</i> , <i>Illicium anisatu</i>) for consumption

<i>Papilio zelicaon</i> (Lucas)	Insect	Fresh fennel (<i>Foeniculum vulgare</i>), for consumption.
<i>Forpoxyn stagnalis</i> (Zeller)	Insect	semi bleached or bleached Rice (<i>Oryza sativa</i> L.) whether or not polished or glazed, for consumption
<i>Forbemisia myricae</i> (Kuwana)	Insect	Fresh Cherries (<i>Prunus avium</i>), for consumption
<i>Forcoccus marginatus</i> (Williams & Granara de Willink)	Insect	Dry roselle (<i>Hibiscus sabdariffa</i>) for consumption
<i>Parlatoria pergandii</i> (Comstock)	Insect	Propagation material of Fresh citrus (<i>Citrus</i> spp.), for consumption
<i>Parthenolecanium corni</i> (Bouché)	Insect	<i>Corylus avellana</i> L. flowers and fresh foliage for garnish
<i>Parthenolecanium persicae</i> (Fabricius)	Insect	Propagation material: Fresh grapes (<i>Vitis vinifera</i> L.), for consumption
<i>Peridroma saucia</i> (Hübner)	Insect	<i>Salix matsudana</i> flowers and fresh foliage for garnish. Fresh Bueberries (<i>Vaccinium myrtillus</i>), for consumption
<i>Phyllotreta striolata</i> (Fabricius)	Insect	Fresh Broccoli, and <i>Brassica oleracea</i> var. <i>botrytis</i> subvar. <i>cymosa</i> for consumption

<i>Pissodes nemorensis</i> (Germar)	Insect	Wood
<i>Pissodes strobi</i> (Peck)	Insect	Christmas tree of <i>Abies balsamea</i> for garnish.
<i>Piezodorus guildinii</i> (Westwood)	Insect	Fresh peas, (<i>Pisum sativum</i>), for consumption
<i>Platynota stultana</i> (Walsingham)	Insect	Fresh or refrigerated celery (<i>Apium graveolens</i>), for consumption.
<i>Prays citri</i> (Millière)	Insect	Propagation material Fresh Lemon (<i>Citrus limon</i>), for consumption.
<i>Premnotrypes latithorax</i> (Pierce)	Insect	Fresh potatoes (<i>Solanum tuberosum</i> L.), for consumption.
<i>Premnotrypes vorax</i> (Hustache)	Insect	Fresh potatoes (<i>Solanum tuberosum</i> L.) for consumption.
<i>Pseudaulacaspis cockerelli</i> (Cooley)	Insect	Propagation material: fruit trees and palms: Palmae. Fresh Mango (<i>Mangifera indica</i>), for consumption.
<i>Pseudococcus calceolariae</i> (Maskell)	Insect	Propagation material: fruit trees and palms: Palmae Fresh Pears (<i>Pyrus communis</i> L.), for consumption.

<i>Pseudococcus maritimus</i> (Ehrhorn)	Insect	Fresh apples (<i>Malus domestica</i>), for consumption
<i>Pseudococcus viburni</i> (Signoret)	Insect	Fresh Persimmon (<i>Diospyros kaki</i>), for consumption
<i>Pulvinaria psidii</i> (Maskell)	Insect	Fresh Mangos (<i>Mangifera indica</i>), for consumption
<i>Retithrips syriacus</i> (Mayet)	Insect	Propagation material of fruit trees Fresh Quince (<i>Cydonia oblonga</i>), for consumption
<i>Rhagoletis pomonella</i> (Walsh)	Insect	Fresh apples (<i>Malus domestica</i>), for consumption
<i>Rhigopsidius tucumanus</i> (Heller)	Insect	Propagation material Potato seed (<i>Solanum tuberosum</i>) for planting
<i>Sirex noctilio</i> (Fabricius)	Insect	Pine wood (<i>Araucaria angustifolia</i> , <i>Pinus patula</i> , <i>Pinus radiata</i>)
<i>Sciothrips cardamomi</i> (Ramakrishna Ayyar)	Insect	Dry species Cardamom (<i>Elettaria cardamomum</i>). for consumption
<i>Siphoninus phillyreae</i> (Haliday)	Insect	Fresh <i>Punica granatum</i> fruit, for consumption

<i>Stegobium paniceum</i> (Linnaeus)	Insect	Dried spices, neither crushed nor grounded, for consumption
<i>Spodoptera albula</i> (Walker)	Insect	Fresh Tomates (<i>Lycopersicon sculentum</i>), for consumption.
<i>Spodoptera eridania</i> (Stoll in Cramer)	Insect	Fresh watermelon (<i>Citrullus lanatus</i>), for consumption.
<i>Spodoptera exempta</i> (Walker)	Insect	Spices of Dry Ginger (<i>Zingiber officinale</i>), neither crushed nor grounded; and in flakes, crushed, pulverized for consumption
<i>Spodoptera exigua</i> (Hübner)	Insect	Fresh or refrigerated Broccoli (<i>Brassica oleracea var. italica</i>), for consumption
<i>Thrips hawaiiensis</i> (Morgan 1913)	Insect	Propagation material: various species, cuttings, and other plants. Ornamental flowers and fresh greens for garnish Fresh Fruits (<i>Vitis vinifera</i> L.), for consumption
<i>Trialeurodes abutiloneus</i> (Haldeman)	Insect	Fresh or refrigerated Lettuce (<i>Lactuca sativa</i>), for consumption.
<i>Trioza erytrae</i> (Del Guercio)	Insect	Fresh lemons (<i>Citrus limon</i>),
<i>Trogoderma granarium</i> (Everts)	Insect	Stored Grains semi bleached or bleached Rice (<i>Oryza sativa</i> L.) whether or not polished or glazed, for consumption

<i>Udaspes folus</i> (Cramer)	Insect	Turmeric (<i>Curcuma longa</i>) for consumption
<i>Xestia c-nigrum</i> (Linnaeu)	Insect	Fresh or refrigerated onions (<i>Allium cepa</i>), for consumption
<i>Xyleborinus saxesenii</i> (Ratzeburg)	Insect	Pine wood (<i>Araucaria angustifolia</i> , <i>Pino patula</i> , <i>Pinus radiata</i>)
<i>Aceria mangiferae</i> (Sayed)	Mite	Fresh Mangos (<i>Mangifera indica</i>), for consumption
<i>Aceria sheldoni</i> (Ewing)	Mite	Fresh Lemons (<i>Citrus limon</i>), for consumption.
<i>Aceria tosichella</i> (Keifer)	Mite	Wheat (<i>Triticum spp.</i>) in grains, for consumption
<i>Aceria tulipae</i> (Keifer,)	Mite	Propagation material of: Tulips bulbs (<i>Tulipa spp</i>) for planting. Onion (<i>Allium cepa</i> L.) for consumption. .
<i>Aculops lycopersici</i> (Tryon)	Mite	Fresh or refrigerated Tomatoes (<i>Lycopersicon esculentum</i>), for consumption.
<i>Brevipalpus chilensis</i> (Baker)	Mite	Fresh oranges (<i>Citrus sinensis</i>), for consumption

<i>Brevipalpus lewisi</i> (McGregor)	Mite	Fresh oranges (<i>Citrus sinensis</i>), for consumption
<i>Brevipalpus obovatus</i> (Donnadieu)	Mite	Fresh tangerines (<i>Citrus reticulata</i>), for consumption
<i>Bryobia rubrioculus</i> (Scheuten)	Mite	Fresh cherries (<i>Prunus avium</i>), for consumption
<i>Oligonychus coffeae</i> (Nietner)	Mite	<i>Camelia sinensis</i> ; <i>Coffea</i> L. Walnuts and almonds of oil palm (<i>Elaeis guineensis</i>) for consumption
<i>Oligonychus yothersi</i> (McGregor)	Mite	Fresh Mangos (<i>Mangifera indica</i>), for consumption.
<i>Phytonemus pallidus</i> (Banks)	Mite	Propagation material of: <i>Begonia</i> , <i>Capsicum annuum</i> , <i>Chrysanthemum</i> , <i>Fragaria</i> (strawberry), <i>Rhododendron</i> . Flowers and fresh foliage for garnish Fresh peppers (<i>Capsicum sp.</i>) for consumption.
<i>Raoiella indica</i> (Hirst)	Mite	Propagation material of: <i>Arecacea</i> , <i>Musa spp.</i> , <i>Heliconia spp.</i> , <i>Alpinia purpurata</i> , <i>Eucalyptus spp.</i>
<i>Tetranychus evansi</i> (Baker & Pritchard)	Mite	Fresh Tomatoes (<i>Lycopersicon esculentum</i>), for consumption

<i>Tetranychus kanzawai</i> (Kishida)	Mite	Fresh apples (<i>Malus domestica</i>), for consumption
<i>Tetranychus pacificus</i> (McGregor)	Mite	Propagation material of orchids Fresh Plums and sloes (<i>Prunus domestica</i>), for consumption
<i>Anguina agrostis</i> (Steinbuch, Filipjev)	Nematode	Propagation material of grama seeds of <i>Festuca arundinacea</i> , <i>Festuca ovina</i> , <i>Festuca rubra</i>
<i>Aphelenchoide fragariae</i> (Ritzema - Bos, Christie,)	Nematode	Propagation material of <i>Fragaria ananassa</i> , Ornamental cuttings, plants and other
<i>Apheelenchoides ritzemabosi</i> (Schwartz, Steiner & Buhrer)	Nematode	Propagation material of Chrysanthemum cuttings, plants and other
<i>Belonolaimus longicaudatus</i> (Rau)	Nematode	<i>Cynodon dactylon</i> Stolons for planting
<i>Ditylenchus destructor</i> (Thorne)	Nematode	Propagation material Potato tuber (<i>Solanum tuberosum</i>) for planting
<i>Ditylenchus dipsaci</i> (Kühn, Filip'ev)	Nematode	Propagation material Onion, potato (<i>Allium cepa</i> , <i>Solanum tuberosum</i>) for planting Fresh onion bulbs (<i>Allium cepa</i>) for consumption
<i>Heterodera glycines</i> (Ichinohe)	Nematode	Gamic seed for planting of <i>Glycine max</i>

<i>Meloidogyne arenaria</i> (Neal, Chitwood)	Nematode	Fresh onion bulbs, beet (<i>Allium cepa</i> , <i>Beta vulgaris</i>), for planting
<i>Meloidogyne exigua</i> (Goeldi)	Nematode	Propagation material Potato tuber (<i>Solanum tuberosum</i>) for planting
<i>Fortrichodorus porosus</i> (Allen, Siddiqi)	Nematode	Propagation material Citrus seedlings for planting
<i>Pratylenchus vulnus</i> (Allen and Jensen)	Nematode	Propagation material: cuttings, plants and other Bulbs of (<i>Allium sativum</i> L. ; <i>Allium cepa</i> , <i>Allium porrum</i>) for planting
<i>Scutellonema brachyurus</i> (Steiner , Andr�ssy)	Nematode	Pineapple propagation material (<i>Ananas comosus</i>)
<i>Botryotinia alli</i> (Sawada, W. Yamam) o <i>Botrytis byssoidea</i> (J.C. Walker)	Fungus	Propagation material <i>Allium sativum</i> L. ; <i>Allium cepa</i> , <i>Allium porrum</i> bulbs for planting
<i>Botryotinia squamosa</i> (Vienn.-Bourg.)	Fungus	Propagation material <i>Allium sativum</i> L. ; <i>Allium cepa</i> , <i>Allium porrum</i> for planting.
<i>Botrytis porri</i> (N.F. Buchw) sin. <i>Botryotinia porri</i> (H.J.F. Beyma) Whetzel)	Fungus	<i>Allium sativum</i> L. ; <i>Allium cepa</i> , <i>Allium porrum</i> bulbs for planting
<i>Botrytis tulipae</i> Lind	Fungus	Tulips bulbs for planting

<i>Cercospora longipes</i> (E.J. Butler)	Fungus	Cane cuttings (<i>Saccharum officinarum</i>) for planting
<i>Chalara elegans</i> (Nag Raj and W.B. Kendr.)	Fungus	Cucurbits Gamic seed for planting
<i>Choanephora cucurbitarum</i> (Berk. and Ravenel) Thaxt.	Fungus	Cucurbits Gamic seed for planting
<i>Claviceps purpurea</i> (Fr.) Tul., 1853 [teleomorph]	Fungus	<i>Sorghum bicolor</i> Gamic seed for planting
<i>Claviceps sorghi</i> B.G.P. Kulk., Seshadri & Hegde [teleomorph]	Fungus	<i>Sorghum bicolor</i> Gamic seed for planting
<i>Colletotrichum truncatum</i> (Schwein.) Andrus and W.D. Moore)	Fungus	Peanut seed (<i>Arachis pintoi</i>) for planting
<i>Diaphorthe phaseolorum</i> var. <i>sojae</i> (Lehman) Wehm.	Fungus	Soy seed (<i>Glycine max</i>) for planting
<i>Erysiphe betae</i> (Vanha) Weltzien	Fungus	<i>Beta vulgaris</i> var. <i>saccharifera</i> ; <i>Daucus carota</i> gamic sedes for planting
<i>Exserohilum rostratum</i> (Leonard)	Fungus	Grass gamic seed <i>Paspalum vaginatum</i> for planting

<i>Fusarium guttiforme</i> (Nirenberg and o ' Donnell,)	Fungus	Pineapple propagation material (<i>Ananas comosus</i>).
<i>Fusarium oxysporum f.sp. Cubense</i> . <i>Raza Tropical 4 (RT 4)</i>	Fungus	Musaceae propagation material
<i>Fusarium oxysporum f.sp. elaeidis</i> (Toovey)	Fungus	Pre-germinated seeds (<i>Elaeis guineensis</i> y <i>Elaeis oleifera</i>) for planting
<i>Fusarium oxysporum f.sp. gladioli</i> (Massey) Snyder and Hansen	Fungus	Fresh Gladioli Bulbs (<i>Gladiolus hibrids</i>) for planting
<i>Fusarium oxysporum f.sp. lillii</i> (Imle)	Fungus	Fresh lilies bulbs (<i>Lilium spp</i>) for planting
<i>Fusarium oxysporum f.sp. Phaseoli</i> J.B. Kendr. And W.C. Snyder	Fungus	<i>Pahseolus vulgaris</i> y <i>Vigna sinensis</i> o <i>Vigna unguiculata</i> seeds for planting
<i>Fusarium sporotrichioides</i> (Sherb.)	Fungus	Corn gamic seeds (<i>Zea mays</i>) for planting
<i>Fusarium oxysporum f.sp. Vasinfectum</i> (G.F. Atk.) W.C. Snyder and H.N. Hansen	Fungus	Gamic sedes of <i>Capsicum annuum</i> ; <i>Cajanus cajan</i> for planting
<i>Gibberella avenacea</i> (R.J. Cook)	Fungus	Cabbage gamic seeds (<i>Brassica oleracea var. capitata</i>) for planting

<i>Gibberella circinata</i> (Nirenberg and O'Donnell)	Fungus	Pine sedes (<i>Pinus caribaea</i> , <i>Pinus pseudostrobus</i>) for planting
<i>Gibberella zeae</i> (Schwein.) Petch	Fungus	<i>Zea mays</i> gamic seeds for planting
<i>Glomerella tucumanensis</i> (Speg.) Arx and E. Müll	Fungus	Sugarcane cuttings (<i>Saccharum officinarum</i>) for planting
<i>Marasmius palmivorus</i> (Sharples)	Fungus	Pre-germinated oil palm seeds (, <i>Phoenix dactylifera</i>)
<i>Microdochium panattonianum</i> (Berl.) B.Sutton, Galea and T.V. Price	Fungus	Lettuce gamic seeds (<i>Lactuca sativa</i>) for planting
<i>Monosporascus cannonballus</i> (Pollack and Uecker)	Fungus	Cucurbitaceae seed gamic for planting
<i>Monographella nivalis</i> (Schaffnit) E.Müll	Fungus	Grass seeds (<i>Fetusca</i> , <i>Poa</i>) for planting
<i>Myrothecium roridum</i> (Tode)	Fungus	Peanuts seeds (<i>Arachis hypogaea</i>), for planting
<i>Passalora sojae</i> (Hara) H.D. Shin and U. Braun	Fungus	Soy seeds (<i>Glycine max</i>) for planting

<i>Peronospora farinosa</i> (Fr.) Fr.	Fungus	<i>Beta vulgaris</i> sedes for planting
<i>Peronospora manshurica</i> (Naumov) Syd. ex Gäum.	Fungus	Soy seeds (<i>Glycine max</i>) for planting
<i>Peronospora forsitica</i> (Pers.) de Bary	Fungus	Brassicaceae gamic seeds for planting
<i>Phellinus noxius</i> (Corner) G. Cunn.	Fungus	Arecaceae seeds for planting
<i>Phaeosphaeria nodorum</i> (E. Müll.) Hedjar	Fungus	(<i>Hordeum vulgare</i> , <i>Triticum aestivum</i> , <i>Cynodon dactylon</i>) gamic seeds
<i>Phoma pinodella</i> (L.K. Jones) Morgan-Jones and K.B. Burch	Fungus	<i>Petroselinum crispum</i> gamic seeds for planting
<i>Phomopsis longicolla</i> (Hobbs)	Fungus	Soy seeds (<i>Glycine max</i>) for planting
<i>Phytophthora cactorum</i> (Lebert and Cohn) J. Schröt.	Fungus	Cocoa propagation material (<i>Theobroma cacao</i>)
<i>Phytophthora erythroseptica</i> var. <i>erythroseptica</i>	Fungus	Potato progradation material (<i>Solanum tuberosum</i>) for planting

<i>Phytophthora heveae</i> (A.W. Thomps.)	Fungus	Rubber propagation material (<i>Hevea brasiliensis</i>)for planting
<i>Pleospora betae</i> (Berl.) Nevodovsky) ; <i>Phoma betae</i> (Frank)	Fungus	sugarbeet seeds (<i>Beta vulgaris var. saccharifera</i>)
<i>Pleospora herbarum</i> (Fr.) Rabenh.	Fungus	Melon gamic seeds (<i>Cucumis melo</i>) for planting
<i>Peronosclerospora sacchari</i> (T. Miyake) Shirai and Hara	Fungus	Sugarcane gamic seeds (<i>Saccharum officinarum</i>)for planting
<i>Puccinia allii</i> (DC.) Rudolphi	Fungus	Chive, onion (<i>Allium schoenoprasum</i> (<i>Allium cepa</i>) bulbs for planting and for consumption
<i>Pyrenochaeta lycopersici</i> (Schneider and Gerlach)	Fungus	Tomato gamic seeds (<i>Lycopersicon esulentum</i>) for planting
<i>Pythium vexans</i> (de Bary)	Fungus	Rubber propagation material (<i>Hevea brasiliensis</i>)
<i>Oidium heveae</i> (Steinm.)	Fungus	Rubber propagation material (<i>Hevea brasiliensis</i>)
<i>Ramularia beticola</i> (Fautrey and Lambotte)	Fungus	+ <i>Beta vulgaris var. Saccharifera</i> seeds for planting

<i>Rigidoporus microporus</i> (Fr.) Overeem	Fungus	Propagation material of Arecaceae; <i>Theobroma cacao</i> L.
<i>Rhizoctonia tuliparum</i> Whetzel & J. M. Arthur	Fungus	Tulips bulbs for planting
<i>Sclerotium cepivorum</i> (Berk.)	Fungus	(<i>Allium cepa</i> , <i>A. sativum</i> , <i>A. porrum</i> , <i>Allium schoenoprasum</i>) fresh bulbs and for planting
<i>Sclerophthora macrospora</i> (Sacc.) Thirum., C.G. Shaw and Naras.	Fungus	Rice gamic seeds (<i>Oryza sativa</i>) for planting
<i>Sphaeropsis sapinea</i> sinonimo <i>Diplodia pinea</i>	Fungus	Pine seeds (<i>Pinus caribaea</i> , <i>Pinus pseudostrobus</i>) for planting
<i>Septoria passiflorae</i>	Fungus	Banana passionfruit seeds (<i>Passiflora mollissima</i>) for planting
<i>Sporisorium cruentum</i> (J.G. Kühn) Vánky	Fungus	sorghum seeds (<i>Sorghum bicolor</i> , <i>Sorghum vulgare</i>) and corn (<i>Zea mays</i>) for planting
<i>Sporisorium sacchari</i> (Rabenh.) Vánky	Fungus	Sugarcane gamic seeds (<i>Saccharum officinarum</i>) for planting
<i>Sarocladium oryzae</i> (Sawada) W. Gams and D. Hawksw.	Fungus	Rice gamic seeds (<i>Oryza sativa</i>) for planting

<i>Stenocarpella maydis</i> (Berk.) B. Sutton O <i>Stenocarpella macrospore</i> (Earle) B.Sutton	Fungus	Corn seeds (<i>Zea mays</i>) for planting
<i>Uromyces betae</i> (Belyynck) Boerema et al.	Fungus	Beet gamiseeds (<i>Beta vulgaris</i>) for planting
<i>Verticillium albo-atrum</i> (Reinke and Berthold)	Fungus	<i>Lycopersicon esulentum</i> ; <i>Solanum tuberosum</i> ; <i>Medicago sativa</i> L. <i>Cucumis sativus</i> ; gamiseeds for planting
<i>Verticillium dahliae</i> (Kleb)	Fungus	Brassicaceae gamiseeds for planting
<i>Acidovorax avenae</i> subsp. <i>cattleyae</i> (Pavarino 1911) Willems et al. 1992	Bacterium	Orchids propagation material for planting
<i>Burkholderia gladioli</i> pv. <i>Alliicola</i> (Burkholder 1942) comb. nov.	Bacterium	Onion bulbs (<i>Allium cepa</i>) for planting
<i>Burkholderia gladioli</i> pv. <i>gladioli</i> (Severini 1913) Yabuuchi et al. 1993	Bacterium	<i>Iris</i> spp. bulbs for planting
<i>Candidatus Liberibacter africanus</i> q Jagoueix et al. 1994	Bacterium	<i>Citrus</i> spp propagation material for planting
<i>Candidatus Liberibacter americanus</i> q Teixeira et al. 2005	Bacterium	<i>Citrus</i> spp propagation material for planting

<i>Candidatus Liberibacter asiaticus</i> q Jagoueix et al. 1994	Bacterium	<i>Citrus spp</i> propagation material for planting
<i>Clavibacter xyli subsp. Cynodontis</i> (Davis et al., 1984)	Bacterium	Grass seeds (<i>Cynodon dactylon</i>) for planting
<i>Curtobacterium flaccumfaciens pv. betae</i> (Hedges) Collins and Jones	Bacterium	Beet seeds (<i>Beta vulgaris</i>) for planting
<i>Curtobacterium flaccumfaciens pv. flaccumfaciens</i> (Hedges) Collins and Jones	Bacterium	Seeds for planting (<i>Vigna unguiculata</i> ; <i>Phaseolus vulgari</i>)
<i>Curtobacterium flaccumfaciens pv. poinsetiae</i> (Hedges) Collins and Jones	Bacterium	<i>Euphorbia pulcherrima</i> , propagation material (Hojas, tallo)
<i>Pantoea ananatis</i> (Serrano, 1928) Mergaert et al., 1993	Bacterium	(<i>Allium cepa</i> , <i>Allium sativum</i>), bulbs for planting
<i>Pantoea stewartii</i> (Smith 1898) Mergaert et al. 1993	Bacterium	Corn gamic seeds (<i>Zea mays</i>), for planting
<i>Pectobacterium cypripedii</i> (Hori 1911) Brenner et al. 1973 emend. Hauben et al. 1999	Bacterium	Orchid propagation material
<i>Pectobacterium rhaonintici</i> (Millard 1924) Patel & Kulkarni 1951	Bacterium	<i>Allium cepa</i> , <i>allium sativum</i> . Propagation material

<i>Pseudomonas cichorii</i> (Swingle 1925) Stapp 1928	Bacterium	<i>Cichorium endivia</i> , gamic seed for planting
<i>Pseudomonas corrugata</i> (ex Scarlett et al. 1978) Roberts and Scarlett 1981	Bacterium	Tomate gamic seeds (<i>Lycopersicon esculentum</i>) for planting
<i>Pseudomonas marginalis</i> pv. <i>marginalis</i>	Bacterium	Potato seeds <i>Solanum tuberosum</i> for planting
<i>Pseudomonas syringae</i> pv. <i>coriandricola</i> (Toben and Rudolph 1996)	Bacterium	Coriander seeds (<i>Coriandrum sativum</i>) for planting
<i>Pseudomonas syringae</i> pv. <i>lachrymans</i> (Smith and Bryan 1915) Young et al. 1978	Bacterium	Cucurbitaceae gamic seeds for planting
<i>Pseudomonas syringae</i> pv. <i>pisii</i> (Sackett 1916) Young et al. 1978	Bacterium	<i>Pisum sativum</i> seeds for planting
<i>Pseudomonas syringae</i> pv. <i>tomato</i> (Okabe 1933) Young et al. 1978	Bacterium	Tomatoe seeds (<i>Lycopersicon esculentum</i>) for planting
<i>Pseudomonas syringae</i> pv. <i>porri</i> Samson et al. 1998	Bacterium	<i>Allium schoenoprasum</i> seeds for planting
<i>Pseudomonas syringae</i> pv. <i>maculicola</i> (McCulloch 1911) Young et al. 1978	Bacterium	Brassicaceae gamic seeds for planting

<i>Pseudomonas syringae</i> pv. <i>tabaci</i> (Wolf and Foster 1917) Young et al. 1978	Bacterium	Soy seeds (<i>Glycine max</i>) for planting
<i>Pseudomonas savastanoi</i> pv. <i>glycinea</i> (Coerper 1919) Gardan et al. 1992	Bacterium	Soy seeds (<i>Glycine max</i>) for planting
<i>Pseudomonas savastanoi</i> pv. <i>phaseolicola</i> (Burkholder 1926) Gardan et al. 1992	Bacterium	<i>Phaseolus vulgaris</i> seeds for planting
<i>Pseudomonas savastanoi</i> pv. <i>savastanoi</i> (ex Smith 1908) Young et al. 1996	Bacterium	Olive propagation material (<i>Olea europaea</i>) for planting
<i>Pseudomonas viridiflava</i> (Burkholder 1930) Dowson 1939	Bacterium	(<i>Capsicum annuum</i>) gamic seeds for planting.
<i>Ralstonia solanacearum</i> raza 3 (Smith) Yabuuchi et al.	Bacterium	Potato propagation material (<i>Solanum tuberosum</i>) for planting
<i>Rhizobium radiobacter</i> (Beijerinck & van Delden 1902) Young et al. 2001	Bacterium	Roses propagation material (<i>Rosa centifolia</i>)
<i>Rhizobium rhizogenes</i> (Riker et al. 1930) Young et al. 2001	Bacterium	Roses propagation material (<i>Rosa centifolia</i>)
<i>Xanthomonas axonopodis</i> (Starr and Garcés 1950)	Bacterium	Sugarcane propagation amterial (<i>Sacharum officnararum</i>) for planting

<i>Xanthomonas axonopodis</i> pv. <i>allii</i> (Kadota et al. 2000) Roumagnac et al. 2004	Bacterium	Onion bulbs (<i>Allium cepa</i> , <i>allium porrum</i> , <i>Allium fistulosum</i>) for planting
<i>Xanthomonas axonopodis</i> pv. <i>begoniae</i> (Takimoto 1934) Vauterin et al. 1995	Bacterium	<i>Begonia</i> spp. Propagation material for planting
<i>Xanthomonas axonopodis</i> pv. <i>dieffenbachiae</i> (McCulloch and Pirone1939) Vauterin et al 1995	Bacterium	<i>Anthurium andreanum</i> , <i>Philodendron</i> spp propagation material
<i>Xanthomonas axonopodis</i> pv. <i>glycines</i> (Nakano 1919) Vauterin et al. 1995	Bacterium	Soy seeds (<i>Glycine max</i>) for planting
<i>Xanthomonas campestris</i> pv. <i>passiflorae</i> (Pereira 1969) Dye 1978	Bacterium	Banana passionfruit seeds (<i>Pasiflora mollisima</i>) for planting
<i>Xanthomonas axonopodis</i> pv. <i>vitians</i> (Brown 1918) Vauterin et al. 1995	Bacterium	<i>Lactuca sativa</i> , gamic seeds for planting
<i>Xanthomonas campestris</i> pv. <i>raphani</i> (White 1930) Dye 1978b	Bacterium	<i>Brassica</i> spp., gamic seeds for planting
<i>Xanthomonas campestris</i> f.sp <i>vesicatoria</i> (Doidge) Dye 1978	Bacterium	<i>Capsicum annum</i> , <i>Lycopersicon esculentum</i> gamic seeds for planting
<i>Xanthomonas cucurbitae</i>	Bacterium	Cucurbitacea gamic seeds for planting

<i>Xanthomonas fragariae</i> Kennedy and King 1962	Bacterium	Strawberries propagation material (<i>Fragaria ananassa</i>)
<i>Xanthomonas hyacinthi</i> (ex Wakker 1883) Vauterin et al. 1995	Bacterium	Hyacinth propagation material (<i>Hyacinthus orientalis</i>)
<i>Xanthomonas hortorum</i> pv. <i>carotae</i> (Kendrick 1934) Vauterin et al. 1995	Bacterium	Coriander and carrot seeds (<i>Coriandrum sativum</i> y <i>Daucus carota</i>) for planting
<i>Xanthomonas vesicatoria</i> (Doidge) Dowson 1939	Bacterium	<i>Capsicum annuum</i> , <i>Lycopersicon esculentum</i> , gamic seeds for planting
<i>Xylella fastidiosa</i> Wells et al. 1987	Bacterium	<i>Citrus spp</i> ; <i>Vitis vinifera</i> propagation material for planting
Aster yellws phytoplasma group	Phytoplasma	<i>Paulownia tomentosa</i> propagation material
Clover phyllody phytoplasma	Phytoplasma	<i>Catharanthus roseus</i> propagation material
Palm lethal yellowing phytoplasma	Phytoplasma	Propagating material: including palm TPS
African Cassava mosaic virus	Virus	<i>Yucca (Manihot sculentum)</i> propagation material for planting

<i>Alfalfa mosaic virus</i>	Virus	Alfalfa gamic seeds (<i>Medicago sativa</i>) for planting
<i>Andean Potato latent virus</i>	Virus	Potato propagation material (<i>Solanum tuberosum</i>) for planting
<i>Arabis mosaic virus</i>	Virus	(<i>Daucus carota</i> , <i>Lactuca sativus</i> , <i>Cucurbita pepo</i> , <i>Cucurbita sativus</i>) gamic seeds for planting
<i>Banana Bunchy Top virus</i>	Virus	Musa L.
<i>Banana streak virus</i>	Virus	meristems propagation material de <i>Musa spp</i> for planting
<i>Bean golden mosaic virus (BGMV)</i>	Virus	Soy gamic seeds (<i>Glycine max</i>) for planting
<i>Bean Pod mottle virus</i>	Virus	Soy gamic seeds (<i>Glycine max</i>) for planting
<i>Beet curly top virus</i>	Virus	Cucurbitaceae gamic seeds,(<i>Cucumis sativus</i>) for planting
<i>Beet necrotic yellow Vein virus</i>	Virus	Spinach gamic seeds (<i>Spinacia oleracea</i>) for planting

<i>Broad bean wilt virus</i>	Virus	Carrot gamic seeds (<i>Daucus carota</i>)for planting
<i>Citrus leaf rugose virus</i>	Virus	<i>Citrus spp.</i> Propagation material for planting
<i>Citrus exocortis viroid</i>	Virus	<i>Citrus spp.</i> Propagation material for planting
<i>Citrus cachexia viroid</i>	Virus	<i>Citrus spp.</i> Propagation material, buds, cuttings for planting.
<i>Citrus psorosis B</i>	Virus	Propagation material, buds, cuttings for planting. <i>Citrus spp.</i> for planting
<i>Cowpea mild mottle virus</i>	Virus	Beans gamic seeds (<i>Phaseoles vulgaris</i>) for planting
<i>Cucumber green mottle mosaic virus</i>	Virus	Cucurbitaceae gamic seeds for planting
<i>Impatiens necrotic spot virus</i>	Virus	Orchids propagation materials
<i>Letucce mosaic virus</i>	Virus	Lettuce seeds (<i>Lactuca sativa</i>) for planting

<i>Lily symptomless virus</i>	Virus	Lilies propagation material (<i>Lilium sp.</i>) for la planting
<i>Maize chlorotic mottle virus</i>	Virus	Corn gamic seeds (<i>Zea mays</i>) for plantings
<i>Maize dwarf mosaic virus</i>	Virus	Corn gamic seeds (<i>Zea mays</i>) for plantings
<i>Maize stripe virus</i>	Virus	Corn gamic seeds (<i>Zea mays</i>) for plantings
<i>Narcissus mosaic virus</i>	Virus	Lilies bulbs for planting (<i>Lilium spp.</i>)
<i>Odontoglossum ringspot virus</i>	Virus	Orchid propagation material
<i>Onion yellow dwarf virus</i>	Virus	Onion bulbs (<i>Allium cepa</i>) for planting
<i>Peanut mottle virus</i>	Virus	(<i>Arachis pinto</i>) gamic seeds for planting
<i>Pepino mosaic virus</i>	Virus	Tomatoes gamic seeds (<i>Lycopersicon esculentum</i>) and eggplant (<i>Solanum melongena</i>) for planting
<i>Pineapple wilt-associated virus</i>	Virus	Pinneapple propagation material (<i>Ananas comosus</i>)

<i>Pineapple yellow-spot virus</i>	Virus	Pineapple propagation material (<i>Ananas comosus</i>)
<i>Potato deforming mosaic virus</i>	Virus	Potatoes propagation material (<i>Solanum tuberosum</i>) for planting
<i>Potato virus M</i>	Virus	Potatoes propagation material (<i>Solanum tuberosum</i>) for planting
<i>Potato virus S (Cepa andina)</i>	Virus	Potatoes propagation material (<i>Solanum tuberosum</i>) for planting
<i>Potato spindle tuber viroid</i>	Virus	Potatoes propagation material (<i>Solanum tuberosum</i>) for planting
<i>Potato yellowing virus</i>	Virus	Potatoes propagation material (<i>Solanum tuberosum</i>) for planting
<i>Sweet potato feathery mottle virus</i>	Virus	<i>Ipomoea batatas</i> propagation material for planting
<i>Sweet potato latent virus</i>	Virus	Sweet potatoes propagation material (<i>Ipomoea batatas</i>)
<i>Sweet potato mild mottle virus</i>	Virus	Potatoes propagation material (<i>Solanum tuberosum</i>) for planting

<i>Strawberry latent ringspot virus</i>	Virus	<i>Petroselinum crispum</i> , <i>Apium graveolens</i> , gamic seeds for planting
<i>Tobacco rattle virus</i>	Virus	Gladioli bulbs for planting
<i>Tobacco ringspot virus</i>	Virus	<i>Capsicum annuum</i> , <i>Citrullus lanatus</i> gamic seeds for planting
<i>Tobacco Streak Virus</i>	Virus	<i>Lactuca sativa</i> gamic seeds for planting
<i>Tomato black ring virus</i>	Virus	Tomatoes gamic seeds (<i>Lycopersicon esculentun</i>) for planting
<i>Tomato bushy stunt virus</i>	Virus	<i>Capsicum annuum</i> gamic seeds for planting
<i>Tomato spotted wilt virus</i>	Virus	Pineapple propagation material (<i>Ananas comosus</i>) for planting
<i>Wheat streak mosaic virus</i>	Virus	Wheat gamic seeds <i>Triticum aestivum</i> , <i>Zea mays</i> for planting
<i>Yam mild mosaic virus</i>	Virus	Yam propagation material (<i>Dioscorea alata</i> L.)
<i>Yam mosaic virus</i>	Virus	Yam propagation material (<i>Dioscorea alata</i> L.)

<i>Bradybaena similaris</i>	Mollusk	Citrus sp., Coffea, ornamental plants
<i>Deroceras reticulatum</i> (O.F.Muller 1774)	Mollusk	Ornamental plants in general, fruit and vegetable
<i>Limax maximus</i>	Mollusk	polyphagous
<i>Lissachatina fulica</i> (Bowdich) <i>Achatina fulica</i> (Bowdich 1822 formerly Férussac 1821)	Mollusk	polyphagous
<i>Pomacea canaliculata</i> (Lamarck, 1822)	Mollusk	Rice cultivation (<i>Oryza sativa</i>)
<i>Otala lactea</i>	Mollusk	<i>Ornamental plants for planting</i>
<i>Rumina decollata</i> (Linnaeus, 1758)	Mollusk	<i>Ornamental plants for planting</i>
<i>Avena fatua</i> L	Weeds	<i>Oryza sativa</i> , <i>Zea mays</i> , <i>Sorghum spp</i> seeds
<i>Cyperus compressus</i>	Weeds	<i>Oryza sativa</i> seeds
<i>Echium plantagineum</i> L	Weeds	Grass seeds
<i>Eragrotis plana</i> ness	Weeds	<i>Panicum máximum</i> seeds

<i>Euphorbia heterophilla L.</i>	Weeds	<i>Arachis hypogaea , Glycine max Gossypium , Saccharum officinarum , Vigna unguiculata , Zea mays</i>
<i>Kyllinga brevifolia</i>	Weeds	Grass seeds
<i>Poa annua L</i>	Weeds	<i>Allium cepa , Beta vulgaris , Oryza sativa , Zea mays , Fragaria ananassa</i>
<i>Raphanus raphanistrum L</i>	Weeds	<i>Panicum maximum</i>
<i>Sorghum halepense</i>	Weeds	Peanut seeds (<i>Arachis hypogaea</i>)

REFERENCES

1. Phytosanitary Requirements for Importation of plants, products and byproducts of vegetal origin. National Direction of Health vegetal (DNSV)
2. Phytosanitary Requirements for the importation of products for consumption. Autoridad de Seguridad Panameña de Alimentos (Panamanian Authority for Food Safety) - (AUPSA)
3. Database (CABI CROP PROTECTION), 2013
4. Technical sheets
5. Master Collection of Entomology at the Panamá University (MEUP)
6. Phytopathology Consulting report. Dr. Jurgen Kranz, 1997. Regional Support Program in Agricultural Health. Agreement ó Central America - CEE ALA-91/37
7. CSTDDF - DNSV Databse (Official reports of detected and diagnosed pests 2000-2013)
8. Mollusks Identification Manual (Dr. David Robinson-USDA)



Plant Health, Río Tapia Tocumen, Panamá
Telephone (507) 290-6710, 220-0733 fax 220-7981