

## LISTA DE PLAGAS REGLAMENTADAS DE MÉXICO

MAYO DEL 2018

PLAGA	DESCRIPTOR
<i>Acalitus gossypii</i>	Banks
<i>Acanthospermum australe</i>	(Loefl.) Kuntze
<i>Acanthospermum hispidum</i>	DeCandolle
<i>Acarus siro</i>	Linnaeus
<i>Acidovorax avenae subsp. citrulli</i>	(Schaad et al., 1978) Willems et al., 1992
<i>Acremonium maydis</i>	
<i>Acrobasis nuxvorella</i>	Neunzig, 1970
<i>Acrobasis pyrivorella</i>	(Matsumura)
<i>Acrolepiopsis assectella</i>	Zeller
<i>Acrophialophora fusispora</i>	(Saksena, 1953) Samson, 1970
<i>Adoxophyes orana</i>	Fischer von Roeslerstamm, 1834
<i>Aegilops cylindrica</i>	Host
<i>Agrostemma githago</i>	Linnaeus
<i>Alcidodes dentipes</i>	(Olivier, 1790)
<i>Aleurocanthus spiniferus</i>	(Quaintance, 1903)
<i>Aleurodicus destructor</i>	Mackie, 1912
<i>Alsophila pometaria</i>	Harris, 1841
<i>Alternaria brassicicola</i>	(Schwein., 1832) Wiltshire, 1947
<i>Alternaria cucumerina</i>	(Ellis y Everh., 1895) Elliott, 1917
<i>Alternaria dauci</i>	(Kühn, 1855) Groves y Skolko, 1944
<i>Alternaria gaisen</i>	Nagano, 1928
<i>Alternaria helianthi</i>	(Hansf.) Tubaki y Nishih.
<i>Alternaria japonica</i>	Yoshii, 1941
<i>Alternaria macrospora</i>	Zimmerm., 1931
<i>Alternaria mali</i>	Roberts, 1914
<i>Alternaria radicina</i>	Meier et al., 1922
<i>Alternaria ricini</i>	(Yoshii, 1929) Hansf., 1943
<i>Alternaria stanphylioides</i>	
<i>Alternaria steviae</i>	Ishiba et al., 1982
<i>Alternaria triticina</i>	Prasada y Prabhu, 1963
<i>Alternaria zinniae</i>	Ellis, 1972
<i>Amblypelta lutescens</i>	(Distant)
<i>Amblyptilia pica</i>	Walsingham, 1880
<i>American plum line pattern virus</i>	
<i>Amerrhynus ynca</i>	Sahlberg, 1823

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<b><i>Amitermes desertorum</i></b>	(Desneaux)
<b><i>Ammannia baccifera</i></b>	Linnaeus, 1753
<b><i>Amphitetranychus viennensis</i></b>	(Zacher)
<b><i>Amrasca biguttula biguttula</i></b>	Ishida, 1912
<b><i>Amrineus cocofolius</i></b>	Flechtmann, 1994
<b><i>Anastrepha grandis</i></b>	Macquart, 1846
<b><i>Anastrepha ludens</i></b>	Loew, 1873
<b><i>Anastrepha obliqua</i></b>	Macquart, 1835
<b><i>Anastrepha serpentina</i></b>	Wiedemann, 1830
<b><i>Anastrepha striata</i></b>	Schiner, 1868
<b><i>Anastrepha suspensa</i></b>	Loew, 1862
<b><i>Andean potato latent virus</i></b>	
<b><i>Anemone ringspot virus</i></b>	
<b><i>Anguina agrostis</i></b>	(Steinbuch, 1799) Filipjev, 1936
<b><i>Anguina tritici</i></b>	(Steinbuch, 1799) Chitwood, 1935
<b><i>Anomis flava</i></b>	Fabricius 1775
<b><i>Anoplophora chinensis</i></b>	(Forster, 1771)
<b><i>Anthonomus pomorum</i></b>	Linnaeus
<b><i>Anthonomus signatus</i></b>	Say , 1831
<b><i>Anthonomus vestitus</i></b>	Boheman, 1859
<b><i>Anthoxanthum odoratum</i></b>	Linnaeus
<b><i>Anthoxanthum puelii</i></b>	Lecoq y Lamotte
<b><i>Apera spica-venti</i></b>	(Linnaeus) Beauv.
<b><i>Aphanomyces euteiches</i></b>	Drechsler, 1925
<b><i>Aphelenchoides besseyi</i></b>	Christie, 1942
<b><i>Aphelenchoides fragariae</i></b>	(Ritzema-Bos, 1891) Christie, 1932
<b><i>Aphelenchoides parietinus</i></b>	(Bastian, 1865) Steiner, 1932
<b><i>Aphelenchoides ritzemabosi</i></b>	(Schwartz, 1911) Steiner y Buhrer, 1932
<b><i>Apion soleatum</i></b>	Wagner
<b><i>Apple chlorotic leaf spot virus</i></b>	
<b><i>Apple mosaic virus</i></b>	
<b><i>Apple ringspot disease</i></b>	
<b><i>Apple rubbery wood phytoplasma</i></b>	
<b><i>Apple stem grooving virus</i></b>	
<b><i>Apricot pseudo-chlorotic leaf spot virus</i></b>	
<b><i>Archips argyrosipilus</i></b>	Walker, 1863
<b><i>Argyrotaenia citrana</i></b>	(Fernald, 1889)

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<b><i>Argyrotaenia velutinana</i></b>	Walker, 1863
<b><i>Arracacha virus A</i></b>	
<b><i>Artichoke latent virus</i></b>	
<b><i>Asclepias syriaca</i></b>	Linnaeus
<b><i>Ascochyta cycadina</i></b>	Scalia
<b><i>Ascochyta hyalospora</i></b>	(Cooke & Ellis, 1878) Boerema et al., 1977
<b><i>Asparagus virus 1</i></b>	
<b><i>Asparagus virus 2</i></b>	
<b><i>Asperisporium pongamiae</i></b>	(Syd., 1913) Deighton, 1976
<b><i>Asteromella pongamiae</i></b>	(Sydow y Sydow) Aa, 2002
<b><i>Aulacaspis tegalensis</i></b>	(Zehntner, 1898)
<b><i>Autographa gamma</i></b>	(Linnaeus, 1758)
<b><i>Avena sterilis</i></b>	Linnaeus
<b><i>Bactrocera carambolae</i></b>	Drew y Hancock, 1994
<b><i>Bactrocera cucurbitae</i></b>	Coquillett, 1899
<b><i>Bactrocera dorsalis</i></b>	(Hendel, 1912)
<b><i>Bactrocera latifrons</i></b>	(Hendel, 1915)
<b><i>Bactrocera minax</i></b>	(Enderlein, 1920)
<b><i>Bactrocera musae</i></b>	(Tryon, 1927)
<b><i>Bactrocera oleae</i></b>	Gmelin, 1790
<b><i>Bactrocera passiflorae</i></b>	(Froggatt, 1911)
<b><i>Bactrocera pedestris</i></b>	(Bezzi, 1914)
<b><i>Bactrocera psidii</i></b>	Froggatt, 1899
<b><i>Bactrocera tryoni</i></b>	(Froggatt, 1897)
<b><i>Bactrocera tsuneonis</i></b>	(Miyake, 1919)
<b><i>Bactrocera zonata</i></b>	(Saunders, 1841)
<b><i>Balansia oryzae-sativae</i></b>	Hashioka, 1971
<b><i>Banana bunchy top virus</i></b>	
<b><i>Barley yellow dwarf viruses</i></b>	
<b><i>Batrachedra amydraula</i></b>	Meyrick, 1916
<b><i>Bean leafroll virus</i></b>	
<b><i>Beet curly top virus</i></b>	
<b><i>Beet western yellows virus</i></b>	
<b><i>Blueberry leaf mottle virus</i></b>	
<b><i>Boeremia foveata</i></b>	(Foister, 1940) Aveskamp et al., 2010
<b><i>Bondia comonana</i></b>	(Kearfott, 1907)
<b><i>Botryosphaeria berengeriana f.sp. pyricola</i></b>	(Nose, 1933) Koganezawa y Sakuma, 1984

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<b><i>Botryosphaeria cocogena</i></b>	Subileau et al., 1994
<b><i>Botryosphaeria obtusa</i></b>	(Schweinitz, 1822) Shoem.
<b><i>Botryotinia convoluta</i></b>	(Drayton, 1937) Whetzel, 1945
<b><i>Botryotinia porri</i></b>	(Beyma, 1927) Whetzel, 1945
<b><i>Botryotinia ricini</i></b>	(Godfrey, 1919) Whetzel, 1945
<b><i>Botryotinia squamosa</i></b>	Vienn., 1953
<b><i>Brachystola sp.</i></b>	
<b><i>Brenneria rubrifaciens</i></b>	(Wilson et al., 1967) Hauben et al., 1999
<b><i>Brevipalpus californicus</i></b>	(Banks, 1904)
<b><i>Brevipalpus chilensis</i></b>	Baker, 1949
<b><i>Broad bean mottle virus</i></b>	
<b><i>Broad bean wilt virus</i></b>	
<b><i>Bromus sterilis</i></b>	Linnaeus
<b><i>Burkholderia caryophylli</i></b>	(Burkholder, 1942) Yabuuchi et al., 1993
<b><i>Burkholderia gladioli pv. alliicola</i></b>	(Burkholder 1942) comb. nov.
<b><i>Burkholderia gladioli pv. gladioli</i></b>	(Severini, 1913) Yabuuchi et al., 1993
<b><i>Burkholderia glumae</i></b>	(Kurita y Tabei, 1967) Urakami et al., 1994
<b><i>Busseola fusca</i></b>	Fuller, 1901
<b><i>Byturus fumatus</i></b>	Schreiber, 1910
<b><i>Cacoecimorpha pronubana</i></b>	Hübner 1800
<b><i>Cactoblastis cactorum</i></b>	Berg, 1885
<b><i>Cactus virus X</i></b>	
<b><i>Cacyreus marshalli</i></b>	Butler, 1898
<b><i>Callosobruchus analis</i></b>	Fabricius
<b><i>Calonectria kyotensis</i></b>	Terashita, 1968
<b><i>Candidatus Liberibacter asiaticus</i></b>	Jagoueix, Bové y Garnier
<b><i>Candidatus Phytoplasma mali</i></b>	Seemüller y Schneider, 2004
<b><i>Candidatus Phytoplasma prunorum</i></b>	Seemüller y Schneider, 2004
<b><i>Candidatus Phytoplasma pyri</i></b>	Seemüller y Schneider, 2004
<b><i>Carnation etched ring virus</i></b>	
<b><i>Carnation necrotic fleck virus</i></b>	Inouye & Mitsuata, 1973

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<b><i>Carposina sasakii</i></b>	Matsumura, 1900
<b><i>Carthamus lanatus</i></b>	Linnaeus
<b><i>Carthamus oxyacantha</i></b>	Bieb.
<b><i>Castniomera licus</i></b>	(Drury)
<b><i>Caulotops distanti</i></b>	(Reuter, 1905)
<b><i>Celery latent virus</i></b>	
<b><i>Celery mosaic virus</i></b>	
<b><i>Cerataphis orchidearum</i></b>	(Westwood)
<b><i>Ceratitis capitata</i></b>	(Wiedemann, 1824)
<b><i>Ceratitis cosyra</i></b>	(Walker, 1849)
<b><i>Ceratitis quinaria</i></b>	(Bezzi, 1918)
<b><i>Ceratitis rosa</i></b>	Karsch, 1887
<b><i>Ceratitis rubivora</i></b>	Coquillett, 1901
<b><i>Ceratocystis paradoxa</i></b>	(Dade, 1928) Moreau, 1952
<b><i>Ceratorhiza decidua</i></b>	(Davis, 1919) Roberts, 1999
<b><i>Ceratothrips discolor</i></b>	(Karny, 1907)
<b><i>Cercospora amaryllidis</i></b>	Ellis y Everh.
<b><i>Cercospora beticola</i></b>	Sacc., 1876
<b><i>Cercospora steviae</i></b>	
<b><i>Ceriporiopsis carnegiae</i></b>	(Baxter, 1941) Gilb. y Ryvarden, 1985
<b><i>Ceroplastes destructor</i></b>	Newstead, 1917
<b><i>Ceroplastes rubens</i></b>	Maskell, 1893
<b><i>Ceruraphis viburnicola</i></b>	(Gillette, 1909)
<b><i>Ceutorhynchus pleurostigma</i></b>	(Marsham) Stephens , 1829
<b><i>Chenopodium petiolare</i></b>	Kunth
<b><i>Cherry leaf roll virus</i></b>	
<b><i>Cherry necrotic rusty mottle virus</i></b>	
<b><i>Cherry rasp leaf virus</i></b>	
<b><i>Cherry rusty mottle disease</i></b>	
<b><i>Chilo partellus</i></b>	(Swinhoe, 1885)
<b><i>Chloroclystis rectangulata</i></b>	Linnaeus, 1758

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<b><i>Choanephora cucurbitarum</i></b>	(Berk. y Ravenel, 1875) Thaxt., 1903
<b><i>Chromatomyia syngenesiae</i></b>	Hardy, 1849
<b><i>Chrysanthemum chlorotic mottle pelamoviroid</i></b>	
<b><i>Chrysanthemum flower distortion virus</i></b>	
<b><i>Chrysanthemum stunt pospiviroid</i></b>	
<b><i>Chrysanthemum virus B</i></b>	
<b><i>Chrysomyxa rhododendri</i></b>	(DC., 1815) De Bary, 1879
<b><i>Chrysopogon aciculatus</i></b>	(Retz.) Trin.
<b><i>Cirsium arvense</i></b>	(Linnaeus) Scop., 1772
<b><i>Citrus blight disease</i></b>	
<b><i>Citrus cachexia hostuviroid</i></b>	
<b><i>Citrus exocortis pospiviroid</i></b>	
<b><i>Citrus impietratura disease</i></b>	Ruggieri, 1955
<b><i>Citrus leprosis virus</i></b>	
<b><i>Citrus psorosis B</i></b>	
<b><i>Citrus tristeza virus</i></b>	
<b><i>Citrus vein enation disease</i></b>	
<b><i>Clavibacter michiganensis subsp. insidiosus</i></b>	(McCulloch, 1925) Davis et al., 1984
<b><i>Clavibacter michiganensis subsp. nebraskensis</i></b>	(Vidaver y Mandel, 1974) Davis et al., 1984
<b><i>Clavibacter michiganensis subsp. sepedonicus</i></b>	(Spieckermann y Kotthoff, 1914) Dye y Kemp
<b><i>Clavibacter michiganensis subsp. tessellarius</i></b>	(Carlson y Vidaver, 1982) Davis et al., 1984
<b><i>Coccomyces coronatus</i></b>	(Schumacher, 1803) De Notaris, 1859
<b><i>Coconut cadang-cadang cocadviroid</i></b>	
<b><i>Coelaenomenodera elaeidis</i></b>	Maulik
<b><i>Coffee ringspot virus</i></b>	
<b><i>Coleosporium asterum</i></b>	(Dietel, 1899) Syd. y Syd., 1914
<b><i>Coleosporium tussilaginis</i></b>	(Pers., 1801) Lév., 1849
<b><i>Coleosporium tussilaginis f.sp. campanulae-trachel</i></b>	
<b><i>Colletotrichum coffeanum var. virulans</i></b>	Noack

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<i>Colletotrichum sublineolum</i>	Henn., 1913
<i>Commelina benghalensis</i>	Linnaeus, 1753
<i>Coniothyrium wernsdorffiae</i>	Laubert, 1905
<i>Conogethes punctiferalis</i>	(Guenée)
<i>Conotrachelus aguacatae</i>	Barber, 1923
<i>Conotrachelus nenuphar</i>	(Herbst) Harris , 1841
<i>Conotrachelus perseae</i>	Barber, 1919
<i>Conringia orientalis</i>	(Linnaeus) Dumort.
<i>Copturus aguacatae</i>	Kissinger
<i>Cotton anthocyanosis virus</i>	
<i>Cotton leaf curl virus</i>	
<i>Crioceris asparagi</i>	(Linnaeus, 1758)
<i>Crocus mosaic virus</i>	
<i>Crupina vulgaris</i>	Pers. ex Cass.
<i>Cucumber green mottle mosaic virus</i>	
<i>Cucumber leaf spot virus</i>	
<i>Curculio caryae</i>	Horn, 1873
<i>Curculio elephas</i>	Gyllenhal, 1836
<i>Curtobacterium flaccumfaciens pv. poinsettiae</i>	(Starr y Pirone, 1942) Collins y Jones, 1983
<i>Cuscuta umbellata</i>	
<i>Cydia caryana</i>	Fitch, 1856
<i>Cydia latiferreana</i>	(Walsingham, 1879)
<i>Cydia splendana</i>	(Hübner, 1796) Hübner, 1799
<i>Cylindrocladium circumscriptum</i>	
<i>Cylindrocladium pteridis</i>	Wolf, 1926
<i>Cymbidium mosaic virus</i>	
<i>Cymbidium ringspot virus</i>	

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<i>Dacus ciliatus</i>	Loew, 1862
<i>Daedalea ambigua</i>	Berk., 1845
<i>Dahlia mosaic stunt virus</i>	
<i>Dahlia mosaic virus</i>	
<i>Dasheen mosaic virus</i>	
<i>Datana major</i>	Grote & Robinson
<i>Davidiella macrospora</i>	(Kleb., 1924) Crous y Braun, 2003
<i>Davidiella tassiana</i>	(De Notaris, 1863) Crous y Braun, 2003
<i>Delia antiqua</i>	Meigen, 1826
<i>Delia floralis</i>	(Fallén, 1824)
<i>Delia platura</i>	(Meigen, 1826)
<i>Dendrothrips ornatus</i>	(Jablonowski, 1894)
<i>Dendryphiella vinosa</i>	(Berkeley y Curtis) Reisinger, 1968
<i>Diaphorina citri</i>	Kuwayama, 1908
<i>Diaporthe phaseolorum var. meridionalis</i>	Fernández, 1996
<i>Diaporthe phaseolorum var. sojiae</i>	(Lehman, 1922) Wehm., 1933
<i>Diaporthe vaccinii</i>	Shear, 1931
<i>Diaporthe vexans</i>	Gratz, 1942
<i>Diaprepes abbreviatus</i>	(Linnaeus, 1758) Hustache, 1929
<i>Diaspis bromeliae</i>	(Kerner, 1778) Kerner
<i>Diaspis echinocacti</i>	(Bouché, 1833)
<i>Diatraea indigenella</i>	Dyar y Heinrich, 1927
<i>Dichromothrips corbeti</i>	(Priesner, 1936)
<i>Dickeya dianthicola</i>	Samson et al., 2005
<i>Dickeya paradisiaca</i>	(Fernández y López, 1970) Samson et al., 2005
<i>Di cladispa armigera</i>	(Olivier, 1808)
<i>Didymella bryoniae</i>	(Auersw., 1869) Rehm, 1881
<i>Didymella fuchsiae</i>	Cooke Y Harkn.
<i>Didymella holci</i>	(Tehon, 1937) Arx, 1987
<i>Didymella ligulicola</i>	(Baker et al., 1949) Arx, 1962
<i>Didymella rabiei</i>	(Kovatschevski, 1936) Arx, 1962
<i>Digitaria abyssinica</i>	(Rich.) Stapf, 1907
<i>Digitaria velutina</i>	(Forssk.) Beauv.
<i>Dinoderus minutus</i>	(Fabricius, 1775)
<i>Diparopsis tephrogramma</i>	Baker, 1911
<i>Diplotaxis erucoides</i>	(Linnaeus) DeCandolle



DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<i>Diplothecha tunae</i>	(Spreng., 1820) Starbäck, 1893
<i>Ditylenchus angustus</i>	(Butler, 1913) Filipjev, 1936
<i>Ditylenchus destructor</i>	Thorne, 1945
<i>Dracaena mottle virus</i>	
<i>Draeculacephala minerva</i>	Ball, 1927
<i>Drosophila suzukii</i>	(Matsumura, 1931)
<i>Dysdercus cingulatus</i>	(Fabricius, 1775)
<i>Dysdercus fasciatus</i>	Signoret
<i>Dysmicoccus neobrevipes</i>	Beardsley
<i>Earias biplaga</i>	Walker, 1866
<i>Earias cupreoviridis</i>	Walker, 1862
<i>Earias insulana</i>	Boisduval, 1833
<i>Earias vittella</i>	(Fabricius, 1794)
<i>Echidnodes bromeliacearum</i>	(Rehm) Theiss. y Sydow, 1918
<i>Echium vulgare</i>	Linnaeus
<i>Eggplant latent elaviroid</i>	
<i>Eggplant mottled dwarf virus</i>	
<i>Eldana saccharina</i>	Walker, 1865
<i>Elsinoë brasiliensis</i>	Bitancourt & Jenkins, 1942
<i>Emericella nidulans</i>	(Eidam, 1883) Vuillemin, 1927
<i>Emex australis</i>	Steinh.
<i>Emex spinosa</i>	(Linnaeus) Campd.
<i>Endothenia hebesana</i>	Walker, 1863
<i>Enneadesmus obtusedentatus</i>	Lesne
<i>Enneadesmus trispinosus</i>	(Olivier, 1795)
<i>Entyloma lobeliae</i>	Farlow, 1883
<i>Epicaerus cognatus</i>	Sharp, 1891
<i>Epichoristodes acerbella</i>	(Walker, 1864)
<i>Epiphyas postvittana</i>	Walker, 1863
<i>Epitrix tuberis</i>	Gentner, 1944
<i>Eriophyes hibisci</i>	Nalepa
<i>Eriophyes pyri</i>	(Pagenstecher)
<i>Erwinia herbicola</i> pv. <i>gypsophilae</i>	(Brown, 1934) Miller et al., 1981
<i>Erwinia</i> sp.	
<i>Erwinia tracheiphila</i>	(Smith, 1895)
<i>Erysiphe australiana</i>	(McAlpine, 1899) Braun y Takam., 2000
<i>Eudocima fullonia</i>	(Clerck, 1764)

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<i>Eulophonotus myrmeleon</i>	Felder, 1874
<i>Eumerus funeralis</i>	Meigen, 1822
<i>Euphorbia esula</i>	Linnaeus
<i>Euphorbia helioscopia</i>	Linnaeus, 1753
<i>Euphranta canadensis</i>	(Loew, 1873)
<i>Eupoecilia ambiguella</i>	Hübner, 1796
<i>Euproctis chrysorrhoea</i>	(Linnaeus, 1758)
<i>Eusepeus postfasciatus</i>	(Fairmaire, 1849)
<i>Eutetranychus buxi</i>	
<i>Eutetranychus orientalis</i>	Klein
<i>Eutinobothrus brasiliensis</i>	(Hambleton, 1937) Lima, 1938
<i>Euwallacea fornicatus</i>	(Eichhoff, 1868) Wood y Bright, 1992
<i>Fiji disease virus</i>	
<i>Frankliniella cestrum</i>	Moulton
<i>Frankliniella intonsa</i>	(Trybom, 1895)
<i>Freesia mosaic virus</i>	
<i>Fumaria officinalis</i>	Linnaeus, 1753
<i>Fusarium incarnatum</i>	(Roberge, 1849) Saccardo, 1886
<i>Fusarium oxysporum f.sp. aechmeae</i>	Gordon, 1965
<i>Fusarium oxysporum f.sp. asparagi</i>	Cohen, 1946
<i>Fusarium oxysporum f.sp. cattleyae</i>	Foster
<i>Fusarium oxysporum f.sp. cepae</i>	(Hanzawa, 1914) Snyder & Hansen, 1940
<i>Fusarium oxysporum f.sp. cubense</i>	(Smith, 1910) Snyder y Hansen, 1940
<i>Fusarium oxysporum f.sp. cubense raza 4</i>	(Smith, 1910)
<i>Fusarium oxysporum f.sp. gladioli</i>	(Massey, 1926) Snyder y Hansen, 1940
<i>Fusarium oxysporum f.sp. radices-cucumerinum</i>	Vakalounakis, 1996
<i>Fusarium oxysporum f.sp. ricini</i>	(Wollenweber, 1940) Gordon, 1965
<i>Fusarium oxysporum f.sp. sesami</i>	Jacz.
<i>Fusarium oxysporum f.sp. vasinfectum</i>	(Atkinson, 1892) Snyder y Hansen, 1940
<i>Fusarium solani f.sp. cucurbitae</i>	Snyder y Hansen, 1941
<i>Fusarium solani f.sp. pisi</i>	(Jones, 1923) Snyder y Hansen, 1941
<i>Fusarium sp.</i>	
<i>Gaeumannomyces graminis var. Graminis</i>	(Saccardo) Arx y Olivier
<i>Galega officinalis</i>	Linnaeus
<i>Galeopsis tetrahit</i>	Linnaeus
<i>Gastrolobium grandiflorum</i>	Muell., 1862

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<b><i>Gibberella fujikuroi</i></b>	(Sawada, 1919) Wollenw., 1931
<b><i>Globodera pallida</i></b>	(Stone, 1973) Behrens, 1975
<b><i>Globodera rostochiensis</i></b>	(Wollenweber, 1923) Behrens, 1975
<b><i>Glomerella tucumanensis</i></b>	(Spegazzini) Arx y Müller, 1954
<b><i>Golovinomyces orontii</i></b>	(Castagne) Heluta
<b><i>Grapevine enation disease</i></b>	
<b><i>Grapevine flavescence doree phytoplasma</i></b>	
<b><i>Grapevine leafroll-associated viruses</i></b>	
<b><i>Grapevine vein necrosis virus</i></b>	
<b><i>Grapevine virus A</i></b>	
<b><i>Grapholita funebrana</i></b>	Treitschke, 1835
<b><i>Grapholita inopinata</i></b>	Heinrich, 1928
<b><i>Grapholita molesta</i></b>	(Busck, 1916)
<b><i>Grapholita packardi</i></b>	Zeller
<b><i>Grapholita prunivora</i></b>	(Walsh)
<b><i>Guignardia musae</i></b>	Raciborsky, 1909
<b><i>Gymnaspis aechmeae</i></b>	Newstead, 1898
<b><i>Gymnosporangium clavipes</i></b>	Cooke y Peck, 1873
<b><i>Gymnosporangium globosum</i></b>	Farlow, 1880
<b><i>Gymnosporangium juniperi-virginianae</i></b>	Schweinitz, 1822
<b><i>Hadula trifolii</i></b>	(Hufnagel, 1766)
<b><i>Halticus bractatus</i></b>	(Say, 1832)
<b><i>Haplobasidion musae</i></b>	Ellis, 1957
<b><i>Haplothrips kurdjumovi</i></b>	Karny, 1913
<b><i>Heilipus lauri</i></b>	Boheman, 1845
<b><i>Helicotylenchus pseudorobustus</i></b>	(Steiner, 1914) Golden, 1956
<b><i>Helicoverpa armigera</i></b>	(Hübner, 1809)
<b><i>Hemileia coffeicola</i></b>	Maublanc y Roger, 1934
<b><i>Hemileia vastatrix</i></b>	Berkeley y Broome, 1869
<b><i>Heracleum mantegazzianum</i></b>	Sommier y Levier, 1895
<b><i>Hercinothrips bicinctus</i></b>	(Bagnall, 1919)
<b><i>Heterodera avenae</i></b>	Wollenweber, 1924
<b><i>Heterodera glycines</i></b>	Ichinohe, 1952
<b><i>Heterodera oryzae</i></b>	Luc y Brizuela, 1961
<b><i>Heterodera schachtii</i></b>	Schmidt, 1871
<b><i>Heterodera zeae</i></b>	Koshy et al., 1971
<b><i>Hollyhock yellow-vein mosaic disease</i></b>	

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<i>Homalodisca vitripennis</i>	Germar, 1821
<i>Homoeosoma heinrichi</i>	Pastrana, 1961
<i>Hop stunt hostuviroid</i>	
<i>Horcias nobilellus</i>	(Berg, 1883)
<i>Hydrangea ringspot virus</i>	
<i>Hypera zoilus</i>	(Fabricius, 1763)
<i>Hypothenemus hampei</i>	(Ferrari, 1867) Wood y Bright , 1992
<i>Icerya aegyptiaca</i>	(Douglas, 1890)
<i>Idiopterus nephrolepidis</i>	Davis, 1909
<i>Impatiens necrotic spot virus</i>	
<i>Imperata cylindrica</i>	(Linnaeus) Raeschel, 1797
<i>Indian citrus ringspot virus</i>	
<i>Irenopsis cupaniae</i>	(Stevens, 1916) Stevens, 1927
<i>Iris fulva mosaic virus</i>	
<i>Iris mild mosaic virus</i>	
<i>Ischaemum rugosum</i>	Salisb., 1791
<i>Jasmine infectious variegation disease</i>	
<i>Kabatiella lini</i>	(Lafferty, 1921) Karakulin, 1957
<i>Kabatiella microsticta</i>	Bubák, 1907
<i>Kellermania anomala</i>	(Cooke) Höhnelt, 1915
<i>Khuskia oryzae</i>	Hudson, 1963
<i>Lavender yellow decline (MLO)</i>	
<i>Leifsonia xyli subsp. xyli</i>	(Davis et al., 1984) Evtushenko et al., 2000
<i>Lepidosaphes ulmi</i>	(Linnaeus, 1758)
<i>Leptinotarsa decemlineata</i>	Say, 1824
<i>Leptochloa chinensis</i>	(Linnaeus) Nees, 1824
<i>Leptopharsa gibbicarina</i>	Froeschner
<i>Lettuce big-vein virus</i>	
<i>Lettuce mosaic virus</i>	
<i>Ligniera vasculorum</i>	(Matz) Cook
<i>Ligyris ebenus</i>	(De Geer, 1774)
<i>Ligyris gibbosus</i>	(Degeer, 1774)
<i>Lilioceris lili</i>	(Scopoli, 1763)
<i>Lily mottle virus</i>	
<i>Lily rosette virus</i>	
<i>Linaria vulgaris</i>	Miller
<i>Liriomyza bryoniae</i>	(Kaltenbach, 1858)

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<i>Liriomyza sativae</i>	Blanchard, 1938
<i>Lissachatina fulica</i>	(Bowdich, 1822)
<i>Listroderes costirostris</i>	Schönherr, 1826
<i>Little cherry virus</i>	
<i>Lobesia botrana</i>	Denis y Schiffermüller, 1776
<i>Lolium rigidum</i>	Gaudin, 1811
<i>Longicaudus trirhodus subsp. trirhodus</i>	
<i>Longidorus elongatus</i>	(de Man, 1876) Micoletzky, 1922
<i>Lophodermium exaridum</i>	(Cooke y Peck, 1878) Saccardo, 1883
<i>Lophodermium schweinitzii</i>	Wilson & Robertson, 1947
<i>Lopholeucaspis japonica</i>	(Cockerell, 1897)
<i>Lopidea davisii</i>	Knight, 1917
<i>Ludwigia hyssopifolia</i>	(Don) Exell
<i>Lycium ferocissimum</i>	Miers
<i>Lyctus africanus</i>	Lesne
<i>Lymantria dispar</i>	Linnaeus, 1758
<i>Maconellicoccus hirsutus</i>	(Green, 1908)
<i>Macronoctua onusta</i>	Grote, 1874
<i>Macrophoma pandani</i>	(Léveillé, 1846) Berlese y Voglino, 1886
<i>Macrophya simillima</i>	Rohwer, 1917
<i>Macrosiphoniella artemisiae subsp. artemisiae</i>	(Harrington, 1985)
<i>Macrosiphoniella sanborni</i>	(Gillette, 1908)
<i>Macrosiphum euphorbiae</i>	Thomas, 1878
<i>Malacosoma americanum</i>	Fabricius, 1793
<i>Malacosoma disstria</i>	Hübner, 1819
<i>Maladera castanea</i>	(Arrow, 1913)
<i>Maple mosaic disease</i>	
<i>Marasmia trapezalis</i>	(Guenée)
<i>Marasmius palmivorus</i>	Sharples, 1928
<i>Marmara gulosa</i>	Guillén y Davis, 2001
<i>Mayetiola destructor</i>	(Say, 1817)
<i>Megalopyge opercularis</i>	Smith y Abbot, 1797
<i>Melaleuca quinquenervia</i>	(Cav.) Blake
<i>Melanconium pandani</i>	Léveillé, 1845
<i>Melanomma dothideasporum</i>	
<i>Melanthrips fuscus</i>	(Stutzer, 1776)
<i>Melastoma malabathricum</i>	Linnaeus

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<b><i>Meliola dracaena</i></b>	Stevens, 1925
<b><i>Meliola praetervis</i></b>	Gaillard, 1892
<b><i>Melochia corchorifolia</i></b>	Linnaeus
<b><i>Meloidogyne chitwoodi</i></b>	Golden et al., 1980
<b><i>Meloidogyne javanica</i></b>	(Treub, 1885) Chitwood, 1949
<b><i>Meloidogyne marioni</i></b>	(Cornu, 1879) Chitwood y Oteifa, 1952
<b><i>Melolontha melolontha</i></b>	(Linnaeus, 1758)
<b><i>Melon necrotic spot virus</i></b>	
<b><i>Merodon equestris</i></b>	Fabricius, 1794
<b><i>Metcalfa pruinosa</i></b>	(Say, 1830)
<b><i>Microbotryum violaceum</i></b>	(Persoon) Deml y Oberwinkler, 1982
<b><i>Microcephalothrips abdominalis</i></b>	(Crawford, 1910)
<b><i>Microdochium dimerum</i></b>	(Penzig, 1882) Arx, 1984
<b><i>Microlophium carnosum</i></b>	(Buckton, 1876)
<b><i>Microsphaeropsis hellebori</i></b>	(Cooke y Masee, 1887) Aa, 2002
<b><i>Mikania micrantha</i></b>	Kunth
<b><i>Milesia insularis</i></b>	Faull, 1932
<b><i>Monarthropalpus buxi</i></b>	(Laboulbène)
<b><i>Monilinia fructigena</i></b>	(Aderh. y Ruhland) Honey, 1945
<b><i>Moniliophthora perniciosa</i></b>	(Stahel) Aime y Mora, 2006
<b><i>Moniliophthora roreri</i></b>	(Ciferri, 1933) Evans et al., 1978
<b><i>Monochoria vaginalis</i></b>	(Burm.) Presl, 1827
<b><i>Monographella albescens</i></b>	(Thümen, 1889) Parkinson et al., 1981
<b><i>Mononychus vulpeculus</i></b>	Schoenherr, 1825
<b><i>Mycoleptodiscus indicus</i></b>	(Sahni) Sutton, 1973
<b><i>Mycosphaerella anthurii</i></b>	Miles, 1917
<b><i>Mycosphaerella fijiensis</i></b>	Morelet, 1969
<b><i>Mycosphaerella opuntia</i></b>	(Ellis y Everhart, 1888) Dearness, 1919
<b><i>Mycosphaerella pinodes</i></b>	(Berk. & Bloxam) Vestergren
<b><i>Myrothecium roridum</i></b>	Tode, 1790
<b><i>Mythimna unipuncta</i></b>	Haworth
<b><i>Myzaphis rosarum</i></b>	(Kaltenbach, 1843)
<b><i>Nacoleia octasema</i></b>	Meyrick (1886)
<b><i>Nandina mosaic virus</i></b>	
<b><i>Naohidemycetes vacciniorum</i></b>	(Link) Spooner, 1999
<b><i>Narcissus mosaic virus</i></b>	
<b><i>Narcissus yellow stripe virus</i></b>	

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<b><i>Nassella trichotoma</i></b>	(Nees) Hackel ex Arech., 1896
<b><i>Naupactus leucoloma</i></b>	Boheman , 1840
<b><i>Naupactus xanthographus</i></b>	(Germar) Boheman in Schoenh. , 1833
<b><i>Nectria magnoliae</i></b>	Lohman y Hepting, 1943
<b><i>Nectriella pironii</i></b>	Alfieri y Samuels, 1980
<b><i>Nemorimyza maculosa</i></b>	(Malloch, 1913)
<b><i>Neomyzus circumflexus</i></b>	(Buckton, 1876)
<b><i>Neonectria radicola</i></b>	(Gerlach y Nilsson) Mantiri y Samuels, 2001
<b><i>Neoscytalidium dimidiatum</i></b>	(Penzig) Crous y Slippers, 2006
<b><i>Neosilba pendula</i></b>	(Bezzi, 1919)
<b><i>Neslia paniculata</i></b>	(Linnaeus) Desv.
<b><i>Nodonota puncticollis</i></b>	(Say)
<b><i>Oberea bimaculata</i></b>	(Olivier, 1795)
<b><i>Odontoglossum ringspot virus</i></b>	
<b><i>Oligonychus coffeae</i></b>	(Nietner)
<b><i>Oligonychus ilicis</i></b>	
<b><i>Olpidium brassicae</i></b>	(Woronin, 1878) Dangeard, 1886
<b><i>Omophlus lepturoides</i></b>	(Fabricius, 1787)
<b><i>Omophoita aequinoctialis</i></b>	(Linnaeus, 1758)
<b><i>Oncidium ringspot virus</i></b>	
<b><i>Onion yellow dwarf virus</i></b>	
<b><i>Operophtera brumata</i></b>	Linnaeus, 1758
<b><i>Opogona sacchari</i></b>	Bojer, 1856
<b><i>Orchamoplatus mammaeferus</i></b>	(Quaintancer y Baker, 1917)
<b><i>Orchidophilus aterrimus</i></b>	(Waterhouse)
<b><i>Orgyia leucostigma</i></b>	(Smith, 1797)
<b><i>Orgyia postica</i></b>	(Walker, 1855)
<b><i>Orobanche cernua</i></b>	Loefl., 1758
<b><i>Orobanche ramosa</i></b>	Linnaeus (1753)
<b><i>Orobanche spp.</i></b>	
<b><i>Orseolia oryzivora</i></b>	Harris y Gagné, 1982
<b><i>Orthosia hibisci</i></b>	(Guenée, 1852)
<b><i>Oryza longistaminata</i></b>	Chev. y Roehr., 1914
<b><i>Oryza punctata</i></b>	Kotschy ex Steud.
<b><i>Oryza rufipogon</i></b>	Griffiths
<b><i>Ostrinia nubilalis</i></b>	(Hübner)
<b><i>Otala lactea</i></b>	(Muller, 1774)

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<i>Otiorhynchus sulcatus</i>	(Fabricius, 1775) Germar
<i>Ovalisia virgata</i>	(Motschulsky)
<i>Pachnaeus azurescens</i>	Gyllenhal , 1834
<i>Pachymerus nucleorum</i>	(Fabricius)
<i>Pachysandra terminalis</i>	Siebold y Zucc.
<i>Paecilomyces variotii</i>	Bainier, 1907
<i>Paeonia virus 1</i>	
<i>Paleacrita vernata</i>	(Peck, 1795)
<i>Palm lethal yellowing phytoplasma</i>	
<i>Pandemis heparana</i>	Denis y Schiffermüller
<i>Pantoea stewartii</i>	(Smith, 1898) Mergaert et al., 1993
<i>Papaipema cataphracta</i>	Grote, 1864
<i>Papaipema nebris</i>	Guenée, 1852
<i>Papaipema purpurifasciata</i>	Grote y Robinson, 1868
<i>Papaya meleira virus</i>	
<i>Parabemisia myricae</i>	(Kuwana, 1927)
<i>Paratachardina lobata lobata</i>	(Chamberlin, 1923)
<i>Paratrichodorus porosus</i>	(Allen, 1957) Siddiqi, 1974
<i>Parlatoria blanchardi</i>	(Targioni Tozzetti) Leonardi, 1899
<i>Parlatoria ziziphi</i>	(Lucas, 1853)
<i>Paspalum scrobiculatum</i>	Linnaeus
<i>Passalora bataticola</i>	(Cif. y Bruner, 1931) Braun y Crous, 2003
<i>Passalora crotonis</i>	(Ellis y Everhart, 1893) Crous y Braun, 2003
<i>Passalora sojina</i>	(Hara, 1915) Shin y Braun, 1996
<i>Pea enation mosaic virus-1</i>	
<i>Pea seed-borne mosaic virus</i>	
<i>Peach latent mosaic pelamoviroid</i>	
<i>Peach rosette mosaic virus</i>	
<i>Peach rosette phytoplasma</i>	
<i>Peach X disease phytoplasma</i>	
<i>Peach yellows phytoplasma</i>	
<i>Peanut stunt virus</i>	
<i>Pear blister canker apscaviroid</i>	
<i>Pear bud drop disease</i>	
<i>Pectinophora gossypiella</i>	Saunders, 1843
<i>Pectinophora scutigera</i>	Holdaway, 1926
<i>Pectobacterium atrosepticum</i>	(van Hall, 1902) Gardan et al., 2003



DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<b><i>Pectobacterium carnegianum</i></b>	(Standring, 1942) Brenner et al., 1973
<b><i>Pectobacterium carotovorum subsp. carotovorum</i></b>	(Jones, 1901) Hauben et al., 1999
<b><i>Pectobacterium cypripedii</i></b>	(Hori, 1911) Brenner et al., 1973
<b><i>Pelargonium leaf curl virus</i></b>	
<b><i>Penicillium expansum</i></b>	Link, 1809
<b><i>Pennisetum macrourum</i></b>	Trin.
<b><i>Pennisetum pedicellatum</i></b>	Trin.
<b><i>Pennisetum polystachion</i></b>	(Linnaeus, 1759) Schultes (1824)
<b><i>Pepper mottle virus</i></b>	
<b><i>Periconia circinata</i></b>	(Mangin, 1899) Saccardo, 1905
<b><i>Perkinsiella saccharicida</i></b>	Kirkaldy, 1903
<b><i>Perofascia lepidii</i></b>	(McAlpine, 1895) Constant., 2002
<b><i>Peronosclerospora philippinensis</i></b>	(Weston) Shaw, 1978
<b><i>Peronosclerospora sacchari</i></b>	(Miyake) Shirai y Hara, 1927
<b><i>Peronospora farinosa f.sp. chenopodii</i></b>	Byford
<b><i>Peronospora farinosa f.sp. spinaciae</i></b>	Byford
<b><i>Petrobia latens</i></b>	(Müller, 1776)
<b><i>Peyronellaea curtisii</i></b>	(Berkeley, 1878) Aveskamp et al., 2010
<b><i>Phaeochoropsis palmicola</i></b>	(Stevens, 1920) Hyde y Cannon, 1999
<b><i>Phakopsora cherimoliae</i></b>	Cummins, 1941
<b><i>Phialophora cinerescens</i></b>	(Wollenweber, 1930) Beyma, 1940
<b><i>Phoenicococcus marlatti</i></b>	Cockerell, 1899
<b><i>Phoma anemones</i></b>	Kauffman, 1936
<b><i>Phoma destructiva</i></b>	Plowright, 1881
<b><i>Phoma exigua var. exigua</i></b>	Saccardo, 1879
<b><i>Phoma iowana</i></b>	Saccardo
<b><i>Phoma tracheiphila</i></b>	(Petri) Kantachveli y Gikachvili, 1948
<b><i>Phomopsis longicolla</i></b>	Hobbs, 1985
<b><i>Phthorimaea operculella</i></b>	(Zeller 1873)
<b><i>Phyllachora pomigena</i></b>	(Schweinitz) Saccardo, 1883
<b><i>Phyllachora torrendiella</i></b>	(Batista, 1948) Subileau et al., 1993
<b><i>Phyllachora yapensis subsp. pongamiae</i></b>	(Berkeley y Broome, 1875) Cannon, 1991
<b><i>Phyllocnistis citrella</i></b>	Stainton, 1856
<b><i>Phyllognathus excavatus</i></b>	(Forster, 1771)
<b><i>Phyllonorycter blancardella</i></b>	(Fabricius, 1781)
<b><i>Phyllosticta ghaesembillae</i></b>	Koorders, 1907

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<i>Phyllosticta maculicola</i>	Halsted, 1894
<i>Phyllosticta solitaria</i>	Ellis y Everhart, 1895
<i>Phyllosticta telopeae</i>	Yip, 1989
<i>Phyllotreta cruciferae</i>	(Goeze, 1777)
<i>Phymatotrichopsis omnivora</i>	(Duggar, 1916) Hennebert, 1973
<i>Phytomonas staheli</i>	McGhee y McGhee, 1979
<i>Phytomyza aconiti</i>	Hendel, 1920
<i>Phytomyza ilicis</i>	Curtis, 1846
<i>Phytomyza minuscula</i>	Goureau, 1851
<i>Phytomyza rufipes</i>	Meigen, 1830
<i>Phytonemus pallidus</i>	(Banks)
<i>Phytophthora capsici</i>	Leonian, 1922
<i>Phytophthora cinnamomi</i>	Rands, 1922
<i>Phytophthora cryptogea</i>	Pethybridge y Lafferty, 1919
<i>Phytophthora erythroseptica</i> var. <i>erythroseptica</i>	(Waterhouse, 1963)
<i>Phytophthora infestans</i>	(Montagne) de Bary, 1876
<i>Phytophthora ramorum</i>	Werres et al., 2001
<i>Phytophthora richardiae</i>	Buisman, 1927
<i>Phytophthora rubi</i>	(Wilcox y Duncan, 1993) Man in't Veld, 2007
<i>Phytophthora sojae</i>	Kaufmann y Gerdemann, 1958
<i>Pinnaspis buxi</i>	(Bouché)
<i>Pinnaspis dysoxylis</i>	(Maskell, 1885)
<i>Planococcus ficus</i>	Signoret, 1875
<i>Planococcus kenya</i>	(Le Pelley, 1935)
<i>Planococcus lilacinus</i>	Cockerell, 1905
<i>Planococcus minor</i>	(Maskell, 1897)
<i>Plasmopara halstedii</i>	(Farlow) Berlese y de Toni, 1888
<i>Platycarpa scaly bark disease</i>	
<i>Platynota idaeusalis</i>	Walker, 1859
<i>Pleospora betae</i>	(Berlese) Nevodovsky, 1915
<i>Plowrightia circumscissa</i>	Tracy y Earle, 1901
<i>Plum pox virus</i>	
<i>Pococera atramentalis</i>	(Lederer)
<i>Podischnus agenor</i>	(Olivier, 1789)
<i>Poecilocapsus lineatus</i>	(Fabricius, 1798)
<i>Polygonum barbatum</i>	Linnaeus

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<i>Polygonum convolvulus</i>	Linnaeus
<i>Polygonum lapathifolium</i>	Linnaeus
<i>Polyphagotarsonemus latus</i>	Banks
<i>Popillia japonica</i>	Newman
<i>Porroca</i>	Ferrand, 1960
<i>Potato black ringspot virus</i>	
<i>Potato latent virus</i>	
<i>Potato leaflet stunt disease</i>	
<i>Potato leafroll virus</i>	
<i>Potato mop-top virus</i>	
<i>Potato spindle tuber pospiviroid</i>	
<i>Potato stolbur phytoplasma</i>	
<i>Potato virus A</i>	
<i>Potato virus M</i>	
<i>Potato virus S</i>	
<i>Potato virus T</i>	
<i>Potato virus X</i>	
<i>Potato virus Y</i>	
<i>Potato virus Yn</i>	
<i>Potato virus Yntn</i>	
<i>Potato witches' broom phytoplasma</i>	
<i>Potato yellow dwarf virus</i>	
<i>Prathoda longissima</i>	(Deighton & MacGarvie, 1968) Simmons, 2007
<i>Pratylenchus coffeae</i>	(Zimmermann, 1898) Filipjev y Steckhoven, 1941
<i>Pratylenchus penetrans</i>	(Cobb, 1917) Filipjev y Stekhoven, 1941
<i>Pratylenchus pratensis</i>	(de Man, 1880) Filipjev, 1936
<i>Pratylenchus vulnus</i>	Allen y Jensen, 1951
<i>Pratylenchus zaeae</i>	Graham, 1951
<i>Prays citri</i>	Millière, 1873
<i>Privet infectious variegation disease</i>	
<i>Proeulia auraria</i>	(Clarke, 1949)
<i>Proeulia chrysopteris</i>	(Butler, 1883)
<i>Prune dwarf virus</i>	Saponari Maria
<i>Prunus necrotic ringspot virus</i>	
<i>Psammotermes hypostoma</i>	Desmeux

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<i>Pseudaulacaspis cockerelli</i>	(Cooley, 1897)
<i>Pseudaulacaspis pentagona</i>	(Targioni Tozzetti, 1886) MacGillivray, 1921
<i>Pseudischnaspis bowreyi</i>	(Cockerell, 1893)
<i>Pseudocercospora pongamiae-pinnatae</i>	Ram y Mallaiah, 1993
<i>Pseudocneorhinus bifasciatus</i>	(Roelofs)
<i>Pseudococcus comstocki</i>	(Kuwana, 1902)
<i>Pseudococcus longispinus</i>	(Targioni Tozzetti, 1867) Targioni Tozzetti
<i>Pseudococcus viburni</i>	(Signoret, 1875) Signoret
<i>Pseudocochliobolus pallescens</i>	Tsuda y Ueyama, 1983
<i>Pseudomonas cichorii</i>	(Swingle, 1925) Stapp, 1928
<i>Pseudomonas erodii</i>	Lewis
<i>Pseudomonas fluorescens</i>	(Trevisan, 1889) Migula, 1895
<i>Pseudomonas gardeniae</i>	
<i>Pseudomonas marginalis</i>	(Brown, 1918) Stevens, 1925
<i>Pseudomonas marginalis pv. marginalis</i>	(Brown, 1918) Stevens, 1925
<i>Pseudomonas savastanoi pv. glycinea</i>	(Coerper, 1919) Gardan et al., 1992
<i>Pseudomonas savastanoi pv. savastanoi</i>	(ex Smith, 1908) Gardan et al., 1992
<i>Pseudomonas syringae pv. aptata</i>	(Brown y Jamieson, 1913) Young et al., 1978
<i>Pseudomonas syringae pv. atrofaciens</i>	(McCulloch, 1920) Young et al., 1978
<i>Pseudomonas syringae pv. coronafaciens</i>	(Elliott, 1920) Young et al., 1978
<i>Pseudomonas syringae pv. delphinii</i>	(Smith, 1904) Young et al., 1978
<i>Pseudomonas syringae pv. garcae</i>	(Amaral et al., 1956) Young et al., 1978
<i>Pseudomonas syringae pv. lachrymans</i>	(Smith y Bryan, 1915) Young et al., 1978
<i>Pseudomonas syringae pv. lapsa</i>	(Ark, 1940) Young et al., 1978
<i>Pseudomonas syringae pv. maculicola</i>	(McCulloch, 1911) Young et al., 1978
<i>Pseudomonas syringae pv. morsprunorum</i>	(Wormald, 1931) Young et al., 1978
<i>Pseudomonas syringae pv. primulae</i>	(Ark y Gardner, 1936) Young et al., 1978
<i>Pseudomonas syringae pv. sesami</i>	(Malkoff, 1906) Young et al., 1978
<i>Pseudomonas syringae pv. syringae</i>	van Hall, 1902
<i>Pseudomonas syringae pv. tomato</i>	(Okabe) Young et al.
<i>Pseudomonas syringae pv. zizaniae</i>	(ex Bowden y Percich, 1983) Young et al., 1991
<i>Pseudomonas viridiflava</i>	(Burkholder, 1930) Dowson, 1939
<i>Pseudomonas xanthochlora</i>	(Schuster) Stapp, 1928
<i>Pseudospiropes indicus</i>	Rai y Rai, 1995
<i>Psylla buxi</i>	(Linné, 1758)
<i>Puccinia albulensis</i>	Magnus, 1890

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<i>Puccinia allii</i>	(DeCandolle, 1815) Rudolphi, 1829
<i>Puccinia andina</i>	Dietel y Neger, 1899
<i>Puccinia andropogonis</i>	Schweinitz, 1832
<i>Puccinia anisacanthi</i>	Dietel y Holw., 1901
<i>Puccinia arenariae</i>	(Schumacher, 1803) Winter, 1880
<i>Puccinia aristidae</i>	Tracy, 1893
<i>Puccinia arundiariae</i>	Schweinitz, 1822
<i>Puccinia bartholomaei</i>	Dietel, 1892
<i>Puccinia calcitrapae</i>	DeCandolle, 1805
<i>Puccinia campanulae</i>	Carmichael, 1836
<i>Puccinia cannae</i>	Hennings, 1902
<i>Puccinia caricina</i> var. <i>caricina</i>	DeCandolle, 1815
<i>Puccinia chelonis</i>	Dietel y Holway, 1897
<i>Puccinia chrysanthemi</i>	Roze, 1900
<i>Puccinia cirsii-lanceolati</i>	Schröter, 1887
<i>Puccinia cnici-oleracei</i>	Persoon, 1823
<i>Puccinia concrescens</i>	Ellis y Everhart, 1915
<i>Puccinia conoclinii</i>	Seymour, 1885
<i>Puccinia cooperiae</i>	Long, 1902
<i>Puccinia cyani</i>	Passerini, 1874
<i>Puccinia cyperi</i>	Arthur, 1891
<i>Puccinia delphinii</i>	Dietel y Holway, 1893
<i>Puccinia dichondrae</i>	Montagne, 1852
<i>Puccinia dioicae</i> var. <i>extensicola</i>	(Plowright, 1889) Henderson, 1961
<i>Puccinia douglasii</i>	Ellis y Everhart, 1893
<i>Puccinia dulichii</i>	Sydow y Sydow, 1904
<i>Puccinia eleocharidis</i>	Arthur, 1884
<i>Puccinia ellisiana</i>	Thümen, 1878
<i>Puccinia enceliae</i>	Dietel y Holway, 1897
<i>Puccinia extensicola</i> var. <i>asteris</i>	(Thümen, 1877) Arthur
<i>Puccinia gentianae</i>	(Strauss) Martius, 1824
<i>Puccinia graminis</i> f.sp. <i>tritici</i> raza <b>TTKS</b>	Erikssoon y Henning
<i>Puccinia grindeliae</i>	Peck, 1879
<i>Puccinia heliconiae</i>	(Dietel, 1897) Arthur, 1918
<i>Puccinia horiana</i>	Hennings, 1901
<i>Puccinia iridis</i>	Wallroth, 1844
<i>Puccinia iridis</i> f.sp. <i>floridana</i>	Sobers, 1966

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<i>Puccinia irrequisita</i>	Jackson, 1921
<i>Puccinia lateritia</i>	Schweinitz, 1853
<i>Puccinia leonotidicola</i>	Hennings, 1903
<i>Puccinia liatridis</i>	(Bethel ex Arthur y Fromme, 1920) Arthur, 1934
<i>Puccinia limosae</i>	Magnus, 1877
<i>Puccinia lobeliae</i>	Gerard, 1873
<i>Puccinia mcleanii</i>	
<i>Puccinia melampodii</i>	Dietel y Holway, 1897
<i>Puccinia obtecta</i>	Peck, 1873
<i>Puccinia panici</i>	Dietel y Holway, 1895
<i>Puccinia pelargonii-zonalis</i>	Doidge, 1926
<i>Puccinia peridermiospora</i>	(Ellis y Tracy, 1890) Arthur, 1899
<i>Puccinia physostegiae</i>	Peck y Clinton, 1878
<i>Puccinia pimpinellae</i>	(Strauss, 1810) Link, 1824
<i>Puccinia poarum</i>	Nielsen, 1877
<i>Puccinia probabilis</i>	Arthur y Cummins, 1934
<i>Puccinia psidii</i>	Winter, 1884
<i>Puccinia punctiformis</i>	(Strauss, 1810) Röhling, 1813
<i>Puccinia rhaetica</i>	Fischer, 1899
<i>Puccinia rubigo-vera var. agropyri</i>	(Erikss.) Arthur
<i>Puccinia stipae</i>	(Opiz, 1852) Arthur, 1884
<i>Puccinia tenuis</i>	Bonorden
<i>Puccinia tillandsiae</i>	Cummins y Pollack, 1974
<i>Puccinia triticina</i>	Eriksson, 1899
<i>Puccinia vagans</i>	(DeCandolle) Arthur, 1934
<i>Puccinia venustula</i>	(Arthur, 1916) Arthur, 1918
<i>Puccinia verbesinae</i>	Schweinitz, 1822
<i>Pucciniastrum epilobii</i>	Otth, 1861
<i>Pyrenophora chaetomioides</i>	Spegazzini, 1899
<i>Pyricularia setariae</i>	Nisikado, 1927
<i>Pyrilla perpusilla</i>	(Walker, 1851) Walker
<i>Pyrrhia umbra</i>	Hüfnagel, 1766
<i>Pythium myriotylum</i>	Drechsler, 1930
<i>Pythium splendens</i>	Braun, 1925
<i>Radopholus similis</i>	(Cobb, 1893) Thorne, 1949
<i>Ralstonia solanacearum</i>	(Smith, 1896) Yabuuchi et al., 1996

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<b><i>Ralstonia solanacearum</i> raza 2</b>	(Smith, 1896) Yabuuchi et al., 1996
<b><i>Ralstonia solanacearum</i> raza 3</b>	(Smith, 1896) Yabuuchi et al., 1996
<b><i>Ranunculus repens</i></b>	Linnaeus
<b><i>Raoiella indica</i></b>	Hirst
<b><i>Raspberry bushy dwarf virus</i></b>	
<b><i>Raspberry leaf curl virus</i></b>	
<b><i>Raspberry ringspot virus</i></b>	
<b><i>Ravenelia hobsonii</i></b>	Cooke, 1880
<b><i>Ravenelia humphreyana</i></b>	Hennings, 1898
<b><i>Ravenelia spegazziniana</i></b>	Lindquist, 1946
<b><i>Ravenelia texensis</i></b>	Ellis y Galloway, 1894
<b><i>Red clover vein mosaic virus</i></b>	
<b><i>Retithrips syriacus</i></b>	(Mayet, 1890)
<b><i>Retracrus elaeis</i></b>	Keifer
<b><i>Rhabdoscelus obscurus</i></b>	(Boisduval)
<b><i>Rhabdospora oudemansii</i></b>	Hennings, 1900
<b><i>Rhadinaphelenchus cocophilus</i></b>	(Cobb, 1919) Goodey, 1960
<b><i>Rhagoletis basiola</i></b>	(Sacken, 1877)
<b><i>Rhagoletis cerasi</i></b>	Linnaeus, 1758
<b><i>Rhagoletis indifferens</i></b>	Curran, 1932
<b><i>Rhagoletis pomonella</i></b>	Walsh, 1867
<b><i>Rhagoletis suavis</i></b>	Loew, 1862
<b><i>Rhagoletis tomatidis</i></b>	Foote, 1981
<b><i>Rhigopsidius tucumanus</i></b>	Heller, 1906
<b><i>Rhinostomus barbirostris</i></b>	(Fabricius) Rafinesque
<b><i>Rhizobium rhizogenes</i></b>	(Riker et al., 1930) Young et al., 2001
<b><i>Rhizoctonia crocorum</i></b>	(Persoon) DeCandolle, 1815
<b><i>Rhizoecus falcifer</i></b>	Herculeis, 1878
<b><i>Rhizoecus floridanus</i></b>	Hambleton, 1973
<b><i>Rhodococcus fascians</i></b>	(Tilford, 1936) Goodfellow, 1984
<b><i>Rhopalosiphoninus latusiphon</i></b>	(Davidson, 1912)
<b><i>Rhopobota ilicifolia</i></b>	Kearfott, 1907
<b><i>Rhopoglyphus filicinus</i></b>	(Fries, 1823) Nitschke ex Fuckel, 1870
<b><i>Rhynchites foveipennis</i></b>	Fairm., 1888
<b><i>Rhynchophorus ferrugineus</i></b>	(Olivier, 1790)
<b><i>Rice black streaked dwarf virus</i></b>	
<b><i>Rice hoja blanca virus</i></b>	

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<b><i>Rice stripe virus</i></b>	
<b><i>Richardia brasiliensis</i></b>	Gomes, 1801
<b><i>Richardia grandiflora</i></b>	(Cham. & Schltdl.) Steud.
<b><i>Richardia stellaris</i></b>	(Cham. & Schltdl.) Steud.
<b><i>Rose wilt disease</i></b>	
<b><i>Rose X disease</i></b>	
<b><i>Rottboellia cochinchinensis</i></b>	(Lour.) Clayton (1981)
<b><i>Rotylenchulus parvus</i></b>	(Williams, 1960) Sher, 1961
<b><i>Rubus moluccanus</i></b>	Linnaeus
<b><i>Rubus stunt phytoplasma</i></b>	Seemüller et al., 1998
<b><i>Sabulodes aegrotata</i></b>	(Guenée, 1858)
<b><i>Sacadodes pyralis</i></b>	Dyar, 1912
<b><i>Saccharata proteae</i></b>	(Wakefield, 1922) Denman & Crous, 2004
<b><i>Saccharum spontaneum</i></b>	Linnaeus, 1771
<b><i>Salsola vermiculata</i></b>	Linnaeus
<b><i>Sandal spike phytoplasma</i></b>	
<b><i>Sarocladium oryzae</i></b>	(Sawada, 1922) Gams y Hawksworth, 1975
<b><i>Schistocerca piceifrons piceifrons</i></b>	(Walker, 1870)
<b><i>Schoenoplectiella juncooides</i></b>	(Roxb.) Lye
<b><i>Scirtothrips aurantii</i></b>	Faure, 1929
<b><i>Scirtothrips dorsalis</i></b>	Hood, 1919
<b><i>Sclerophoma eustomonis</i></b>	Taubenhaus y Ezekiel
<b><i>Sclerophthora rayssiae var. zaeae</i></b>	Payak y Renfro, 1967
<b><i>Sclerotinia denigricans</i></b>	
<b><i>Sclerotinia minor</i></b>	Jagger, 1920
<b><i>Sclerotinia trifoliorum</i></b>	Eriksson, 1880
<b><i>Sclerotium denigrans</i></b>	Pape, 1943
<b><i>Scolytus rugulosus</i></b>	(Müller)
<b><i>Scutellonema brachyurus</i></b>	(Steiner, 1938) Andrassy, 1958
<b><i>Senecio vulgaris</i></b>	Linnaeus, 1753
<b><i>Septoria atriplicis</i></b>	(Westendorp, 1851) Fuckel, 1870
<b><i>Septoria helianthi</i></b>	Ellis y Kellerman, 1883
<b><i>Septoria steviae</i></b>	Ishiba et al., 1982
<b><i>Sesamia calamistis</i></b>	Hampson, 1910
<b><i>Sesamia cretica</i></b>	Lederer, 1857
<b><i>Sesamia inferens</i></b>	(Walker, 1856)
<b><i>Setaria pumila</i></b>	(Poir.) Roemer y Schultes, 1817



DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<b><i>Setaria spp.</i></b>	
<b><i>Silene noctiflora</i></b>	Linnaeus
<b><i>Silybum marianum</i></b>	(Linnaeus) Gaertn.
<b><i>Sinapis arvensis</i></b>	Linnaeus
<b><i>Sitodiplosis mosellana</i></b>	(Gehin, 1857)
<b><i>Solanum carolinense</i></b>	Linnaeus (1753)
<b><i>Solanum peruvianum</i></b>	Linnaeus
<b><i>Solanum ptycanthum</i></b>	Dunal
<b><i>Solanum viarum</i></b>	Dunal
<b><i>Sonchus arvensis</i></b>	Linnaeus, 1753
<b><i>Sonchus yellow net virus</i></b>	
<b><i>Sowbane mosaic virus</i></b>	
<b><i>Sparganthis sulfureana</i></b>	Clemens, 1860
<b><i>Sphaceloma poinsettiae</i></b>	Jenkins y Rühle, 1942
<b><i>Sphaceloma venezuelanum</i></b>	Bitancourt y Jenkins
<b><i>Sphacelotheca erianthi</i></b>	(Sydow y Sydow) Mundkur, 1942
<b><i>Sphacelotheca macrospora</i></b>	Yen y Wang, 1955
<b><i>Sphacelotheca reiliana</i></b>	(Kühn, 1875) Clinton, 1902
<b><i>Sphaeropsis vitis</i></b>	Jakubski, 1965
<b><i>Sphaeropsis hedericola</i></b>	(Spegazzini) Saccardo, 1884
<b><i>Sphenarium sp.</i></b>	
<b><i>Sphenoclea zeylanica</i></b>	Gaertn., 1788
<b><i>Spilonota albicana</i></b>	Motschulsky
<b><i>Spilonota ocellana</i></b>	(Denis y Schiffermüller) Schiffermüller
<b><i>Spilosoma virginica</i></b>	Fabricius, 1798
<b><i>Spiroplasma citri</i></b>	Saglio et al., 1973
<b><i>Spodoptera littoralis</i></b>	(Boisduval, 1833)
<b><i>Spodoptera litura</i></b>	(Fabricius, 1775)
<b><i>Spodoptera mauritia</i></b>	Boisduval, 1833
<b><i>Spoladea recurvalis</i></b>	(Fabricius, 1775)
<b><i>Squash mosaic virus</i></b>	
<b><i>Steneotarsonemus concavuscutum</i></b>	Lofego & Gondim
<b><i>Steneotarsonemus laticeps</i></b>	(Halbert)
<b><i>Steneotarsonemus spinki</i></b>	Smiley, 1967
<b><i>Stenoma catenifer</i></b>	Walsingham, 1912
<b><i>Stigmina palmivora</i></b>	(Saccardo, 1898) Hughes, 1952
<b><i>Strawberry crinkle virus</i></b>	

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<b><i>Strawberry latent C virus</i></b>	
<b><i>Strawberry latent ringspot virus</i></b>	
<b><i>Strawberry mild yellow edge virus</i></b>	
<b><i>Strawberry mottle virus</i></b>	
<b><i>Strawberry pseudo mild yellow edge virus</i></b>	
<b><i>Strawberry vein banding virus</i></b>	
<b><i>Strawberry witches' broom phytoplasma</i></b>	
<b><i>Striga angustifolia</i></b>	(Don) Saldanha, 1963
<b><i>Striga asiatica</i></b>	(Linnaeus, 1753) Kuntze, 1891
<b><i>Striga densiflora</i></b>	(Benth., 1835) Benth., 1863
<b><i>Striga hermonthica</i></b>	(Del., 1813) Benth., 1836
<b><i>Striga spp.</i></b>	
<b><i>Stromatinia cepivora</i></b>	(Berkeley, 1841) Whetzel, 1945
<b><i>Sugarcane bacilliform virus</i></b>	
<b><i>Sugarcane sereh disease</i></b>	
<b><i>Sugarcane streak virus</i></b>	
<b><i>Sugarcane yellow leaf virus</i></b>	
<b><i>Symmetrischema tangolia</i></b>	Turner, 1919
<b><i>Synchytrium aureum</i></b>	Schröter, 1870
<b><i>Synchytrium edgertonii</i></b>	Cook, 1945
<b><i>Synchytrium endobioticum</i></b>	(Schilberszky) Percival, 1909
<b><i>Synchytrium fulgens</i></b>	Schröter, 1873
<b><i>Synchytrium nigrescens</i></b>	Davis, 1924
<b><i>Synchytrium vaccinii</i></b>	Thomas, 1889
<b><i>Taeniothrips eucharii</i></b>	(Whetzel, 1923)
<b><i>Taphrina bullata</i></b>	(Berkeley y Broome, 1855) Tulasne, 1866
<b><i>Teratosphaeria jonkershoekensis</i></b>	(Wyk ET AL., 1975) Crous y Braun, 2007
<b><i>Tetraleurodes ursorum</i></b>	(Cockerell, 1910)
<b><i>Thanatephorus cucumeris</i></b>	(Frank) Donk, 1956
<b><i>Thanatephorus theobromae</i></b>	(Talbot y Keane) Roberts, 1999
<b><i>Thaumatotibia leucotreta</i></b>	Meyrick
<b><i>Thecaphora solani</i></b>	Barrus, 1944
<b><i>Thekopsora areolata</i></b>	(Fries, 1818) Magnus, 1875
<b><i>Themeda quadrivalvis</i></b>	(Linnaeus) Kuntze
<b><i>Theretra oldenlandiae</i></b>	(Fabricius, 1775)
<b><i>Thlaspi arvense</i></b>	Linnaeus (1753)
<b><i>Thrips angusticeps</i></b>	Uzel, 1895

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<b><i>Thrips flavus</i></b>	Schrank
<b><i>Thrips hawaiiensis</i></b>	(Morgan, 1913)
<b><i>Thrips meridionalis</i></b>	(Priesner, 1926)
<b><i>Thrips nigropilosus</i></b>	Uzel
<b><i>Thrips palmi</i></b>	Karny, 1925
<b><i>Thrips sumatrensis</i></b>	(Priesner, 1934)
<b><i>Tilletia controversa</i></b>	Kühn, 1874
<b><i>Tilletia indica</i></b>	Mitra, 1931
<b><i>Tilletia tritici</i></b>	(Bjerkander, 1775) Winter, 1874
<b><i>Tipula paludosa</i></b>	Meigen, 1830
<b><i>Tobacco etch virus</i></b>	
<b><i>Tobacco mosaic virus</i></b>	
<b><i>Tobacco necrosis virus</i></b>	
<b><i>Tobacco rattle virus</i></b>	
<b><i>Tobacco ringspot virus</i></b>	
<b><i>Tobacco streak virus</i></b>	
<b><i>Tomato aspermy virus</i></b>	
<b><i>Tomato black ring virus</i></b>	
<b><i>Tomato bushy stunt virus</i></b>	
<b><i>Tomato mottle virus</i></b>	
<b><i>Tomato ringspot virus</i></b>	
<b><i>Tomato spotted wilt virus</i></b>	
<b><i>Toxoptera citricida</i></b>	(Kirkaldy)
<b><i>Tremex fuscicornis</i></b>	(Fabricius, 1787)
<b><i>Tretendophragmia palmivora</i></b>	Subramanian, 1994
<b><i>Trichoconiella padwickii</i></b>	(Ganguly, 1948) Jain, 1976
<b><i>Trichodorus spp.</i></b>	
<b><i>Trichothecium roseum</i></b>	(Persoon, 1794) Link, 1809
<b><i>Trichomothrips xanthius</i></b>	(Williams, 1917)
<b><i>Trioza alacris</i></b>	Flor, 1861
<b><i>Tripleurospermum inodorum</i></b>	(Linnaeus) Sch.
<b><i>Tripleurospermum maritimum</i></b>	(Linnaeus) Koch
<b><i>Trirhithrum coffeae</i></b>	Bezzi, 1918
<b><i>Trogoderma granarium</i></b>	Everts, 1899
<b><i>Tulip breaking virus</i></b>	
<b><i>Tuta absoluta</i></b>	(Meyrick, 1917) Povolny (1994)
<b><i>Tylenchorhynchus claytoni</i></b>	Steiner, 1937

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<i>Typophorus nigrinus</i>	(Fabricius, 1801)
<i>Udea rubigalis</i>	(Guenée) Guenée, 1854
<i>Uleodothis pteridis</i>	Stevens, 1920
<i>Ulex europaeus</i>	Linnaeus
<i>Unaspis yanonensis</i>	(Kuwana, 1923)
<i>Uredo behnickiana</i>	Hennings, 1905
<i>Uredo gladioli-buettneri</i>	Bubák, 1911
<i>Urocarpidium peruvianum</i>	(Linnaeus, 1753) Krapov.
<i>Urochloa panicoides</i>	Beauv.
<i>Urocystis sorosporioides</i>	Körnicker ex von Waldheim, 1877
<i>Uromyces asclepiadis</i>	Cooke, 1877
<i>Uromyces compactus</i>	Peck, 1882
<i>Uromyces dianthi</i>	(Persoon) Niessl 1872
<i>Uromyces euphorbiae</i>	Cooke y Peck, 1873
<i>Uromyces funci</i>	
<i>Uromyces gentianae</i>	Arthur, 1891
<i>Uromyces holwayi</i>	Lagerheim, 1889
<i>Uromyces houstoniatus</i>	Sheldon, 1909
<i>Uromyces junci</i>	(Desmazières) Tulasne y Tulasne, 1854
<i>Uromyces limonii</i>	(DeCandolle, 1805) Léveillé, 1849
<i>Uromyces lupini</i>	Berkeley y Curtis, 1860
<i>Uromyces occidentalis</i>	Dietel, 1903
<i>Uromyces pisi-sativi</i>	(Persoon) Liro, 1908
<i>Uromyces probus</i>	Arthur 1911
<i>Uromyces sparganii</i>	Cooke y Peck, 1874
<i>Uromyces triquetrus</i>	Cooke, 1862
<i>Uromycladium tepperianum</i>	(Saccardo, 1889) McAlpine, 1906
<i>Ustilago cissi</i>	Tulasne y Tulasne
<i>Ustilago nuda f.sp. tritici</i>	Schaffnit, 1928
<i>Ustilago scitaminea</i>	Sydow, 1924
<i>Vaccaria hispanica</i>	(Miller) Rauschert
<i>Vankya vaillantii</i>	Vankya vaillantii (Tul. & C. Tul.) Ershad 2000
<i>Verticillium heterocladum</i>	Penzig, 1882
<i>Villosiclava virens</i>	(Sakurai ex Nakata) Tanaka y Tanaka, 2009
<i>Vinsonia stellifera</i>	(Westwood, 1871)
<i>Virachola bimaculata</i>	Hewitson, 1874
<i>Virus marchitez variegada</i>	

DIRECCIÓN GENERAL DE SANIDAD VEGETAL

<b><i>Viteus vitifoliae</i></b>	(Fitch, 1851)
<b><i>Volutella albido-pila</i></b>	Boudier, 1891
<b><i>Watermelon mosaic virus-II</i></b>	Wang et al., 1993
<b><i>Wheat streak mosaic virus</i></b>	
<b><i>Xanthomonas albilineans</i></b>	(Ashby, 1929) Dowson, 1943
<b><i>Xanthomonas arboricola pv. pruni</i></b>	(Smith, 1903) Vauterin et al.
<b><i>Xanthomonas axonopodis pv. alfalfae</i></b>	(Riker et al., 1935) Vauterin et al., 1995
<b><i>Xanthomonas axonopodis pv. begoniae</i></b>	(Takimoto 1934) Vauterin et al. 1995
<b><i>Xanthomonas axonopodis pv. citri</i></b>	(Hasse, 1915) Vauterin et al., 1995
<b><i>Xanthomonas axonopodis pv. dieffenbachiae</i></b>	(McCulloch y Pirone, 1939) Vauterin et al., 1995
<b><i>Xanthomonas axonopodis pv. malvacearum</i></b>	(Smith, 1901) Vauterin et al., 1995
<b><i>Xanthomonas axonopodis pv. poinsetticola</i></b>	(Patel et al., 1951) Vauterin et al., 1995
<b><i>Xanthomonas axonopodis pv. ricini</i></b>	(Yoshii & Takimoto, 1928) Vauterin et al., 1995
<b><i>Xanthomonas axonopodis pv. vasculorum</i></b>	(Cobb, 1893) Vauterin et al., 1995
<b><i>Xanthomonas campestris pv. aberrans</i></b>	(Knösel, 1961) Dye, 1978
<b><i>Xanthomonas campestris pv. armoraciae</i></b>	(McCulloch, 1929) Dye, 1978
<b><i>Xanthomonas campestris pv. sesami</i></b>	(Sabet y Dowson, 1960) Dye, 1978
<b><i>Xanthomonas cucurbitae</i></b>	(Bryan, 1926) Vauterin et al., 1995
<b><i>Xanthomonas fragariae</i></b>	Kennedy y King, 1962
<b><i>Xanthomonas hortorum pv. carotae</i></b>	(Kendrick, 1934) Vauterin et al., 1995
<b><i>Xanthomonas hortorum pv. hederiae</i></b>	(Arnaud, 1920) Vauterin et al., 1995
<b><i>Xanthomonas hortorum pv. pelargonii</i></b>	(Brown, 1923) Vauterin et al., 1995
<b><i>Xanthomonas hyacinthi</i></b>	(Wakker, 1883) Vauterin et al., 1995
<b><i>Xanthomonas oryzae pv. oryzae</i></b>	(Ishiyama, 1922) Swings et al., 1990
<b><i>Xanthomonas oryzae pv. oryzicola</i></b>	(Fang et al., 1957) Swings et al., 1990
<b><i>Xanthomonas translucens pv. cerealis</i></b>	(Hagborg, 1942) Vauterin et al., 1995
<b><i>Xanthomonas vasicola pv. holcicola</i></b>	(Elliott, 1930) Vauterin et al., 1995
<b><i>Xanthomonas vesicatoria</i></b>	(Doidge, 1920) Dowson, 1939
<b><i>Xanthopastis timais</i></b>	(Cramer, 1782)
<b><i>Xestia c-nigrum</i></b>	(Linnaeus, 1758)
<b><i>Xiphinema coxi</i></b>	Tarjan, 1964
<b><i>Xiphinema diversicaudatum</i></b>	(Micoletzky, 1927) Thorne, 1939
<b><i>Xiphinema index</i></b>	Thorne y Allen, 1950
<b><i>Xiphinema rivesi</i></b>	Dalmasso, 1969
<b><i>Xylella fastidiosa subsp. fastidiosa</i></b>	(Wells et al., 1987)

**DIRECCIÓN GENERAL DE SANIDAD VEGETAL**

<b><i>Xylella fastidiosa subsp. multiplex</i></b>	(Wells et al., 1987)
<b><i>Xylella fastidiosa subsp. pauca</i></b>	(Wells et al., 1987)
<b><i>Xylomyges curialis</i></b>	(Grote, 1873)
<b><i>Xylophilus ampelinus</i></b>	(Panagopoulos, 1969) Willems et al., 1987
<b><i>Xyphon fulgida</i></b>	(Nottingham, 1932)
<b><i>Yucca bacilliform virus</i></b>	
<b><i>Yuccaborus frontalis</i></b>	LeConte, 1876
<b><i>Zeuzera pyrina</i></b>	Linnaeus, 1761
<b><i>Zonosemata electa</i></b>	(Say, 1830)
<b><i>Zygotylenchus guevarai</i></b>	(Jiménez, 1963) Braun y Loof, 1966